THE PUBLIC LIBRARY

OF THE

CITY OF BOSTON

FORM NO. 522; 4.6.36. 5M

B. H. Ref.

No. 6457.1

1933-34

GIVEN BY

Mass. Secretary of the Com'lth

* 6457.1

Public Document No. 1

The Commonwealth of Massachusetts

OFFICE OF THE SECRETARY

DIVISION OF VITAL STATISTICS

ANNUAL REPORT

ON THE

VITAL STATISTICS OF MASSACHUSETTS

BIRTHS, MARRIAGES, DIVORCES AND DEATHS

FOR THE YEAR ENDING DECEMBER 31, 1934

PREPARED BY
FREDERIC W. COOK
THE SECRETARY OF THE COMMONWEALTH

EDITED BY
ARTHUR J. HASSETT
STATE REGISTRAR OF VITAL STATISTICS

PUBLICATION OF THIS DOCUMENT APPROVED BY THE COMMISSION ON ADMINISTRATION AND FINANCE

650—6-'35. No. 4410

CONTENTS

EDITORIAL REVIEW OF THE VITAL STATISTICS OF MASSACHUSETTS: 1934.

Part I.

Mortality Statistics.

	PAGE
Introduction	1–17
General mortality	1–4
Death registration	1
Purpose	1
Mortality statistics	2
Source of data	2
Death rates and their comparability	2
Number of deaths and death rates	2, 3
Sex	3
Age	3
Sex and age	3
Marital condition	3
Centenarians	3
Nativity	3, 4
Seasonable distribution of deaths	4
Infant mortality	4, 5
Cause of death	5–8
Sources of error in mortality statistics	5
Principal causes of death	5–8
Deaths investigated by medical examiners	8, 9
Source of data	8, 9
Number of deaths investigated	9
Autopsies	9
Cause of death	9
Statistical tables	18–143
General mortality	18–110
Table 1.—Deaths, by sex and nativity, population, and death rates in each county and city: 1934	18–23
Table 2.—Deaths, by sex and age, in each county: 1934	24, 25
Table 3.—Deaths, by sex and age, in municipalities having over 10,000 inhabitants in 1930: 1934	26–31
Table 4.—Population, deaths, and death rates per 1,000 population: 1910 to 1934	32
Table 5.—Mortality of males and females: 1910 to 1934	32
Table 6.—Deaths at specified ages: census years 1905 to 1930	33
Table 7.—Per cent of deaths at specified ages—both sexes: 1910 to 1934	33
Table 8.—Male deaths per 1,000 female deaths at specified ages: 1931 to 1934	33
Table 9.—Deaths of males and females at specified ages: 1925 to 1934	34
Table 10.—Deaths of persons 100 years of age and over, by age, sex, place of death, place of birth, marital condition, date of death and name of decedent: 1934	35
Table 11.—Deaths of persons 100 years of age and over, by sex, nativity, marital condition, and age of oldest decedent: 1910 to 1934	35
Table 12.—Deaths by sex, age, and marital condition: 1934	36
Table 13.—Deaths in counties, and in cities having over 50,000 inhabitants, in 1930, by months: 1934	37
Table 14.—Deaths from each cause and class of causes, according to the detailed International List, by months and sex and by age and sex: 1934	38–75
Table 15.—Deaths from important causes in each municipality: 1934	76–100
Table 16.—Deaths from principal causes: 1910 to 1934	101
Table 16a—Deaths from principal communicable diseases: 1910 to 1934	101
Table 17.—Deaths, death rates per 100,000 population, and per cent distribution by each cause and class of causes according to the Abridged International List: 1928 to 1934	102, 103
Table 18.—Death rates per 100,000 population based on annual average number of deaths for the five-year period of which the census year is the median year: census years 1905 to 1930	104
Table 19.—Deaths produced by external causes: 1910 to 1934	104
Table 20.—Deaths from cancer, by sex, age, and marital condition: 1934	105–110
Infant mortality	111–133
Table 21.—Deaths under 1 month of age; also under 1 year of age, by sex, in the State and each municipality: 1934	111–113
Table 22.—Live births, deaths under 1 year, infant mortality rates, and per cent of deaths under 1 year to deaths at all ages: 1910 to 1934	113
Table 23.—Infant deaths per 1,000 live births in municipalities having over 15,000 inhabitants in 1930: 1927 to 1934	114
Table 24.—Birth rates, death rates, natural increase, infant mortality rates, and survivorship in municipalities having over 15,000 inhabitants in 1930: 1934	114, 115
Table 25.—Infant mortality in Massachusetts, Boston, and the remainder of the State outside Boston: 1918 to 1934	115
Table 26.—Survivors at end of first year of life per 1,000 population and per 1,000 live births: 1909 to 1934	116
Table 27.—Infant deaths per 1,000 live births, by causes: 1927 to 1934	116
Table 28.—Deaths under 2 years of age from diarrhea and enteritis, by months: 1927 to 1934	116
Table 29.—Deaths from important causes for certain subdivisions of the first year of life for the State and for cities having 50,000 inhabitants or more in 1930: 1934	117–133
Maternal mortality	134
Table 30.—Deaths and death rates per 100,000 population, and per 100,000 female population, from diseases caused by pregnancy and confinement: 1910 to 1934	134

Mass Secretary of the Commonwealth

STATISTICAL TABLES—*Concluded.* PAGE
Maternal mortality—*Concluded.*
TABLE 31.—Death rates per 10,000 confinements, per 10,000 births, and per 10,000 live births, from diseases caused by pregnancy and confinement: 1910 to 1934 . . . 134
Deaths investigated by medical examiners 135–143
TABLE 32.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners in each county, by causes; and number and per cent of deaths autopsied in each county: 1934 135
TABLE 33.—Deaths (inclusive of stillbirths) due to violence and other causes, investigated by medical examiners, by causes, sex, and months, and by causes, sex, and age: 1934 . 136–141
TABLE 34.—Deaths (inclusive of stillbirths) investigated and autopsies made by medical examiners in each county: 1925 to 1934 . . . . . 142, 143

PART II A.

BIRTH STATISTICS.

INTRODUCTION 144–146
Birth registration 144, 145
Live births 145
Birth rate 145
Changes in the birth rate 145
Stillbirths 145
Birth rates of the principal cities 145, 146
Sex proportions at birth 146
Nativity of parents 146
Plural births 146
Natural increase 146
STATISTICAL TABLES 147–154
TABLE 35.—Live births, by sex and parent nativity; and birth rates in each county and city: 1934 147–151
TABLE 36.—Live births by month of birth in counties, and in cities having over 50,000 inhabitants in 1930: 1934 152
TABLE 37.—Plural births, by sex, and stillbirths, in counties and in cities having over 50,000 inhabitants in 1930: 1934 152
TABLE 38.—Live births and birth rates for the State and cities having over 100,000 inhabitants in 1930: 1910 to 1934 153
TABLE 39.—Live births, by sex and parent nativity, and sex proportions at birth: 1910 to 1934 153
TABLE 40.—Live birth rates per 1,000 population, excess of births over deaths, natural increase per 1,000 population, plural births (cases of twins and triplets), and stillbirths by sex, per 1,000 live births, and sex proportions of stillborn: 1910 to 1934 154

PART II B.

MARRIAGE STATISTICS.

INTRODUCTION 155, 156
Marriage registration 155
Accuracy 155
Source of data 155
Purpose, marriage requirements 156
STATISTICAL TABLES 157–167
TABLE 41.—Marriages, classified by nativity and residence of bride and groom, in each county and municipality: 1934 157–161
TABLE 42.—Marriages by sex, age, and marital condition: 1934 161
TABLE 43.—Marriages by months, in counties, and in cities having over 100,000 inhabitants in 1930: 1934 . . . . . 162, 163
TABLE 44.—Marriages in each county, by sex and age: 1934 . . . . . 162, 163
TABLE 45.—Marriages, by sex and age: 1934 164
TABLE 46.—First marriages, by sex and age: 1934 164
TABLE 47.—First marriages of grooms and remarriages of brides, by age: 1934 . . . 164
TABLE 48.—Remarriages of grooms and first marriages of brides, by age: 1934 . . . 165
TABLE 49.—Remarriages of both parties, by age: 1934 165
TABLE 50.—First marriages and remarriages: 1934 165
TABLE 51.—Marriages, marriage rates, and nativity of persons married: 1910 to 1934 . 166
TABLE 52.—Proportions of first marriages and remarriages per 1,000 marriages: 1910 to 1934 166
TABLE 53.—Marriages and marriage rates in the State, and in cities having over 100,000 inhabitants in 1930: 1910 to 1934 167

PART II C.

DIVORCE STATISTICS.

INTRODUCTION 168, 169
Causes for divorce 168
Source of data 168
Applications for divorce 168
Contested cases 168
Number of divorces 168
Divorce rates 168, 169
Party to which granted 169
Divorces classified by causes 169
Annulment classified as divorce 169
Duration of marriages 169
STATISTICAL TABLES 170–188
TABLE 54.—Libels for divorces granted, refused, dismissed, contested, and not contested, and number of years libellants were married, by statutory causes and sex of libellant: The State—1934 170
A. Barnstable County 171
B. Berkshire County 172
C. Bristol County 173
D. Dukes County 174
E. Essex County 175

STATISTICAL TABLES—*Concluded.* PAGE
F. Franklin County 176
G. Hampden County 177
H. Hampshire County 178
I. Middlesex County 179
J. Nantucket County 180
K. Norfolk County 181
L. Plymouth County 182
M. Suffolk County 183
N. Worcester County 184
TABLE 55.—Number and per cent of divorces granted to husbands and to wives: 1910 to 1934 185
TABLE 56.—Divorces granted, number and per cent increase in each five-year period over preceding five-year period, and per cent increase in total population over preceding census: 1910 to 1930 185
TABLE 57.—Comparison of increase in divorces and divorce rates with increase in population: 1905 to 1930 185
TABLE 58.—Divorce rates based on total population and on married population: census years, 1905 to 1930 185
TABLE 59.—Annual average number of divorces in the State and in each county: census years, 1910 to 1930 186
TABLE 60.—Divorces granted for specified causes for 25 years: 1910 to 1934 . . . 186
TABLE 61.—Statutory causes of divorce: 1910 to 1934 186
TABLE 62.—Applications for divorce: 1910 to 1934 187
TABLE 63.—Divorces granted, classified by cause and party to which granted: 1934 . . 187
TABLE 64.—Libels for divorce granted and not granted, contested and not contested, classified by party to which granted: 1934 187
TABLE 65.—Number of years libellants were married at time of application for divorce: 1910 to 1934 188

PART II D.

POPULATION STATISTICS.

Introductory 189
Estimated population 189
STATISTICAL TABLE 190
TABLE 66.—Census population of municipalities having over 15,000 inhabitants in 1930: 1905 to 1930 190

APPENDIX.

International classification of causes of death 191–197
1. Detailed International List 191–196
2. Abridged International List 197

LETTER OF SUBMITTAL

The Commonwealth of Massachusetts,
Office of the Secretary,
Division of Vital Statistics, Boston, April 1, 1935.

To the Honorable Senate and House of Representatives:

I have the honor to submit herewith, as required by Chapter 46, section 21, and Chapter 208, section 47, of the General Laws, the ninety-third annual report on statistics of births, marriages, divorces, and deaths in Massachusetts, for the calendar year 1934 in two parts; Part I, Mortality Statistics; Part II, Statistics of Births, Marriages, and Divorces. The fact that deaths are reported monthly while births, marriages, and statistics of divorce are not required to be reported until March, April and May of the year following that in which the events occur, makes possible the availability of the mortality report earlier than the report of births, marriages, and divorces. Hence the presentation in two parts in one volume.

The editorial review and the method of presentation of the statistical data were prepared by Arthur J. Hassett, State Registrar, in charge of the Division of Vital Statistics. The statistical tables were prepared under the direction of Elizabeth M. Canty, principal statistical clerk of the division. The exhibition of tabular results is restricted to such as are plainly of practical utility within the meaning of the statute by authority of which the tables are prepared.

Respectfully submitted,

Frederic W. Cook,
Secretary of the Commonwealth.

Editorial Review of the Vital Statistics of Massachusetts, 1934

BY ARTHUR J. HASSETT, STATE REGISTRAR OF VITAL STATISTICS.

PART I
MORTALITY STATISTICS

	PAGE
Introduction	1–17
General mortality	1–4
Death registration	1
Purpose	1
Mortality statistics	2
Source of data	2
Death rates and their comparability	2
Number of deaths and death rates	2, 3
Sex	3
Age	3
Sex and age	3
Marital condition	3
Centenarians	3
Nativity	3, 4
Seasonal distribution of deaths	4
Infant mortality	4, 5
Cause of death	5–8
Sources of error in mortality statistics	5
Principal causes of death	5–8
Deaths investigated by medical examiners	8, 9
Source of data	8
Number of deaths investigated	8
Autopsies	8
Cause of death	9
Statistical tables	18–143

INTRODUCTION.

History.

Death Registration.—Massachusetts was the first colony to recognize the importance of the registration of vital statistics and Chapter 3, Acts of 1639 of the Laws of the Colony and Province of Massachusetts Bay required the registration of births, marriages and deaths, and in 1840 it was required by statute that copies should be filed with the Secretary of the Commonwealth. In 1880 the registration area for deaths recognized by the United States Bureau of the Census, i.e., the States, and cities in other States, effectively enforcing satisfactory registration laws of all deaths registered, included but two States, Massachusetts and New Jersey, the District of Columbia, and a number of cities in non-registration States.

During the period 1841 to 1934, inclusive, 3,548,096 deaths have been reported, recorded, and tabulated in the Division of Vital Statistics.

These records are not only on file in the cities and towns in which they occurred, and in the city and town given as the residence of the deceased at the time of death, but also at the State House.

Purpose.—Death registration often gives the first intimation of pestilential disease, permitting health officers to attack epidemics in their incipiency. It serves as evidence in the inheritance of property and in the settlement of life insurance. It is useful in preventing crime through the restriction placed upon the disposal of dead human bodies, and insures a permanent and uniform record of the death of each individual for both sentimental and legal reasons.

Mortality Statistics. — Mortality statistics, or statistics of deaths, are useful in showing the extent and rate of change in population produced by deaths, the average duration of life, the relative frequency with which the several causes produce death, and for their service in creating an interest in public health administration and securing support for sanitary measures. In comparison with birth statistics they give useful information regarding population increase or decrease. Mortality statistics, however, cannot be used as an index of the prevalence of certain diseases, because there is no fixed ratio between sickness and fatality. Only cases of fatal sickness or disease are given,while morbidity statistics include all cases, whether fatal or not.

Source of Data.—Mortality statistics are based upon original data obtained by the registration of deaths, which is accomplished by the filing of a blank or schedule known as the standard death certificate.

The responsibility for seeing that a certificate is properly made out and filed with the local board of health rests primarily with the undertaker, who is required by law to present a satisfactory certificate of death before he may obtain a permit to remove the body from the city or town in which the death occurred, or to bury the body. The local board of health is required to transmit the death certificate to the city or town clerk, who in turn records the death and is required to transmit a certified copy to the Secretary of the Commonwealth on or before the tenth day of the month following that in which the death occurred. Hospitals and other institutions are required to obtain, when a person is received, the facts which would be required for record in the event of the death of such person.

Death Rates and Their Comparability. — The death rates given in this report are based upon the comparison of total deaths with the aggregate population. They are usually expressed in terms of the number of deaths per 1,000 population, and are calculated by dividing the total number of deaths by the population in thousands. This means that death rates vary with the character of the population and each element has its relation to the rate of mortality, and therefore, for comparison with other States or countries, the make-up of the population must be considered. The death rate per 1,000 males is generally higher than the rate per 1,000 females. Hence, a State having a relatively larger female population than another will normally show a lower death rate, and a community where the very young or old predominate will show a higher rate than a community made up largely of young adults. Rates will also vary with the color and nationality of the inhabitants.

Factors which seriously affect the comparability of the death rates of different communities are: (1) race composition; (2) the social, marital, and economic status of the people; (3) employment; (4) the location of hospitals and institutions; (5) migration; and (6) the birth rate.

The rates given in this report, as well as those in all the preceding registration reports, are based on the inclusion of all deaths, both resident and nonresident, occurring in each city or town. Deaths in the asylums for the insane and in other State institutions with the exception of the State Infirmary, are enumerated with those of the town where they are located, and for certain localities nonresident deaths are given (see footnote, page 18). However, beginning with the Annual Report for the year 1935, all deaths will be allocated to the place of residence as well as to the place of death.

In addition to the erroneous and unwarranted conclusions sometimes arrived at by attempting to compare data which are not comparable, such as death rates of different communities of varying sex and age composition, another possible source of error in mortality statistics is the original data, which are sometimes given by persons not fully cognizant of the true facts.

Number of Deaths and Death Rates. — There was a decrease in the mortality of 1934 as compared with that of 1933, the number of deaths occurring during the calendar year 1934 being 50,760, a decrease as compared with 1933, of 72. Based on the estimated population of 1934 of 4,339,221, these deaths correspond to a rate of 11.7 per 1,000 population. The rate for 1933 was 11.8.

During the ten-year periods, from 1913 to 1922, inclusive, the average death rate of the Commonwealth was 14.6, and 1923 to 1932, inclusive, 12.2.

This remarkable decrease in mortality has been the rule rather than the exception in the experiences of the other States. Since 1900 the average death rate for Massachusetts has been 14.4 per 1,000 living. During the period 1896 to 1900 this rate stood at 18.1, while the decade from 1925–1934 shows an average rate of 12.0, a decided decrease.

Table 4, on page 32, shows the number of deaths and the death rates per 1,000 population for the census years and per 1,000 estimated population for the intercensal years from 1910 to 1934.

Sex. — Of the 50,760 deaths in 1934, 26,569, or 52.3 per cent, were males, the percentage in 1933 being 51.4. The proportion of males in the living population, as shown by the United States Census of 1930, was 48.7 per cent. Expressed as a ratio there were 1,098 deaths of males per 1,000 deaths of females in 1934, as compared with 1,058 in 1933, 1,046 in 1932 and 1,055 in 1931.

Table 5, on page 32, shows that the death rate for males has been consistently greater than the death rate for females. The death rate of the sexes has fluctuated considerably, reaching the maximum in 1918, when the difference was 3 per 1,000.

Age. — Of the 50,760 deaths in 1934, 3,136 or 6.2 per cent, were of infants under 1 year of age, as compared with 6.5 per cent in 1933, and an average of 7.9 for the five years from 1929 to 1933, 11.4 for the five years from 1924 to 1928, and 14.5 for the five years from 1919 to 1923. A more detailed discussion of infant mortality may be found on pages 4 and 5.

Sex and Age. — The death rate of adult males might be expected to exceed the rate of adult females, on account of the more dangerous occupations of the males, but the excess in the death rate of male infants as compared with female infants has never been satisfactorily explained. Of the 3,136 decedents under 1 year of age in 1934, 1,784 or 56.9 per cent, were males. The ratio of male to female deaths among the higher age periods fluctuated somewhat. The proportion of male deaths was the larger from 1 year of age up to and including the age period 70 to 74 years, with the exception of the 20 to 24-year age period in which the number of female deaths was larger than the number of male deaths. From the age of 75 years and upward the number of deaths of females exceeded the deaths of males. The ratios of male deaths per 1,000 deaths of females at the various age periods in the four years 1931–1934 are shown in Table 8, on page 33.

The excess of females in the population 65 years of age and over is so great that even though their mortality at each age period is below that of males, the absolute number of deaths is greater. Among the 26,569 male decedents in 1934, 1,784 or 6.7 per cent, were under 1 year of age; among the 24,191 female decedents, 1,352 or 5.6 per cent, were under 1 year; and among the decedents of both sexes 6.2 per cent were under 1 year (see table 9, page 34).

Marital Condition. — Not quite one half (47.6 per cent) of the decedents 15 years of age and over, whose marital condition was reported in 1934 were married, 18.6 per cent were single, 32.2 per cent were widowed, 1.4 per cent were divorced, and .2 per cent were unknown. Among the male decedents 56.4 per cent were married, 19.0 per cent were single, 22.5 per cent were widowed, 1.7 per cent were divorced, and .4 per cent were unknown. Among the female decedents 38.1 per cent were married, 18.2 per cent were single, 42.5 per cent were widowed, 1.1 per cent were divorced, and .1 per cent were unknown. No precise study of the bearing of marital condition on mortality statistics can be made, however, without a detailed statement of the age distribution of the population. The age groups used in the census statistics do not coincide with the age groups used in the tabulation of death statistics, so that the two sets of figures cannot be used together. Table 12, on page 36, shows the number of deaths of males and females 15 years of age and over, by marital condition.

Centenarians. — Among the deaths registered during 1934, there were 18 of reputed centenarians, 14 of whom were females, 8 were native, and 10 were foreign born, all were widowed. Table 11, on page 35, presents data concerning the deaths of centenarians by sex, nativity, marital condition, and maximum age at death for the twenty-five years 1910 to 1934.

Nativity. — Nearly two thirds (61.8 per cent) of the decedents whose nativity

was reported on the death certificates in 1934 were native, and 37.7 per cent were foreign. There were four-tenths of one per cent whose nativity was not reported.

Seasonal Distribution of Deaths.—The largest number of deaths during any month occurred in January (5,141), and the next largest number in March (4,852). Since the months are not of equal length, the monthly incidence must be reduced to a uniform basis. The average daily number of deaths for 1934 was 139. The months showing the highest average for the year were February (170), January (166), March (157) and April (152). Table 13, on page 37, shows the number of deaths in each month of 1934, in the State, in counties, and in cities having over 50,000 inhabitants in 1930.

Infant Mortality.

The infant mortality for the State in 1934 was 49.2 per 1,000 live births. This rate is the lowest ever recorded in the Commonwealth. Reference to Table 22, on page 113, shows in striking manner the remarkable reduction in infant mortality, actual decrements without regard for increase in the number of births and without regard for increase in population.

The greatest infant mortality occurred in 1896 (11,765 deaths); and the next greatest actual number of infant deaths occurred twelve years later, 1908 (11,606).

The figures from 1920 to 1934 are shown in the following table:

Years.	Number of deaths under one year of age.	Infant mortality rates.
1920	8,382	91.2
1921	7,005	75.9
1922	7,129	81.3
1923	6,968	78.1
1924	6,191	67.7
1925	6,294	73.1
1926	6,130	73.4
1927	5,320	64.7
1928	5,118	64.7
1929	4,592	62.0
1930	4,440	60.3
1931	3,803	54.8
1932	3,635	53.1
1933	3,294	51.9
1934	3,136	49.2

In the ten years from 1925 to 1934, there has been a decrease of 25.9 per cent in the number of live births registered, and in the actual number of deaths under one year of 50.2 per cent. In 1934, deaths in Boston under 1 year of age numbered 871 or 55.0 per 1,000 live births, as compared with 58.9 in 1933, 59.3 in 1932, 60.6 in 1931, and 69.6 in 1930. In the ten years from 1925 to 1934 there has been a decrease of 2,811 in the number of live births registered and a decrease in the actual number of deaths under 1 year of 714 or 45.2 per cent. For the remainder of the State, the number of births registered decreased 28.8 per cent during this period, while the number of deaths under 1 year decreased 51.9 per cent. The infant mortality rates for the State, exclusive of Boston, decreased from 112.8 per 1,000 live births in 1918 to 50.5 in 1934, as compared with a decrease in Boston from 114.7 in 1918 to 58.9 in 1934. (See Table 25 on page 115.)

Deaths under one month and also under one year of age in each municipality are shown in Table 21 on pages 111 to 113.

The infant mortality rates in municipalities having 15,000 or more inhabitants in 1930 are shown for the years 1927 to 1934 in Table 23 on page 114.

A careful analysis of the returns of cities and towns in which children's hospitals are located would probably show lower infant mortality rates than appear in Table 23.

The highest proportion of deaths occurs in the early period of infancy and especially is this true of the first few days. In 1934, 1,593 deaths occurred in the first week, constituting 50.8 per cent of all deaths under 1 year of age. On the first day the percentage of deaths (30.7) was higher than on any other day. In the first month of life there were 1,935 deaths, or 61.7 per cent of all infant deaths.

In the first three months there were 2,328 deaths, or 74.2 per cent of all infant deaths. Over three-fourths (85.4 per cent) of the infant deaths occurred in the first half of the year.

Over three-fourths (83.7 per cent) of the 1,593 babies who died less than one

week after birth died of prematurity, congenital debility, malformations, or injuries received at birth. Of the 1,744 babies who died from these causes before reaching the age of 1 year 47.8 per cent died in less than one day, 76.4 per cent died in less than one week, and 88.3 per cent died in less than one month. The second most important cause of infant deaths — gastric and intestinal diseases — claimed 201, or 6.4 per cent of the babies who died before reaching 1 year of age. Twelve and four-tenths per cent of the babies who died from this cause died in less than one month after birth, 12.4 per cent within one but less than two months after birth, and 10.4 per cent within two but less than three months after birth.

The largest number of deaths of infants is due to developmental and wasting diseases*, and the figures indicate a reduction in infant mortality due to these causes, — from 27.5 deaths per 1,000 live births in 1927 to 23.2 in 1934. Respiratory diseases also caused a considerable number of deaths. The number of infant deaths from bronchopneumonia has decreased somewhat since 1930 when there were 633 infant deaths from this cause, 493 in 1931, 536 in 1932, 477 in 1933, and 447 in 1934. The principal causes of infant deaths for the years 1927 to 1934 are shown in Table 27, page 116.

Causes of Death.[1]

Sources of Error in Mortality Statistics.— The chief element of error in mortality statistics lies in the inaccuracy of the statement of the cause of death as reported by the attending physician, who may not have been in a position to feel reasonably certain as to the nature of the terminal illness. Statements of cause of death are often incomplete as a result of the unintentional failure of the physician to state all the morbid conditions known to him which resulted in the death. Again, the physician sometimes fails to enter on the death certificate a qualifying term, which if given would modify the classification of the cause of death.

It should also be borne in mind that the process of classifying the thousands of different terms — some of them of a very indefinite or unsatisfactory character — under the 214 titles of the International List of Causes of Death presents many difficulties which are seldom fully appreciated by those who have not engaged in the work of classification. Even if each certificate of death out of the 50,760 received during 1934 bore only a single cause, the process would present many difficulties. Many certificates, however, bear statement of two or more causes instead of one and a system of selection, according to the precedents and rules of the International Committee, has been adopted by the United States Bureau of the Census, and is used in the Division of Vital Statistics. Because of the complications attendant upon any attempt to show all primary and secondary terms in relation, it becomes necessary to base all statistical compilations of causes of death on the selection of a preferred term. This means that when two or more morbid conditions are given on a certificate one of them must be selected as the cause under which the death must be classified. Special weight has usually been given to communicable diseases when combined with other causes, and assignments are made to external causes when serious enough to be a factor in the cause of death.

Principal Causes. (See Table 16) More than one-half of the 50,760 deaths reported in 1934 were caused by diseases of the heart, cancer, cerebral hemorrhage (including embolism and thrombosis) pneumonia and nephritis. These diseases, together with tuberculosis in all forms, external causes, malformations and the diseases of early infancy caused 79.6 per cent of the deaths for the year.

Heart Disease* as usual, was the leading cause of death in 1934, the total number being 14,543 corresponding to a rate of 335.2 per 100,000 population as compared with 14,119 deaths or 327.0 per 100,000 in 1933. The great increase in the last few years was partly due to the fact that under the revised classification of causes of death diseases of the coronary artery, which were formerly classified as arterial diseases, are now classified under diseases of the heart.

Cancer and other Malignant Tumors are still increasing and caused 6,675 deaths in 1934, corresponding to a death rate of 153.8 as compared with 147.8 in 1933. Of the deaths from cancer 50.5 per cent resulted from cancers of the digestive tract and peritoneum. The death rate from cancer has steadily risen from 89.9 in

[1] In this report an asterisk (*) has been used in the text to denote those certified causes of death which the committee, after careful consideration, reported were acceptable statements of causes of death without autopsy.

1910, to 153.8 in 1934. It is possible that at least a part of this increase is due to more correct diagnosis and greater care on the part of the physicians in making reports, but a part at least is due to the lengthened span of life, resulting in a larger number of people reaching the older age groups.

Cerebral Hemorrhage, Cerebral Embolism and Thrombosis* were the causes of 4,269 deaths, or 98.4 per 100,000 population. The death rate from these diseases has fluctuated somewhat, being 96.7 in 1930, 102 in 1931, 97 in 1932 and 100.9 in 1933.

Pneumonia (including bronchopneumonia) caused 3,631 deaths in 1934, or 83.7 per 100,000 population. It was responsible for 4,039 deaths, or 93.5 per 100,000 population in 1933.

Bright's Disease* and Acute Nephritis were the causes of 3,247 deaths in 1934, corresponding to a rate of 74.8 per 100,000 population, as compared with 78.6 in 1933, 83.2 in 1932, 78.9 in 1931, 85.1 in 1930, and an average rate of 84.1 for the five years from 1925 to 1929. There were 3,166 deaths caused by Bright's disease,* and 81 by acute nephritis.

Tuberculosis in its various forms claimed 2,116 victims in 1934, of whom 1,902 died from tuberculosis of the respiratory system*. Deaths due to the latter cause constituted 3.7 per cent of all deaths during the year, the rate being 43.8 per 100,000 population. In 1910 the death rate from tuberculosis of the respiratory system was 133.2. Since then the decline has been continuous from year to year with the exception of 1918 when the rate was 130. However, an increase of .2 per cent per 100,000 population has been noted in 1933.

Diabetes* was the cause of 1,327 deaths in 1934, being responsible for a rate of 30.6 per 100,000 population. The rate from this disease has shown a steady increase for the last five years, being 28.6 in 1933, 27.8 in 1932, 24.8 in 1931, and 24.0 in 1930.

Congenital Debility* and Malformations* caused 1,509 deaths in 1934, corresponding to a rate of 34.8 per 100,000 population. The death rates from these causes have shown a steady decline from 109.2 in 1910 (with the exception of 1912, 114.2).

Alcoholism and Cirrhosis of the liver* (specified as alcoholic, etc.) were responsible for 634 deaths in 1934, corresponding to a rate of 14.6 per 100,000 population. Of these 266 were due to alcoholism which is an increase of 41 from those reported in 1933, and corresponding to a rate of 6.1 per 100,000 population.

Maternal Mortality.* Deaths from puerperal causes in the entire state in 1934 totalled 317, corresponding to a rate of 48.7 per 10,000 confinements. This rate was lower than the last two years, the rates being 59.9 for 1933 and 52.6 for 1932.

Puerperal septicemia* was responsible for 93 deaths including 15 due to abortion with septic conditions, the rates for this cause in 1934 being 14.3 per 10,000 confinements; in 1933, 15.9 and in 1932, 13.7.

Diarrhea and Enteritis* caused 296 deaths in 1934, or 6.8 per 100,000 population. For the last ten years this rate has shown a marked decline. Sixty-five and five tenths per cent of the total number of deaths charged to these causes in 1934 were of infants under 2 years of age. The rates from this cause for all ages have declined steadily, being 13.5 in 1930, 8.9 in 1931, 7.7. in 1932, and 6.8 in 1933.

Principal Communicable Causes. (See Table 16a.) The deaths from epidemic and infectious diseases have shown a great decline in the last 25 years. While certain of these diseases have fluctuated considerably during this period they have, on the whole, shown a steady decrease.

Influenza was responsible for 268 deaths, or 6.2 per 100,000 inhabitants, as compared with 6.3 in 1930, 10.1 in 1931, 8.4 in 1932, and 13.6 in 1933. In 1918 there were 13,783 deaths from this cause corresponding to a rate of 352.7 per 100,000 population. Since 1921 this rate has fluctuated from 3.9 to 27.9 in 1929.

Whooping Cough*, one of the principal epidemic maladies of childhood, was responsible for 125 deaths of both adults and children, or 2.9 per 100,000 population. This is an increase over 1933 of .7 per cent.

Measles*, another childhood disease, caused 91 deaths in 1934, or 2.1 per 100,000 population. This rate was .6 in 1933, 1.5 in both 1931 and 1932, and 3.2 in 1930.

Scarlet Fever*, another epidemic disease of childhood, was the cause of 76 deaths in 1934, corresponding to a rate of 1.7 per 100,000 population. These rates have

changed from year to year during the period 1910 to 1934, the highest being 8.2 in 1913 and the lowest, 1.6 in 1929.

Diphtheria and Croup*—which are classed together in the statistics, but practically all of which are of diphtheria—number 50, or 1.2 per 100,000 population. There has been a decided decrease in this disease since 1900 when the number of deaths was 1,475, with a corresponding rate of 52.6 per 100,000 inhabitants. This rate was 2.0 in 1933, 2.5 in 1932, 2.3 in 1931 and 4.3 in 1930.

Epidemic Cerebrospinal Meningitis claimed 28 victims in 1934, as compared with 25 in 1933, 34 in 1932, 30 in 1931, and 59 in 1930. The rate for this cause was .6 per 100,000 population.

Encephalitis Lethargica (commonly known as sleeping sickness) is a comparatively new disease and has varied little in the last five years, the number of deaths being 25 in 1934, 16 in 1933, 19 in 1932, 24 in 1931, and 41 in 1930.

Dysentery shows an increase over the four preceding years, the number of deaths in 1934 being 24. There were 9 in 1933, 11 in 1932, 15 in 1931 and 20 in 1930.

Typhoid Fever* has shown a steady decline since 1910, having dropped from 12.2 in that year to .3 in 1934. This decline is greater, relatively, than that shown for any other important cause of death. The total number of deaths due to typhoid fever in 1934 was 14, as compared with 24 in 1933, 25 in 1932, 31 in 1931, and 38 in 1930.

Acute Poliomyelitis* has shown a noticeable decrease for the period from 1930 to 1934. The number of deaths in 1934 was 9, or .2 per 100,000 population, as compared, with .7 in 1933, .3 in 1932, 2.7 in 1931, and .8 in 1930.

There were no deaths from Smallpox in 1934.

Violent Deaths. Death Rates from Violence during the past five years per 100,000 population were 82.3 in 1930, 83.8 in 1931, 81.1 in 1932, 81.2 in 1933, and 88.4 in 1934.

Deaths due to Railroad Accidents and Injuries* total 74 in 1934, and correspond to a rate of 1.7 per 100,000 population. The rates for previous years were 1.6 in 1933 and 1.1 in 1932, and 1.4 in 1931.

Deaths resulting from *street-car accidents and injuries** numbered 24, or .6 per 100,000 population.

Automobile Accidents and Injuries* caused 1,016 deaths in 1934, including 22 deaths from automobile and railroad collisions and 5 deaths from automobile and street-car collisions. The rate was 23.4 per 100,000 population, as compared with 18.9 in 1933, 18.7 in 1932, and 19.9 in 1931. No accurate date are available for measuring the death rate per number of automobiles in use, as the statistics compiled by the Department of Public Works show the number of machines registered, and thus contain duplications, since one machine may be registered more than once in a calendar year.

It is probable, however, that the increase has not been so rapid as that of the number of machines in use.

The number of deaths from automobile accidents for the last ten years is shown in the following table:

DEATHS FROM AUTOMOBILE ACCIDENTS.

Years.	*Deaths.*	*Years.*	*Deaths.*
1925	743	1930	799
1926	682	1931[1]	849
1927	697	1932[1]	804
1928	734	1933[1]	816
1929	785	1934[1]	1,016

Effects of Heat. — In 1934 the deaths from this cause numbered 24. In 1933 there were 23 deaths; in 1932, 12; in 1931, 38; and in 1930, 25. The highest temperature recorded in 1934 was 94 degrees on June 29. The highest temperature recorded at the Weather Bureau of the United States Department of Agriculture since 1900 was 104 degrees on July 4, 1911. The highest temperature recorded in 1925 was 100 degrees on July 6.

[1] Including collisions of automobiles with railroads and street-cars.

The maximum mean temperature for the months of June, July and August was as follows:

	June.	July.	August.
1934	75.7	81.6	75.1
1933	79.5	79.1	79.5
1932	75.7	82.1	82.5
1931	75.4	81.3	79.6
1930	81.9	80.7	78.4
1925	80.7	80.5	80.0
1911	73.2	86.0	76.3

The average monthly humidity was as follows:

	June.	July.	August.
1934	68	64	65
1933	61	67	70
1932	63	59	62
1931	64	69	69
1930	65	64	66
1925	69	68	67
1911	75	65	78

Deaths caused by *machinery accidents** in 1934 numbered 33, or .8 per 100,000 population. The corresponding figures for previous years were 1.5 in 1930, 1.4 in 1931, .6 in 1932, and .8 in 1933.

The number of *suicides** reported in 1934 was 598 or 13.8 per 100,000 population. The rates since 1929 have been: 1930, 12.9; 1931, 14.1; 1932, 14.9, and 1933, 13.8.

Deaths caused by *firearms* numbered 165 in 1934, corresponding to a rate of 3.8 per 100,000 population. Of these deaths 113 were suicides, 29 were homicides, and 23 were accidental (including those concerning which the status as to suicide, homicide, or accident was in doubt).

Deaths from *homicide** numbered 93 in 1934, or 2.1 per 100,000 population. The rates for homicide in recent years are 1.9 in 1930, 2.1 in 1931 and 1932, and 2.6 in 1933.

The causes of deaths of males and females for each month and at seventeen age periods for the Commonwealth for the full International List of Causes of Death with certain subdivisions are shown in Table 14, on pages 38 to 75. The causes denoted by letters, shown separately in indented type, Table 14, are a part of the total cause shown on the International List. In Table 15, on pages 76 to 100, the deaths are shown for 50 causes and groups of causes for each municipality.

For the Commonwealth as a whole the deaths and death rates for the seven years 1928 to 1934 are shown for the 38 causes and groups of causes in the Abridged International List in Table 17, on pages 102 and 103. The relation of this list to the Detailed International List is shown in the Appendix. In addition to the above presentations, certain other tables showing the causes of deaths are presented on pages 104 to 110.

Deaths Investigated by Medical Examiners.

Source of Data. — The statistics of deaths investigated by medical examiners published in this report are based upon annual returns made by medical examiners and associate medical examiners to the Secretary of the Commonwealth of abstracts of the records of deaths supposably due to violence, the cause and manner of which have been investigated during the year. Deaths supposably due to violence include not only deaths caused directly or indirectly by traumatism (including resulting septicemia), and by the action of chemical (drugs and poisons), thermal, or electrical agents, and deaths following abortion, but also deaths from disease resulting from injury or infection related to occupation, the sudden deaths of persons not disabled by recognized disease, and those of persons found dead.

Medical examiners are often called upon to view cases in which the death was not due to violence (heart disease, apoplexy, etc.), but where the death was simply sudden or where no physician had been in recent attendance. Medical examiners are also required to certify that they have viewed bodies to be cremated, and to make personal inquiry into the cause and manner of death.

Discrepancies will be found in comparing deaths based upon certificates returned to the city and town clerks and those contained in the reports of medical examiners. The causes when certified on the death certificates are more nearly accurate, because

the reports received from the medical examiners after they themselves have certified in many instances to the cause shown do not contain all of the facts that led to death. Both the reports and certificates should compare and efforts are now being directed toward a uniformity in this regard.

Number of Deaths Investigated. — The number of deaths investigated by the medical examiners in 1934 was 9,145, or 18.0 per cent of the total number of deaths which occurred during the year, as compared with 8,587 deaths in 1933, or 16.9 per cent of the total number of deaths. About two-thirds (65.5 per cent) of these deaths were of males. Of the deaths investigated by medical examiners, 3,472 or 38 per cent, were reported as due to violence, while among the deaths returned to the registrars, 3,836 were reported as due to violence.

The largest number of cases investigated by medical examiners in 1934 was in Suffolk County, 2,004 as compared with 1,933 in 1933. Of the deaths investigated in Suffolk County, 816 or 40.7 per cent, were reported as due to violence (see Table 32, page 135).

Autopsies. — Autopsies were made in 787, or 8.6 per cent, of the cases investigated by the medical examiners in 1934, as compared with 8 per cent in 1933, 7.2 per cent in 1932, 7.2 per cent in 1931, and 6.9 per cent in 1930.

The highest proportion of autopsies was in Suffolk County where 17.8 per cent of the views were autopsied, there being 17.1 per cent in 1933. Table 34, on pages 142 and 143, shows the number of views and the number of autopsies in each county in each year from 1925 to 1934, and the number and per cent of views autopsied for the ten-year period, 1925 to 1934.

Cause of Death.—Over one-half (51.3 per cent) of the deaths viewed by medical examiners in 1934 were from causes not due to violence, 38.0 per cent were due to violence, and .6 per cent were stillbirths. Nine hundred and twenty-five, or 10.1 per cent of the views were for cremations.

Deaths from causes not due to violence numbered 4,694, of which 4,356 were from natural causes and 280 were due to alcoholism.

Deaths due to violence numbered 3,472, of which 2,769 were due to accident or negligence, 610 were suicides, and 93 were homicides.

Of the 2,769 deaths due to accident or negligence, 900 were due to falls, blows, and falling bodies, 994 were due to automobile accidents, 22 of which were railroad and automobile accidents, and 3 were street car and automobile collisions, 206 resulted from drowning, 74 were due to railroad accidents, and 601 to other causes.

Suicides numbered 610, or 17.6 per cent of the deaths due to violence. Suicides committed with firearms 115, and by hanging or strangulation, 164, constituted about one-half (45.7 per cent) of the total number. The number of suicides by poisons was 68, by the use of illuminating and other gases, 138, by drowning, 56, and other methods, 69. Slightly more than three-fourths (78.4 per cent) of the suicides were males.

Of the 610 persons committing suicide, 149 were 50 to 59 years of age, 119 were 40 to 49 years of age, 87 were 30 to 39 years of age, 58 were 20 to 29 years of age, 187 were over 60 years of age, and 10 were under 20 years of age. Among the male suicides the largest numbers were from 50 to 59 years of age, 117, and from 60 to 69 years, 96, while among the female suicides the largest numbers were from 50 to 59 years of age, 32, and from 40 to 49 years of age, 31. The most common method of committing suicide was by hanging or strangulation.

Homicide numbered 93, of which 29 were by firearms, 7 were by cutting or piercing instruments, 47 by other means, and 10 were cases of infanticide. Of the 93 homicides, 58, or 62.4 per cent, were males.

The charts that follow were prepared by Mayo Tolman, Sanitary Engineer, from figures compiled by the Division of Vital Statistics.


MASSACHUSETTS
HEART DISEASE
90 – 95
DEATH RATE PER 100000
MALE
FEMALE
350
300
250
200
150
100
1910
1915
1920
1925
1930
1934


MASSACHUSETTS
CANCER 45-53
DEATH RATE PER 100000
MALE
FEMALE
160
150
140
130
120
110
100
90
80
70
60
1910
1915
1920
1925
1930
1934


MASSACHUSETTS
NEPHRITIS
130-132
DEATH RATE PER 100000
MALE
FEMALE
110
100
90
80
72
1910
1915
1920
1925
1930
1934


MASSACHUSETTS
TUBERCULOSIS
23-32
DEATH RATE PER 100 000
MALE
FEMALE
200
150
100
50
1910
1915
1920
1925
1930
1934


MASSACHUSETTS
DIABETES 59
DEATH RATE PER 100000
MALE
FEMALE
35
30
25
20
15
1910
1915
1920
1925
1930
1934


MASSACHUSETTS
APPENDICITIS 121
DEATH RATE PER 100000
MALE
FEMALE
19
15
10
0
1910
1915
1920
1925
1930
1934

MASSACHUSETTS
INFANT MORTALITY
DEATH RATE PER 1000
POPULATION OF AGE GROUP
UNDER 1 YEAR
UNDER 5 YEARS
160
140
120
100
80
60
40
20
0
1910
1915
1920
1925
1930
1934


MASSACHUSETTS
AUTOMOBILE ACCIDENTS
206, 208, 210
DEATH RATE PER 100000 TOTAL POPULATION
0
5
10
15
20
25
1910
1915
1920
1925
1930
1934

STATISTICAL TABLES

General Mortality

Table 1 — Deaths,[2] by Sex and Nativity, and Death Rates in Each County and City: 1934.

Counties and Municipalities.[1]	Total number.	Sex. Male.	Sex. Female.	Nativity. Native.	Nativity. Foreign born.	Nativity. Unknown.	Death rate[3] per 1,000 population. Estimated June 30, 1934.	Death rate[3] per 1,000 population. Including nonresidents.	Death rate[3] per 1,000 population. Excluding nonresidents.
The State.	50,760	26,569	24,191	31,391	19,158	211	4,339,221	11.7	–
Counties.									
Barnstable	501	267	234	408	91	2	34,450	14.5	–
Berkshire	1,401	735	666	1,040	357	4	120,700	11.6	–
Bristol	4,267	2,213	2,054	2,341	1,916	10	364,590	11.7	–
Dukes	81	39	42	62	16	3	5,031	16.1	–
Essex	5,882	2,943	2,939	3,744	2,121	17	499,067	11.8	–
Franklin	576	294	282	448	125	3	49,624	11.6	–
Hampden	3,490	1,858	1,632	2,236	1,243	11	342,643	10.2	–
Hampshire	964	510	454	654	308	2	72,801	13.2	–
Middlesex	9,865	5,067	4,798	6,012	3,831	22	998,257	9.9	
Nantucket	54	28	26	50	4	–	4,125	13.1	–
Norfolk	3,372	1,705	1,667	2,213	1,161	18	331,183	10.2	–
Plymouth	2,078	1,167	911	1,457	619	2	162,311	12.8	–
Suffolk	12,147	6,551	5,596	6,888	5,163	96	882,298	13.8	–
Worcester	6,082	3,192	2,890	3,838	2,223	21	492,555	12.3	–
Municipalities.									
Abington	57	30	27	46	11	–	–	–	–
Acton	26	12	14	18	8	–	–	–	–
Acushnet	72	49	23	45	27	–	–	–	–
Adams	124	66	58	67	57	–	12,697	9.8	–
Agawam	58	30	28	39	17	2	–	–	–
Alford	–	–	–	–	–	–	–	–	–
Amesbury	108	50	58	82	25	1	12,409	8.7	–
Amherst	55	25	30	45	10	–	–	–	–
Andover	101	40	61	62	39	–	–	–	–
Arlington	319[4]	158	161	204	115	–	45,572	7.0	6.1
Ashburnham	25	15	10	19	6	–	–	–	–
Ashby	13	10	3	12	1	–	–	–	–
Ashfield	3	2	1	3	–	–	–	–	–
Ashland	15	5	10	10	5	–	–	–	–
Athol	144	83	61	110	33	1	11,591	12.4	–
Attleboro	254[5]	122	132	174	78	2	22,743	11.2	8.6
Auburn	48	29	19	25	23	–	–	–	–
Avon	16	10	6	13	3	–	–	–	–
Ayer	65	41	24	47	17	1	–	–	–
Barnstable	150	81	69	122	27	1	–	–	–
Barre	30	17	13	22	8	–	–	–	–
Becket	6	3	3	6	–	–	–	–	–
Bedford	38	30	8	30	8	–	–	–	–
Belchertown	37	16	21	32	5	–	–	–	–
Bellingham	16	4	12	13	3	–	–	–	–
Belmont	162[6]	65	97	112	50	–	27,266	5.9	5.3
Berkley	12	9	3	10	2	–	–	–	–
Berlin	13	3	10	11	2	–	–	–	–
Bernardston	5	5	–	3	1	1	–	–	–
Beverly	314[7]	165	149	218	95	1	27,127	11.6	9.8
Billerica	63	29	34	37	26	–	–	–	–
Blackstone	43	22	21	27	16	–	–	–	–
Blandford	4	3	1	4	–	–	–	–	–
Bolton	8	3	5	8	–	–	–	–	–
Boston	11,329[8]	6,054	5,275	6,451	4,787	91	782,521	14.5	11.8
Bourne	36	21	15	30	6	–	–	–	–
Boxborough	2	1	1	2	–	–	–	–	–
Boxford	11	3	8	9	2	–	–	–	–
Boylston	40	25	15	27	13	–	–	–	–
Braintree	143	75	68	92	50	1	17,853	8.0	–
Brewster	11	4	7	8	3	–	–	–	–
Bridgewater	127	103	24	76	51	–	–	–	–
Brimfield	13	7	6	12	1	–	–	–	–
Brockton	767[9]	415	352	511	254	2	63,797	12.0	10.2
Brookfield	18	10	8	12	6	–	–	–	–
Brookline	531[10]	217	314	356	172	3	51,578	10.3	7.8
Buckland	19	12	7	16	3	–	–	–	–
Burlington	12	6	6	8	4	–	–	–	–
Cambridge	1,346[11]	685	661	769	572	5	113,643	11.8	9.3

[1] Cities are printed in small CAPITALS.
[2] Exclusive of stillbirths.
[3] The rates shown in this column are based on the total population, and make no allowance for differences in the sex and age distribution of the population. The rates for certain localities are materially affected by deaths of nonresidents who may be attracted to those localities by their superior hospital facilities, or may resort to certain localities for treatment of tuberculosis, mental defects, or other diseases. The death rate both including and excluding nonresidents, is shown.

[4] 39 nonresidents.
[5] 58 nonresidents.
[6] 18 nonresidents.
[7] 47 nonresidents.
[8] 2,141 nonresidents.
[9] 117 nonresidents.
[10] 130 nonresidents.
[11] 291 nonresidents.

Table 1

DEATHS,[2] BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY AND CITY: 1934.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE[3] PER 1,000 POPULATION. Estimated June 30, 1934.	Including nonresidents.	Excluding nonresidents.
Canton	46	24	22	31	15	–	–	–	–
Carlisle	7	3	4	7	–	–	–	–	–
Carver	10	5	5	6	4	–	–	–	–
Charlemont	18	11	7	18	–	–	–	–	–
Charlton	39	25	14	31	8	–	–	–	–
Chatham	29	14	15	27	2	–	–	–	–
Chelmsford	51	21	30	36	15	–	–	–	–
CHELSEA	454[4]	319	135	228	222	4	45,816	9.9	6.4
Cheshire	8	5	3	8	–	–	–	–	–
Chester	6	3	3	6	–	–	–	–	–
Chesterfield	9	7	2	8	1	–	–	–	–
CHICOPEE	281[5]	156	125	132	149	–	45,671	6.2	5.9
Chilmark	–	–	–	–	–	–	–	–	–
Clarksburg	15	6	9	11	4	–	–	–	–
Clinton	168	85	83	101	65	2	12,817	13.1	–
Cohasset	47	25	22	33	13	1	–	–	–
Colrain	11	5	6	10	1	–	–	–	–
Concord	80	40	40	55	23	2	–	–	–
Conway	10	6	4	10	–	–	–	–	–
Cummington	7	5	2	7	–	–	–	–	–
Dalton	44	28	16	35	8	1	–	–	–
Dana	3	2	1	2	1	–	–	–	–
Danvers	381[6]	178	203	249	130	2	13,942	27.3	8.2
Dartmouth	59	30	29	32	27	–	–	–	–
Dedham	99	43	56	54	45	–	16,171	6.1	–
Deerfield	22	10	12	16	6	–	–	–	–
Dennis	31	14	17	29	2	–	–	–	–
Dighton	24	15	9	14	10	–	–	–	–
Douglas	27	15	12	17	10	–	–	–	–
Dover	7	4	3	6	1	–	–	–	–
Dracut	51	27	24	33	18	–	–	–	–
Dudley	28	13	15	17	11	–	–	–	–
Dunstable	2	2	–	1	1	–	–	–	–
Duxbury	27	12	15	18	9	–	–	–	–
East Bridgewater	36	18	18	23	13	–	–	–	–
East Brookfield	10	6	4	9	1	–	–	–	–
East Longmeadow	22	8	14	15	7	–	–	–	–
Eastham	9	5	4	9	–	–	–	–	–
Easthampton	81	31	50	48	32	1	11,323	7.2	–
Easton	39	11	28	25	14	–	–	–	–
Edgartown	9	5	4	9	–	–	–	–	–
Egremont	4	3	1	4	–	–	–	–	–
Enfield	4	3	1	3	1	–	–	–	–
Erving	8	4	4	4	4	–	–	–	–
Essex	19	13	6	15	4	–	–	–	–
EVERETT	354[7]	182	172	201	153	–	53,823	6.6	6.0
Fairhaven	96	46	50	61	35	–	11,056	8.7	–
FALL RIVER	1,456[8]	748	708	679	774	3	115,274	12.6	11.0
Falmouth	58	34	24	39	19	–	–	–	–
FITCHBURG	438[9]	221	217	250	188	–	40,692	10.8	9.9
Florida	4	1	3	3	1	–	–	–	–
Foxborough	172	96	76	114	58	–	–	–	–
Framingham	227[10]	127	100	158	68	1	23,172	9.8	7.9
Franklin	68	42	26	37	30	1	–	–	–
Freetown	13	7	6	11	2	–	–	–	–
GARDNER	273[11]	153	120	162	109	2	19,968	13.7	9.2
Gay Head	–	–	–	–	–	–	–	–	–
Georgetown	28	13	15	22	6	–	–	–	–
Gill	6	5	1	4	2	–	–	–	–
GLOUCESTER	301[12]	166	135	208	93	–	24,909	12.1	10.8
Goshen	2	1	1	2	–	–	–	–	–
Gosnold	1	–	1	–	1	–	–	–	–
Grafton	114[13]	48	66	69	45	–	–	–	–
Granby	3	3	–	1	2	–	–	–	–
Granville	8	6	2	7	1	–	–	–	–
Great Barrington	89	51	38	71	18	–	–	–	–
Greenfield	193	100	93	156	36	1	15,716	12.3	–
Greenwich	2	2	–	2	–	–	–	–	–
Groton	27	14	13	19	8	–	–	–	–
Groveland	27	8	19	26	1	–	–	–	–
Hadley	15	11	4	9	5	1	–	–	–
Halifax	6	4	2	5	1	–	–	–	–

See footnotes 1–3, on page 18.

[4] 161 nonresidents.
[5] 11 nonresidents.
[6] 266 nonresidents.
[7] 32 nonresidents.
[8] 183 nonresidents.
[9] 37 nonresidents.
[10] 45 nonresidents.
[11] 90 nonresidents.
[12] 32 nonresidents.
[13] 59 nonresidents.

Table 1

Municipalities.[1]	Deaths,[2] by Sex and Nativity, and Death Rates in Each County and City: 1934.								
	Total number.	Sex.		Nativity.			Death rate[3] per 1,000 population.		
		Male.	Female.	Native.	Foreign born.	Unknown.	Estimated June 30, 1934.	Including non-residents.	Excluding non-residents.
Hamilton	19	11	8	13	6	–	–	–	–
Hampden	4	–	4	4	–	–	–	–	–
Hancock	6	3	3	5	1	–	–	–	–
Hanover	42	24	18	36	6	–	–	–	–
Hanson	65	41	24	43	22	–	–	–	–
Hardwick	22	8	14	10	12	–	–	–	–
Harvard	8	3	5	7	1	–	–	–	–
Harwich	39	19	20	32	7	–	–	–	–
Hatfield	18	11	7	13	5	–	–	–	–
Haverhill	601[4]	304	297	420	179	2	48,710	12.3	11.4
Hawley	6	4	2	5	1	–	–	–	–
Heath	2	1	1	2	–	–	–	–	–
Hingham	87	42	45	71	16	–	–	–	–
Hinsdale	17	8	9	15	2	–	–	–	–
Holbrook	45	28	17	38	7	–	–	–	–
Holden	53	33	20	43	9	1	–	–	–
Holland	–	–	–	–	–	–	–	–	–
Holliston	22	8	14	17	5	–	–	–	–
Holyoke	702[5]	374	328	376	325	1	56,537	12.4	10.6
Hopedale	33	18	15	28	5	–	–	–	–
Hopkinton	36	15	21	29	7	–	–	–	–
Hubbardston	12	8	4	7	5	–	–	–	–
Hudson	58	33	25	42	16	–	–	–	–
Hull	36	19	17	20	16	–	–	–	–
Huntington	10	5	5	9	1	–	–	–	–
Ipswich	75	38	37	50	25	–	–	–	–
Kingston	33	17	16	20	13	–	–	–	–
Lakeville	40[6]	27	13	30	10	–	–	–	–
Lancaster	25	7	18	17	8	–	–	–	–
Lanesborough	13	9	4	11	2	–	–	–	–
Lawrence	958[7]	484	474	427	530	1	85,068	11.3	10.2
Lee	38	19	19	28	10	–	–	–	–
Leicester	31	18	13	22	8	1	–	–	–
Lenox	21	8	13	15	6	–	–	–	–
Leominster	249[8]	115	134	162	86	1	21,810	11.4	10.9
Leverett	4	–	4	3	1	–	–	–	–
Lexington	78	40	38	54	24	–	10,897	7.2	–
Leyden	–	–	–	–	–	–	–	–	–
Lincoln	12	4	8	9	3	–	–	–	–
Littleton	17	7	10	13	4	–	–	–	–
Longmeadow	37	17	20	28	9	–	–	–	–
Lowell	1,344[9]	710	634	736	602	6	100,234	13.4	12.3
Ludlow	58	34	24	32	26	–	–	–	–
Lunenburg	23	15	8	15	8	–	–	–	–
Lynn	1,089[10]	538	551	667	420	2	102,320	10.6	10.0
Lynnfield	10	6	4	9	1	–	–	–	–
Malden	603[11]	302	301	339	264	–	63,346	9.5	8.7
Manchester	15	6	9	11	4	–	–	–	–
Mansfield	48	20	28	36	12	–	–	–	–
Marblehead	118	60	58	96	22	–	–	–	–
Marion	14	7	7	11	3	–	–	–	–
Marlborough	200[12]	101	99	130	70	–	15,587	12.8	10.8
Marshfield	30	18	12	20	10	–	–	–	–
Mashpee	3	2	1	3	–	–	–	–	–
Mattapoisett	26	13	13	22	4	–	–	–	–
Maynard	44	28	16	19	25	–	–	–	–
Medfield	131[13]	59	72	88	42	1	–	–	–
Medford	505[14]	223	282	295	209	1	69,988	7.2	6.5
Medway	24	14	10	17	7	–	–	–	–
Melrose	268[15]	133	135	195	72	1	25,724	10.4	8.0
Mendon	7	5	2	4	3	–	–	–	–
Merrimac	30	17	13	25	4	1	–	–	–
Methuen	190[16]	94	96	89	100	1	21,463	8.9	7.5
Middleborough	112	63	49	87	25	–	–	–	–
Middlefield	1	1	–	1	–	–	–	–	–
Middleton	96	45	51	70	26	–	–	–	–
Milford	197	108	89	124	71	2	14,741	13.4	–
Millbury	47	21	26	26	21	–	–	–	–
Millis	13	6	7	8	5	–	–	–	–
Millville	20	12	8	12	8	–	–	–	–
Milton	148	80	68	96	49	3	19,471	7.6	–
Monroe	1	–	1	1	–	–	–	–	–
Monson	126[17]	71	55	103	23	–	–	–	–

See footnotes 1–3, on page 18.

[4] 45 nonresidents.
[5] 103 nonresidents.
[6] 28 nonresidents.
[7] 90 nonresidents.
[8] 12 nonresidents.
[9] 111 nonresidents.
[10] 67 nonresidents.
[11] 55 nonresidents.
[12] 31 nonresidents.
[13] 110 nonresidents.
[14] 47 nonresidents.
[15] 62 nonresidents.
[16] 28 nonresidents.
[17] 85 nonresidents.

Table 1

DEATHS,[2] BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY AND CITY: 1934.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE[3] PER 1,000 POPULATION. Estimated June 30, 1934.	Including nonresidents.	Excluding nonresidents.
Montague	135	75	60	86	49	–	–	–	–
Monterey	7	4	3	6	1	–	–	–	–
Montgomery	2	2	–	2	–	–	–	–	–
Mount Washington	–	–	–	–	–	–	–	–	–
Nahant	15	8	7	10	4	1	–	–	–
Nantucket	54	28	26	50	4	–	–	–	–
Natick	175	86	89	121	54	–	14,199	12.3	–
Needham	84	44	40	49	35	–	12,433	6.8	–
New Ashford	–	–	–	–	–	–	–	–	–
NEW BEDFORD	1,252[4]	636	616	630	621	1	112,597	11.1	10.2
New Braintree	4	2	2	3	1	–	–	–	–
New Marlborough	8	5	3	6	2	–	–	–	–
New Salem	8	5	3	8	–	–	–	–	–
Newbury	28	11	17	26	2	–	–	–	–
NEWBURYPORT	193[5]	94	99	161	32	–	15,084	12.8	10.4
NEWTON	642[6]	324	318	456	184	2	75,708	8.5	7.3
Norfolk	303[7]	192	111	160	142	1	–	–	–
NORTH ADAMS	282[8]	141	141	188	93	1	21,621	13.0	11.5
North Andover	62	30	32	31	31	–	–	–	–
North Attleboroug'	94	39	55	65	29	–	10,543	9.0	–
North Brookfield	26	15	11	15	11	–	–	–	–
North Reading	37	13	24	32	5	–	–	–	–
NORTHAMPTON	529[9]	281	248	348	181	–	24,582	21.5	9.6
Northborough	23	7	16	18	5	–	–	–	–
Northbridge	85	50	35	43	42	–	–	–	–
Northfield	22	7	15	20	2	–	–	–	–
Norton	24	13	11	18	6	–	–	–	–
Norwell	19	11	8	15	4	–	–	–	–
Norwood	186	97	89	113	72	1	15,812	11.8	–
Oak Bluffs	45	24	21	34	8	3	–	–	–
Oakham	4	2	2	3	1	–	–	–	–
Orange	62	25	37	50	12	–	–	–	–
Orleans	15	7	8	13	2	–	–	–	–
Otis	9	7	2	9	–	–	–	–	–
Oxford	41	25	16	30	11	–	–	–	–
Palmer	77	42	35	43	34	–	–	–	–
Paxton	6	3	3	3	3	–	–	–	–
PEABODY	197[10]	107	90	130	64	3	22,599	8.7	7.4
Pelham	6	4	2	3	3	–	–	–	–
Pembroke	24	17	7	14	10	–	–	–	–
Pepperell	32	15	17	24	8	–	–	–	–
Peru	2	1	1	2	–	–	–	–	–
Petersham	8	6	2	7	1	–	–	–	–
Phillipston	2	2	–	2	–	–	–	–	–
PITTSFIELD	601[11]	314	287	466	133	2	52,057	11.5	9.0
Plainfield	6	4	2	6	–	–	–	–	–
Plainville	11	5	6	10	1	–	–	–	–
Plymouth	206	113	93	141	65	–	13,042	15.8	–
Plympton	9	7	2	7	2	–	–	–	–
Prescott	–	–	–	–	–	–	–	–	–
Princeton	3	3	–	3	–	–	–	–	–
Provincetown	43	17	26	33	9	1	–	–	–
QUINCY	649[12]	316	333	401	244	4	82,122	7.9	7.4
Randolph	55	21	34	43	12	–	–	–	–
Raynham	28	12	16	23	5	–	–	–	–
Reading	88	37	51	59	29	–	10,680	8.2	–
Rehoboth	20	10	10	11	9	–	–	–	–
REVERE	187[13]	88	99	88	98	1	37,736	5.0	4.8
Richmond	3	3	–	2	1	–	–	–	–
Rochester	14	7	7	10	4	–	–	–	–
Rockland	81	38	43	64	17	–	–	–	–
Rockport	45	17	28	30	15	–	–	–	–
Rowe	1	1	–	1	–	–	–	–	–
Rowley	24	9	15	21	3	–	–	–	–
Royalston	15	8	7	11	4	–	–	–	–
Russell	9	6	3	8	1	–	–	–	–
Rutland	152[14]	116	36	114	38	–	–	–	–
SALEM	547[15]	283	264	354	191	2	43,805	12.5	10.7
Salisbury	38	25	13	32	6	–	–	–	–
Sandisfield	5	3	2	3	2	–	–	–	–
Sandwich	25	17	8	21	4	–	–	–	–
Saugus	119	56	63	81	38	–	16,363	7.3	–
Savoy	2	–	2	2	–	–	–	–	–
Scituate	50	27	23	41	9	–	–	–	–
Seekonk	36	21	15	24	12	–	–	–	–

See footnotes 1–3, on page 18.

[4] 104 nonresidents.
[5] 36 nonresidents.
[6] 92 nonresidents.
[7] 289 nonresidents.
[8] 34 nonresidents.
[9] 292 nonresidents.
[10] 29 nonresidents.
[11] 133 nonresidents.
[12] 39 nonresidents.
[13] 4 nonresidents.
[14] 139 nonresidents.
[15] 78 nonresidents.

Table 1

DEATHS,[2] BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY AND CITY: 1934.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE[3] PER 1,000 POPULATION. Estimated June 30, 1934.	Including nonresidents.	Excluding nonresidents.
Sharon	39	26	13	31	8	–	–	–	–
Sheffield	13	6	7	12	1	–	–	–	–
Shelburne	21	5	16	18	3	–	–	–	–
Sherborn	7	3	4	6	1	–	–	–	–
Shirley	15	11	4	10	5	–	–	–	–
Shrewsbury	56	21	35	47	8	1	–	–	–
Shutesbury	1	1	–	1	–	–	–	–	–
Somerset	61	35	26	41	20	–	–	–	–
SOMERVILLE	900[4]	434	466	513	387	–	108,053	8.3	7.8
South Hadley	50	25	25	33	17	–	–	–	–
Southampton	12	8	4	8	4	–	–	–	–
Southborough	20	18	2	12	8	–	–	–	–
Southbridge	160	86	74	96	64	–	14,264	11.2	–
Southwick	9	6	3	6	3	–	–	–	–
Spencer	68	30	38	46	22	–	–	–	–
SPRINGFIELD	1,715[5]	910	805	1,163	547	5	156,560	11.0	9.3
Sterling	14	5	9	13	1	–	–	–	–
Stockbridge	19	7	12	16	3	–	–	–	–
Stoneham	117	52	65	89	28	–	10,889	10.7	–
Stoughton	85	41	44	60	25	–	–	–	–
Stow	12	5	7	6	6	–	–	–	–
Sturbridge	22	14	8	13	9	–	–	–	–
Sudbury	17	5	12	12	5	–	–	–	–
Sunderland	6	3	3	4	2	–	–	–	–
Sutton	23	14	9	12	11	–	–	–	–
Swampscott	88	46	42	69	19	–	11,530	7.6	–
Swansea	37	28	9	21	16	–	–	–	–
TAUNTON	599[6]	343	256	392	203	4	37,355	16.0	10.4
Templeton	35	19	16	30	5	–	–	–	–
Tewksbury	29	13	16	16	13	–	–	–	–
State Infirmary	520	404	116	255	265	–	–	–	–
Tisbury	21	9	12	15	6	–	–	–	–
Tolland	3	1	2	3	–	–	–	–	–
Topsfield	9	5	4	8	1	–	–	–	–
Townsend	20	14	6	17	3	–	–	–	–
Truro	8	6	2	6	2	–	–	–	–
Tyngsborough	16	10	6	10	6	–	–	–	–
Tyringham	2	1	1	2	–	–	–	–	–
Upton	26	16	10	20	6	–	–	–	–
Uxbridge	51	30	21	36	15	–	–	–	–
Wakefield	119	56	63	75	44	–	16,919	7.0	–
Wales	5	2	3	3	2	–	–	–	–
Walpole	48	29	19	27	19	2	–	–	–
WALTHAM	440[7]	209	231	282	156	2	43,073	10.2	7.7
Ware	92	47	45	57	35	–	–	–	–
Wareham	57	27	30	44	13	–	–	–	–
Warren	40	25	15	26	14	–	–	–	–
Warwick	3	1	2	3	–	–	–	–	–
Washington	1	1	–	1	–	–	–	–	–
Watertown	219[8]	92	127	119	100	–	42,931	5.1	4.8
Wayland	24	11	13	16	8	–	–	–	–
Webster	125	67	58	69	56	–	12,992	9.6	–
Wellesley	75	36	39	63	12	–	13,471	5.6	–
Wellfleet	24	17	7	21	3	–	–	–	–
Wendell	5	3	2	3	1	1	–	–	–
Wenham	12	5	7	10	2	–	–	–	–
West Boylston	18	6	12	12	6	–	–	–	–
West Bridgewater	19	13	6	14	5	–	–	–	–
West Brookfield	23	13	10	16	7	–	–	–	–
West Newbury	14	8	6	13	1	–	–	–	–
West Springfield	118	59	59	80	36	2	17,838	6.6	–
West Stockbridge	13	3	10	12	1	–	–	–	–
West Tisbury	5	1	4	4	1	–	–	–	–
Westborough	217[9]	96	121	153	62	2	–	–	–
WESTFIELD	213[10]	113	100	155	57	1	20,143	10.6	8.7
Westford	27	13	14	21	5	1	–	–	–
Westhampton	2	1	1	1	1	–	–	–	–
Westminster	14	6	8	9	5	–	–	–	–
Weston	15	8	7	11	4	–	–	–	–
Westport	43	19	24	29	14	–	–	–	–
Westwood	23	9	14	19	4	–	–	–	–
Weymouth	234[11]	124	110	176	58	–	23,967	9.8	7.9

See footnotes 1–3, on page 18

[4] 59 nonresidents.
[5] 254 nonresidents.
[6] 209 nonresidents.
[7] 110 nonresidents.
[8] 11 nonresidents.
[9] 156 nonresidents.
[10] 38 nonresidents.
[11] 44 nonresidents.

Table 1

DEATHS,[2] BY SEX AND NATIVITY, AND DEATH RATES IN EACH COUNTY AND CITY: 1934.

MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	NATIVITY. Native.	NATIVITY. Foreign born.	NATIVITY. Unknown.	DEATH RATE[3] PER 1,000 POPULATION. Estimated June 30, 1934.	Including nonresidents.	Excluding nonresidents.
Whately	4	3	1	3	1	–	–	–	–
Whitman	84	49	35	62	22	–	–	–	–
Wilbraham	20	8	12	15	5	–	–	–	–
Williamsburg	17	14	3	14	3	–	–	–	–
Williamstown	42	27	15	33	9	–	–	–	–
Wilmington	36	24	12	26	10	–	–	–	–
Winchendon	69	44	25	47	22	–	–	–	–
Winchester	124	60	64	93	31	–	13,700	9.1	–
Windsor	3	2	1	1	2	–	–	–	–
Winthrop	177	90	87	121	56	–	17,442	10.1	–
WOBURN	187[4]	106	81	106	81	–	20,338	9.2	8.0
WORCESTER	2,536[5]	1,297	1,239	1,533	995	8	199,182	12.7	10.4
Worthington	6	5	1	4	2	–	–	–	–
Wrentham	74[6]	38	36	65	9	–	–	–	–
Yarmouth	20	9	11	15	5	–	–	–	–

See footnotes 1–3, on page 18.

[4] 24 nonresidents. [5] 459 nonresidents. [6] 51 nonresidents.

Line No.	Table 2 — Counties and Sex.	Deaths[1] by Sex and — All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	**The State.**	50,760	4,074	3,136	414	221	165	138	585	475	601	797	980
2	Males	26,569	2,316	1,784	224	124	107	77	343	290	354	394	497
3	Females	24,191	1,758	1,352	190	97	58	61	242	185	247	403	483
4	Barnstable.	501											
5	Males	267	16	12	2	–	1	1	2	3	6	5	8
6	Females	234	11	8	2	1	–	–	1	2	5	2	5
7	Berkshire.	1,401											
8	Males	735	56	40	7	1	6	2	9	11	15	9	13
9	Females	666	54	43	5	5	1	–	7	3	5	11	11
10	Bristol.	4,267											
11	Males	2,213	205	163	18	12	11	1	29	32	36	38	44
12	Females	2,054	171	135	20	10	4	2	17	11	19	46	42
13	Dukes.	81											
14	Males	39	5	4	–	1	–	–	–	–	–	–	1
15	Females	42	1	1	–	–	–	–	1	–	1	–	1
16	Essex.	5,882											
17	Males	2,943	248	195	28	10	9	6	30	32	34	38	52
18	Females	2,939	172	131	23	8	3	7	31	18	27	42	47
19	Franklin.	576											
20	Males	294	19	12	3	1	2	1	4	3	9	4	3
21	Females	282	21	17	1	3	–	–	4	4	–	2	3
22	Hampden.	3,490											
23	Males	1,858	175	127	14	11	12	11	33	24	37	33	42
24	Females	1,632	135	103	11	8	6	7	18	16	29	39	30
25	Hampshire.	964											
26	Males	510	21	15	3	1	–	2	3	3	7	11	8
27	Females	454	30	26	1	–	–	3	5	1	8	5	10
28	Middlesex.	9,865											
29	Males	5,067	439	344	40	20	19	16	58	47	50	66	85
30	Females	4,798	298	227	29	18	14	10	51	28	49	61	94
31	Nantucket.	54											
32	Males	28	–	–	–	–	–	–	–	–	–	1	2
33	Females	26	1	1	–	–	–	–	1	–	–	–	1
34	Norfolk.	3,372											
35	Males	1,705	88	63	4	9	7	5	25	23	20	19	29
36	Females	1,667	71	56	5	6	2	2	10	12	13	19	28
37	Plymouth.	2,078											
38	Males	1,167	57	49	3	1	1	3	10	8	20	18	20
39	Females	911	48	42	1	3	–	2	5	8	2	12	12
40	Suffolk.	12,147											
41	Males	6,551	704	534	82	43	22	23	103	71	80	102	135
42	Females	5,596	517	382	71	24	20	20	60	52	64	107	142
43	Worcester.	6,082											
44	Males	3,192	283	226	20	14	17	6	37	33	40	50	55
45	Females	2,890	228	180	21	11	8	8	31	30	25	57	57

[1] Exclusive of stillbirths.

AGE,[2] IN EACH COUNTY: 1934.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over	Age unknown.
1	1,114	1,436	1,947	2,542	3,362	4,052	5,330	5,748	6,0[illegible]7	5,129	3,668	1,913	767	165	18	-
2	594	800	1,110	1,475	1,943	2,324	2,948	3,060	3,080	2,420	1,593	751	233	40	4	-
3	520	636	837	1,067	1,419	1,728	2,382	2,688	2,977	2,709	2,075	1,162	534	125	14	-
4																
5	5	5	3	7	12	20	28	29	29	40	30	11	7	1	-	-
6	4	4	7	2	12	9	22	21	30	35	29	23	7	2	1	-
7																
8	13	20	29	40	60	53	82	72	87	81	50	23	11	1	-	-
9	19	15	24	31	43	50	55	67	74	77	74	25	18	3	-	-
10																
11	49	50	74	120	171	206	234	251	251	207	141	59	16	-	-	-
12	47	48	71	72	126	151	199	227	281	242	166	59	43	15	1	-
13																
14	1	1	2	-	2	3	7	5	3	7	1	1	-	-	-	-
15	-	1	-	1	2	-	5	3	7	8	5	3	3	-	-	-
16																
17	61	51	121	170	222	229	317	330	370	308	196	101	27	5	1	-
18	41	76	85	129	191	191	265	315	396	363	294	169	67	19	1	-
19																
20	3	6	9	14	14	35	34	21	33	38	28	10	6	1	-	-
21	5	8	9	5	8	22	26	28	33	35	36	19	13	1	-	-
22																
23	45	51	70	112	158	172	221	203	193	133	99	42	14	1	-	-
24	39	45	58	76	100	136	163	164	199	163	106	66	40	10	-	-
25																
26	15	16	27	28	40	43	40	56	53	65	48	19	7	-	-	-
27	10	12	13	20	18	30	42	52	56	51	45	30	15	1	-	-
28																
29	104	154	179	258	330	405	586	605	660	501	330	156	42	11	1	-
30	100	97	144	191	241	336	474	557	635	612	431	251	110	33	5	-
31																
32	1	1	-	1	-	-	1	5	7	5	3	-	-	1	-	-
33	-	1	1	1	-	1	2	-	4	6	3	4	-	-	-	-
34																
35	39	41	63	83	110	152	182	207	215	191	129	65	20	4	-	-
36	25	41	64	66	96	121	154	175	216	212	172	121	36	13	2	-
37																
38	14	41	38	59	68	90	112	136	168	132	99	47	26	4	-	-
39	15	16	33	33	37	58	79	116	109	132	111	44	38	3	-	-
40																
41	168	249	346	416	534	658	783	747	636	435	230	108	37	8	1	-
42	147	176	227	308	377	451	627	659	607	432	346	196	83	15	3	-
43																
44	76	114	149	167	222	258	321	393	375	277	209	109	20	3	1	-
45	68	96	101	132	168	172	269	304	330	341	257	152	61	10	1	-

[2] Age at last birthday.

Line No.	Table 3 — Municipalities and Sex.	Deaths,[1] by Sex and Age,[2] in Municipalities — All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Adams (town).	124											
2	Males	66	4	4	–	–	–	–	–	3	1	1	1
3	Females	58	2	2	–	–	–	–	–	–	–	1	1
4	Amesbury (town)	108											
5	Males	50	3	3	–	–	–	–	1	1	–	–	1
6	Females	58	4	3	1	–	–	–	–	–	1	1	–
7	Arlington (town).	319											
8	Males	158	12	11	1	–	–	–	2	1	–	–	2
9	Females	161	3	2	–	–	1	–	1	2	2	2	8
10	Athol (town).	144											
11	Males	83	4	3	1	–	–	–	1	1	–	1	2
12	Females	61	5	3	1	–	1	–	2	–	–	1	1
13	Attleboro.	254											
14	Males	122	12	11	–	1	–	–	2	1	3	3	2
15	Females	132	10	9	1	–	–	–	2	–	1	7	5
16	Belmont (town).	162											
17	Males	65	–	–	–	–	–	–	–	–	–	–	–
18	Females	97	1	1	–	–	–	–	–	–	–	1	1
19	Beverly.	314											
20	Males	165	6	5	–	1	–	–	2	–	1	1	2
21	Females	149	4	2	1	–	–	1	3	1	3	2	2
22	Boston.	11,329											
23	Males	6,054	666	503	78	41	21	23	98	67	78	100	129
24	Females	5,275	498	368	68	24	19	19	58	52	63	103	138
25	Braintree (town).	143											
26	Males	75	2	–	1	1	–	–	1	1	1	–	3
27	Females	68	3	3	–	–	–	–	–	–	1	6	–
28	Brockton.	767											
29	Males	415	26	23	1	–	1	1	2	4	3	10	9
30	Females	352	23	19	–	3	–	1	2	4	1	3	2
31	Brookline (town).	531											
32	Males	217	6	6	–	–	–	–	1	3	–	3	–
33	Females	314	2	2	–	–	–	–	1	2	–	1	5
34	Cambridge.	1,346											
35	Males	685	74	60	9	2	1	2	9	4	10	10	14
36	Females	661	59	43	11	2	2	1	3	4	9	7	14
37	Chelsea.	454											
38	Males	319	23	19	3	–	1	–	5	3	–	1	3
39	Females	135	7	4	1	–	1	1	1	–	1	1	2
40	Chicopee.	281											
41	Males	156	19	16	1	–	1	1	3	1	3	2	1
42	Females	125	13	12	–	–	1	–	–	2	4	5	1
43	Clinton (town).	168											
44	Males	85	8	6	–	1	1	–	5	1	1	2	–
45	Females	83	3	3	–	–	–	–	–	–	1	1	–
46	Danvers (town).	381											
47	Males	178	2	1	1	–	–	–	–	–	–	2	5
48	Females	203	3	2	–	1	–	–	–	–	1	1	1
49	Dedham (town).	99											
50	Males	43	2	1	–	–	1	–	–	1	–	–	1
51	Females	56	2	1	–	1	–	–	–	1	–	–	2
52	Easthampton (town).	81											
53	Males	31	–	–	–	–	–	–	–	1	–	–	–
54	Females	50	5	5	–	–	–	–	–	–	1	–	–
55	Everett.	354											
56	Males	182	21	17	3	1	–	–	3	2	3	3	4
57	Females	172	9	8	–	1	–	–	2	1	3	4	5
58	Fairhaven (town).	96											
59	Males	46	4	4	–	–	–	–	–	1	–	1	–
60	Females	50	4	4	–	–	–	–	–	1	–	–	–
61	Fall River.	1,456											
62	Males	748	61	43	10	3	5	–	11	15	11	12	17
63	Females	708	57	44	8	3	2	–	6	2	7	16	13
64	Fitchburg.	438											
65	Males	221	23	18	1	1	2	1	4	6	2	4	5
66	Females	217	23	17	1	1	3	1	1	–	2	4	3
67	Framingham (town).	227											
68	Males	127	12	9	1	1	1	–	1	5	2	1	3
69	Females	100	8	5	1	–	1	1	1	–	2	2	4
70	Gardner.	273											
71	Males	153	17	14	2	–	1	–	1	3	3	4	2
72	Females	120	6	3	3	–	–	–	2	2	1	3	2
73	Gloucester.	301											
74	Males	166	19	17	2	–	–	–	2	2	3	3	3
75	Females	135	7	5	–	2	–	–	1	–	1	2	1
76	Greenfield (town).	193											
77	Males	100	6	4	–	1	–	1	1	–	3	1	2
78	Females	93	11	9	1	1	–	–	2	3	–	1	1
79	Haverhill.	601											
80	Males	304	29	27	–	2	–	–	5	1	6	6	3
81	Females	297	15	13	1	–	–	1	3	2	3	2	4

[1] Exclusive of stillbirths.

HAVING OVER 10,000 INHABITANTS. 1934.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	2	1	4	1	8	6	8	5	7	6	6	2	–	–	–	–
3	2	3	3	5	3	6	3	7	3	7	8	2	–	2	–	–
4																
5	2	–	1	1	4	2	6	7	7	4	5	3	2	–	–	–
6	–	1	1	1	3	6	3	8	4	10	10	4	1	–	–	–
7																
8	3	6	9	4	8	17	16	28	18	18	7	5	2	–	–	–
9	4	3	3	7	6	11	19	16	15	28	22	6	3	–	–	–
10																
11	2	–	1	3	6	8	5	10	15	4	14	5	1	–	–	–
12	–	–	4	2	2	4	8	6	4	10	3	5	4	–	–	–
13																
14	4	2	4	10	7	11	14	11	12	9	8	6	1	–	–	–
15	2	4	1	3	7	9	15	17	12	22	10	3	1	1	–	–
16																
17	–	4	3	3	5	6	7	7	9	8	10	3	–	–	–	–
18	–	–	2	4	3	7	8	13	18	20	8	5	4	2	–	–
19																
20	5	2	3	9	11	12	19	25	24	18	16	8	1	–	–	–
21	1	4	1	10	13	7	20	10	19	21	13	11	2	2	–	–
22																
23	157	226	313	382	501	603	719	686	587	402	215	90	28	6	1	–
24	141	171	218	293	355	425	586	625	549	397	324	186	77	13	3	–
25																
26	1	3	2	2	7	8	6	11	10	8	4	4	1	–	–	–
27	1	2	2	3	3	3	6	5	4	13	4	9	3	–	–	–
28																
29	6	11	17	25	24	23	43	46	60	53	33	13	6	1	–	–
30	7	8	17	16	19	27	35	53	34	43	35	10	13	–	–	–
31																
32	4	4	8	12	15	14	33	29	32	23	18	9	3	–	–	–
33	3	7	8	11	23	20	37	30	38	46	46	22	11	1	–	–
34																
35	17	24	23	44	47	52	93	73	81	54	37	14	3	2	–	–
36	27	14	19	24	41	49	62	62	99	77	48	29	11	2	1	–
37																–
38	8	18	30	28	25	38	37	31	29	16	4	11	8	1	–	–
39	4	2	2	9	8	15	20	16	22	15	4	4	1	1	–	–
40																
41	3	6	7	13	13	20	21	14	12	9	8	1	–	–	–	–
42	3	3	4	4	10	10	13	14	16	10	8	3	2	–	–	–
43																
44	1	3	6	1	8	5	11	14	10	7	1	1	–	–	–	–
45	1	3	1	3	6	5	16	13	13	8	5	3	1	–	–	–
46																
47	6	6	13	8	20	15	25	16	25	13	13	7	1	1	–	–
48	2	10	9	14	16	22	20	16	28	18	25	15	2	–	–	–
49																
50	2	1	–	1	3	4	7	2	7	6	4	1	–	1	–	–
51	–	–	–	2	3	3	6	6	8	9	6	3	3	2	–	–
52																
53	1	1	2	3	2	4	1	3	4	3	4	2	–	–	–	–
54	–	–	1	2	1	6	3	6	6	5	8	4	2	–	–	–
55																
56	8	3	6	9	8	15	29	24	17	13	6	7	1	–	–	–
57	3	5	8	11	6	9	20	26	18	19	8	8	7	–	–	–
58																
59	2	–	1	4	5	4	7	6	3	6	1	1	–	–	–	–
60	1	3	1	–	5	2	6	3	6	8	6	3	–	1	–	–
61																
62	15	26	33	40	63	73	92	82	86	59	40	10	2	–	–	–
63	23	16	34	27	51	62	72	80	84	69	45	23	18	3	–	–
64																
65	3	5	5	12	12	20	28	34	22	19	10	6	1	–	–	–
66	9	6	8	11	12	13	20	27	22	20	24	8	3	–	1	–
67																
68	1	–	9	11	4	9	15	17	10	9	12	5	1	–	–	–
69	2	–	4	4	6	9	8	8	11	11	12	2	5	1	–	–
70																
71	3	2	8	5	15	11	20	14	15	13	11	5	1	–	–	–
72	8	9	3	1	9	10	12	10	12	15	10	2	3	–	–	–
73																
74	2	1	8	4	10	7	19	24	24	16	9	6	4	–	–	–
75	1	2	3	6	7	9	9	17	23	18	15	9	2	2	–	–
76																
77	1	2	2	9	6	12	10	11	8	12	8	4	2	–	–	–
78	3	2	5	1	1	11	7	7	10	10	10	5	3	–	–	–
79																
80	4	3	8	22	17	29	41	28	35	34	18	10	4	1	–	–
81	5	13	9	14	23	18	17	36	37	35	42	14	4	1	–	–

[2] Age at last birthday.

Table 3

Line No.	Municipalities and Sex.	Deaths,[1] by Sex and Age,[2] in Municipalities: All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Holyoke.	702											
2	Males	374	30	23	4	2	1	–	7	4	7	4	11
3	Females	328	32	20	6	1	2	3	7	–	5	9	7
4	Lawrence.	958											
5	Males	484	63	49	9	1	2	2	6	7	5	4	10
6	Females	474	44	36	6	1	–	1	2	2	7	13	10
7	Leominster.	249											
8	Males	115	14	9	3	1	1	–	2	2	–	2	–
9	Females	134	12	9	2	–	–	1	1	1	–	4	5
10	Lowell.	1,344											
11	Males	710	92	73	4	4	5	6	16	11	3	10	6
12	Females	634	49	37	5	2	3	2	11	3	5	14	10
13	Lynn.	1,089											
14	Males	538	41	28	7	2	3	1	7	5	6	5	10
15	Females	551	30	22	4	1	2	1	7	6	1	5	7
16	Malden.	603											
17	Males	302	32	22	3	1	5	1	4	3	2	9	4
18	Females	301	21	17	–	3	–	1	5	2	4	2	4
19	Marlborough.	200											
20	Males	101	9	7	1	1	–	–	1	–	1	1	1
21	Females	99	7	5	1	1	–	–	1	–	1	1	3
22	Medford.	505											
23	Males	223	19	17	1	1	–	–	2	2	4	2	4
24	Females	282	17	16	1	–	–	–	3	1	2	1	5
25	Melrose.	268											
26	Males	133	10	8	1	1	–	–	1	–	1	4	2
27	Females	135	13	9	1	2	1	–	4	–	1	1	1
28	Methuen (town).	190											
29	Males	94	6	4	1	–	–	1	1	1	1	1	–
30	Females	96	5	4	1	–	–	–	1	1	–	1	1
31	Milford (town).	197											
32	Males	108	13	10	1	–	2	–	3	2	–	1	3
33	Females	89	7	5	–	1	1	–	3	2	3	–	2
34	Milton (town).	148											
35	Males	80	6	4	–	2	–	–	1	–	3	–	3
36	Females	68	2	1	–	–	–	1	–	–	1	–	–
37	Natick (town).	175											
38	Males	86	4	4	–	–	–	–	–	–	–	1	3
39	Females	89	3	3	–	–	–	–	–	1	–	1	–
40	Needham (town).	84											
41	Males	44	2	1	–	–	–	1	–	–	2	1	–
42	Females	40	1	1	–	–	–	–	–	–	–	1	1
43	New Bedford.	1,252											
44	Males	636	80	63	6	5	5	1	10	10	10	12	13
45	Females	616	63	45	9	6	1	2	8	5	10	15	14
46	Newburyport.	193											
47	Males	94	11	9	–	2	–	–	–	1	1	1	2
48	Females	99	5	2	1	–	–	2	1	–	3	–	–
49	Newton.	642											
50	Males	324	17	15	1	1	–	–	5	4	5	6	3
51	Females	318	15	12	1	1	1	–	2	2	2	2	–
52	North Adams.	282											
53	Males	141	11	8	1	–	2	–	2	2	1	2	1
54	Females	141	13	10	2	1	–	–	1	–	1	3	5
55	North Attleborough (town).	94											
56	Males	39	1	1	–	–	–	–	–	–	–	–	–
57	Females	55	3	3	–	–	–	–	–	1	–	–	–
58	Northampton.	529											
59	Males	281	12	9	2	–	–	1	1	–	4	4	4
60	Females	248	12	11	–	–	–	1	2	–	3	3	4
61	Norwood (town).	186											
62	Males	97	6	3	1	1	1	–	2	1	5	1	3
63	Females	89	10	7	1	2	–	–	1	–	1	1	1
64	Peabody.	197											
65	Males	107	11	9	–	–	1	1	1	2	2	1	2
66	Females	90	7	5	2	–	–	–	2	3	–	2	3
67	Pittsfield.	601											
68	Males	314	27	18	2	1	4	2	7	4	4	4	6
69	Females	289	29	23	2	3	1	–	5	2	4	7	3
70	Plymouth (town).	206											
71	Males	113	7	5	1	1	–	–	2	2	2	2	2
72	Females	93	4	4	–	–	–	–	1	2	–	3	2
73	Quincy.	649											
74	Males	316	39	29	2	4	3	1	5	2	3	1	6
75	Females	333	24	23	1	–	–	–	3	1	4	4	4
76	Revere.	187											
77	Males	88	6	4	–	2	–	–	–	–	–	–	1
78	Females	99	8	6	2	–	–	–	–	–	–	1	1
79	Salem.	547											
80	Males	283	41	33	6	1	–	1	4	4	4	6	4
81	Females	264	32	25	4	2	1	–	7	–	1	4	3

[1] Exclusive of stillbirths.

HAVING OVER 10,000 INHABITANTS: 1934—Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years	100 years and over.	Age unknown.
1																
2	10	10	13	15	33	37	52	42	38	24	27	8	2	–	–	–
3	11	13	9	16	13	31	37	30	50	25	17	11	4	1	–	–
4																
5	8	7	20	29	47	41	55	55	54	46	14	9	4	–	–	–
6	5	13	17	20	31	28	55	56	67	52	30	17	4	1	–	–
7																
8	1	1	3	4	6	8	16	18	15	6	12	5	–	–	–	–
9	3	6	3	5	5	10	17	12	11	11	17	9	1	1	–	–
10																
11	13	21	19	34	49	66	93	87	81	54	38	12	3	2	–	–
12	5	14	21	32	41	61	67	96	70	67	40	21	5	2	–	–
13																
14	8	11	23	37	44	40	63	61	66	52	32	20	4	2	1	–
15	8	10	13	19	35	43	45	61	86	73	50	33	14	5	–	–
16																
17	3	11	14	24	17	24	34	34	40	20	17	8	1	1	–	–
18	10	9	6	9	9	27	39	39	28	35	29	18	4	–	1	–
19																
20	1	2	5	4	8	8	8	12	13	16	7	4	–	–	–	–
21	1	2	6	4	3	7	5	11	20	12	7	7	–	1	–	–
22																
23	5	1	8	18	17	16	26	23	30	24	13	8	1	–	–	–
24	5	2	12	10	14	17	32	33	39	39	27	14	7	2	–	–
25																
26	2	4	4	5	7	8	10	15	18	16	17	6	3	–	–	–
27	1	5	4	7	3	2	7	17	18	18	12	15	5	1	–	–
28																
29	2	1	1	6	8	8	10	10	9	17	7	5	–	–	–	–
30	3	3	3	6	7	3	13	11	15	10	7	4	1	1	–	–
31																
32	3	3	4	8	10	13	13	14	7	4	5	2	–	–	–	–
33	5	1	3	5	7	7	7	7	7	10	7	3	3	–	–	–
34																
35	4	–	1	4	4	11	10	10	5	10	6	2	–	–	–	–
36	1	1	3	2	2	3	10	8	10	7	9	6	–	2	1	–
37																
38	3	2	3	4	7	2	13	8	16	12	4	2	2	–	–	–
39	2	2	2	4	5	2	15	11	11	13	11	5	1	–	–	–
40																
41	–	2	1	3	5	2	2	4	8	7	3	2	–	–	–	–
42	1	–	–	2	–	3	2	6	10	5	4	4	–	–	–	–
43																
44	16	14	21	36	52	62	59	74	64	50	32	20	1	–	–	–
45	14	15	22	21	38	38	60	69	83	66	46	12	13	4	–	–
46																
47	3	2	2	5	4	8	8	7	15	12	10	2	–	–	–	–
48	2	5	1	2	7	4	12	13	10	9	11	9	3	1	1	–
49																
50	5	5	9	12	21	22	33	50	51	38	26	9	2	1	–	–
51	8	5	13	12	17	18	32	36	47	34	38	21	13	1	–	–
52																
53	2	3	9	14	10	6	18	16	19	13	6	4	2	–	–	–
54	8	1	6	8	13	13	17	13	16	14	5	2	2	–	–	–
55																
56	–	1	1	1	3	3	7	4	5	7	4	1	1	–	–	–
57	1	–	2	5	3	6	5	6	7	6	4	6	–	–	–	–
58																
59	10	12	19	19	27	23	21	33	27	37	17	7	4	–	–	–
60	9	9	9	9	12	12	27	28	34	25	24	17	9	–	–	–
61																
62	2	6	7	5	5	11	10	10	7	10	4	–	1	1	–	–
63	4	2	4	4	7	5	5	11	8	11	8	5	1	–	–	–
64																
65	3	5	10	9	7	13	7	10	9	3	10	2	–	–	–	–
66	1	2	5	5	9	7	5	5	7	8	8	5	4	2	–	–
67																
68	7	12	12	17	30	28	27	31	39	40	10	8	–	1	–	–
69	8	9	10	14	18	20	21	30	34	29	29	5	9	1	–	–
70																
71	1	3	1	5	5	11	15	10	10	14	12	6	3	–	–	–
72	2	1	5	4	3	6	5	7	13	16	7	9	2	1	–	–
73																
74	9	5	13	18	22	24	32	29	33	32	26	12	3	2	–	–
75	5	12	17	18	27	33	25	25	39	31	35	22	2	2	–	–
76																
77	2	2	2	4	6	10	12	14	11	9	5	3	–	1	–	–
78	–	2	3	4	6	9	9	10	20	11	9	3	2	1	–	–
79																
80	6	3	10	21	19	18	26	24	35	29	20	6	3	–	–	–
81	4	4	7	10	19	17	25	30	30	32	20	12	6	1	–	–

[2] Age at last birthday.

Line No.	Table 3 — Municipalities and Sex.	Deaths,[1] by Sex and Age,[2] in Municipalities — All ages.	Under 5 years.	Under 1 year.	1 year.	2 years.	3 years.	4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 24 years.	25 to 29 years.
1	Saugus (town).	119											
2	Males	56	1	1	–	–	–	–	1	–	–	1	1
3	Females	63	3	3	–	–	–	–	1	–	1	–	–
4	Somerville.	900											
5	Males	434	52	34	7	4	4	3	6	3	2	2	3
6	Females	466	35	21	4	4	3	3	6	1	5	6	13
7	Southbridge (town).	160											
8	Males	86	11	8	–	2	1	–	1	–	1	1	1
9	Females	74	7	6	1	–	–	–	–	1	1	2	1
10	Springfield.	1,715											
11	Males	910	95	71	7	5	6	6	15	14	17	11	15
12	Females	805	69	56	3	5	3	2	8	8	7	16	15
13	Stoneham (town).	117											
14	Males	52	5	5	–	–	–	–	1	–	–	2	1
15	Females	65	5	4	–	1	–	–	1	–	1	–	2
16	Swampscott (town).	88											
17	Males	46	–	–	–	–	–	–	–	1	1	–	–
18	Females	42	–	–	–	–	–	–	–	–	–	–	2
19	Taunton.	599											
20	Males	343	19	16	1	2	–	–	1	3	4	3	9
21	Females	256	15	14	–	1	–	–	1	1	–	5	4
22	Wakefield (town).	119											
23	Males	56	4	4	–	–	–	–	–	1	1	1	–
24	Females	63	2	2	–	–	–	–	–	–	–	–	1
25	Waltham.	440											
26	Males	209	19	14	2	1	1	1	1	4	4	1	9
27	Females	231	17	15	2	–	–	–	4	1	2	8	10
28	Watertown (town).	219											
29	Males	92	6	4	1	–	–	1	1	2	–	–	2
30	Females	127	5	2	2	–	–	1	1	–	–	1	1
31	Webster (town).	125											
32	Males	67	9	8	–	–	1	–	–	–	2	1	1
33	Females	58	6	6	–	–	–	–	–	–	–	2	1
34	Wellesley (town).	75											
35	Males	36	1	1	–	–	–	–	3	1	–	–	–
36	Females	39	2	–	1	1	–	–	–	1	–	–	–
37	W. Springfield (town)	118											
38	Males	59	4	2	–	1	1	–	1	1	–	–	2
39	Females	59	2	1	–	–	–	1	–	–	1	1	–
40	Westfield.	213											
41	Males	113	9	7	–	–	2	–	1	1	4	2	4
42	Females	100	5	3	2	–	–	–	–	2	4	2	2
43	Weymouth (town)	234											
44	Males	124	5	5	–	–	–	–	4	1	–	1	–
45	Females	110	11	11	–	–	–	–	1	1	1	2	3
46	Winchester (town).	124											
47	Males	60	3	3	–	–	–	–	–	–	2	–	–
48	Females	64	5	4	–	–	1	–	2	–	–	1	1
49	Winthrop (town).	177											
50	Males	90	9	8	1	–	–	–	–	1	2	1	2
51	Females	87	4	4	–	–	–	–	1	–	–	2	1
52	Woburn.	187											
53	Males	106	11	10	–	–	–	1	–	1	1	3	3
54	Females	81	3	3	–	–	–	–	1	–	1	–	3
55	Worcester.	2,536											
56	Males	1,297	128	104	9	7	4	4	14	13	17	13	20
57	Females	1,239	112	95	6	7	2	2	15	14	9	22	24

[1] Exclusive of stillbirths.

HAVING OVER 10,000 INHABITANTS: 1934 — Con.

Line No.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 to 84 years.	85 to 89 years.	90 to 94 years.	95 to 99 years.	100 years and over.	Age unknown.
1																
2	1	1	1	2	4	4	3	8	6	14	6	2	–	–	–	–
3	1	–	2	3	4	4	4	8	4	12	9	5	2	–	–	–
4																
5	10	15	11	21	30	26	42	54	58	56	17	16	5	2	–	–
6	7	7	17	13	23	29	43	54	69	54	41	31	10	2	–	–
7																
8	–	4	–	4	8	8	8	11	9	9	8	1	1	–	–	–
9	1	4	3	4	3	8	3	2	8	17	6	2	–	1	–	–
10																
11	20	24	36	61	81	85	109	98	95	64	37	22	10	1	–	–
12	22	19	31	43	47	62	81	87	88	87	54	35	20	6	–	–
13																
14	1	–	2	–	3	4	5	7	8	7	4	1	–	1	–	–
15	3	2	2	1	4	4	6	5	9	2	8	7	2	1	–	–
16																
17	2	1	1	1	4	7	3	8	8	2	5	1	1	–	–	–
18	–	–	1	2	–	3	7	4	9	5	4	2	3	–	–	–
19																
20	9	5	11	14	22	31	37	43	42	45	30	12	3	–	–	–
21	4	7	7	12	12	21	23	26	37	39	31	8	1	1	1	–
22																
23	–	–	1	4	4	5	3	6	8	7	3	4	4	–	–	–
24	1	–	–	2	4	6	8	5	6	9	10	4	3	2	–	–
25																
26	5	8	9	12	13	18	12	20	22	19	23	7	2	–	1	–
27	10	8	4	7	12	16	18	23	25	33	19	7	3	2	2	–
28																
29	1	5	3	4	7	15	7	9	16	8	3	2	1	–	–	–
30	2	–	3	4	7	14	16	14	16	18	13	9	1	2	–	–
31																
32	2	1	3	3	3	6	9	12	5	5	2	2	1	–	–	–
33	1	4	1	5	3	3	8	4	6	7	4	3	–	–	–	–
34																
35	–	–	3	1	2	2	4	5	4	6	4	–	–	–	–	–
36	–	1	1	–	1	2	3	6	5	5	5	4	3	–	–	–
37																
38	2	–	–	3	2	7	4	12	9	6	4	2	–	–	–	–
39	–	–	2	5	2	5	6	4	10	10	3	4	3	1	–	–
40																
41	1	2	6	5	8	9	14	12	9	13	11	1	1	–	–	–
42	1	2	7	3	6	12	8	9	11	12	7	2	4	1	–	–
43																
44	–	5	5	6	5	6	15	19	18	10	13	9	2	–	–	–
45	1	–	1	3	3	11	11	12	13	13	12	6	5	–	–	–
46																
47	–	5	2	5	4	5	9	4	8	6	6	–	1	–	–	–
48	–	3	1	–	6	6	5	7	5	12	3	5	1	1	–	–
49																
50	1	3	1	2	2	7	15	16	9	8	6	4	1	–	–	–
51	2	1	4	2	8	2	12	8	16	9	9	3	3	–	–	–
52																
53	2	2	4	3	8	7	13	13	10	14	7	2	2	–	–	–
54	1	2	4	4	4	5	8	8	16	11	6	2	1	1	–	–
55																
56	26	44	65	71	104	129	126	154	153	114	67	35	3	–	1	–
57	20	46	52	60	89	77	112	133	143	129	93	63	20	6	–	–

[2] Age at last birthday.

Table 4

Years.	Population, Deaths,[1] and Death Rates, per 1,000 Population: 1910 to 1934.		
	Population.	Deaths.	Death rates.
1910	3,380,151	54,407	16.1
1911	3,446,079	53,062	15.4
1912	3,512,007	52,400	14.9
1913	3,577,935	53,402	14.9
1914	3,643,863	52,978	14.5
1915	3,693,310	53,131	14.4
1916	3,775,720	56,366	14.9
1917	3,841,648	56,628	14.7
1918	3,907,576	78,842	20.2
1919	3,835,614	52,345	13.6
1920	3,852,356	53,632	13.9
1921	3,885,836	47,780	12.3
1922	3,936,056	51,115	13.0
1923	3,969,536	52,380	13.2
1924	4,003,016	49,466	12.4
1925	4,144,205	51,890	12.5
1926	4,170,560[2]	52,888	12.7[2]
1927	4,191,644[2]	49,324	11.8[2]
1928	4,212,728[2]	51,442	12.2[2]
1929	4,233,812[2]	52,171	12.3[2]
1930	4,249,614	49,503	11.6
1931	4,275,969	48,743	11.4
1932	4,297,053	49,531	11.5
1933	4,318,137	50,832	11.8
1934	4,339,221	50,760	11.7

[1] Exclusive of stillbirths.
[2] Revised.

Table 5

Years.	Mortality[1] of Males and Females: 1910 to 1934.					
	Deaths.		Deaths of males to 1,000 deaths of females.	Death rates[2] per 1,000 population.		
	Males.	Females.		Males.	Females.	Excess of male rate.
1910	*28,259*	*26,148*	*1,081*	*17.1*	*15.3*	*1.8*
1911	27,526	25,536	1,078	–	–	–
1912	27,027	25,373	1,065	–	–	–
1913	28,039	25,363	1,106	–	–	–
1914	27,569	25,409	1,085	–	–	–
1915	*27,335*	*25,792*	*1,060*	*15.1*	*13.7*	*1.4*
1916	29,536	26,823	1,101	–	–	–
1917	29,622	27,005	1,097	–	–	–
1918	41,670	37,163	1,121	–	–	–
1919	26,407	25,930	1,018	–	–	–
1920	*26,625*	*27,004*	*986*	*14.1*	*13.8*	*.3*
1921	23,944	23,836	1,005	12.6	12.0	.6
1922	25,679	25,433	1,010	13.3	12.7	.6
1923	26,268	26,111	1,006	13.5	12.9	.6
1924	25,392	24,074	1,055	12.9	11.8	1.1
1925	*26,457*	*25,433*	*1,040*	–	–	–
1926	26,943	25,945	1,038	–	–	–
1927	25,233	24,091	1,047	–	–	–
1928	26,082	25,360	1,028	–	–	–
1929	26,461	25,710	1,029	–	–	–
1930	*25,242*	*24,261*	*1,041*	*12.2*	*11.1*	*1.1*
1931	25,021	23,722	1,055	–	–	–
1932	25,321	24,210	1,046	–	–	–
1933	26,131	24,701	1,058	–	–	–
1934	26,569	24,191	1,098	–	–	–

[1] Exclusive of stillbirths.
[2] Rates are calculated on census population except for the years 1921, 1922, 1923 and 1924, for which the estimated population is used. Male and female population not enumerated in State census of 1925.

Table 6

Age Periods.	Deaths[1] at Specified Ages: Census Years 1905 to 1930.					
	1930.	1925.	1920.	1915.	1910.	1905.
All Ages.	49,503	51,890	53,632	53,131	54,407	50,486
Under 5 years	5,873	8,623	11,739	12,891	15,433	14,055
Under 1 year	4,440	6,294	8,382	9,490	11,499	10,519
5 to 9 years	742	922	1,129	1,026	1,091	1,017
10 to 14 years	479	678	689	648	678	734
15 to 19 years	705	891	957	984	1,002	1,050
20 to 29 years	1,956	2,498	3,282	3,234	3,329	3,562
30 to 39 years	2,959	3,161	3,916	3,823	4,102	4,149
40 to 49 years	4,278	4,521	4,554	4,825	4,615	4,139
50 to 59 years	6,989	6,838	6,154	6,058	5,501	5,174
60 to 69 years	9,881	9,186	7,784	7,323	7,168	6,346
70 to 79 years	9,637	8,882	8,049	7,613	6,977	6,106
80 years and over	6,003	5,685	5,370	4,667	4,471	4,101
Age unknown	1	5	9	39	40	53
	Death Rates per 1,000 Population[2] at Specified Ages.					
All Ages.	11.6	12.5	13.9	14.4	16.2	16.8
Under 5 years	16.8	–	30.4	35.5	46.9	53.6
Under 1 year	68.3	–	111.9	126.1	162.6	208.0
5 to 9 years	1.9	–	3.1	3.1	3.7	3.7
10 to 14 years	1.2	–	2.1	2.1	2.4	2.8
15 to 19 years	1.9	–	3.2	3.1	3.4	4.0
20 to 29 years	2.9	–	4.9	4.6	5.2	6.3
30 to 39 years	–[3]	–	6.4	6.5	7.4	8.2
40 to 49 years	–[3]	–	9.1	10.3	11.0	11.2
50 to 59 years	–[3]	–	17.2	19.1	19.9	21.4
60 to 69 years	–[3]	–	37.5	40.5	43.1	41.1
70 to 79 years	–[3]	–	85.5	87.1	79.2	83.2
80 years and over	–[3]	–	193.0	177.5	191.3	179.6

[1] Exclusive of stillbirths.
[2] Population by age groups not enumerated for 1925.
[3] U. S. Census figures for 1930 not available.

Table 7

Years.	Per Cent of Deaths[1] at Specified Ages—Both Sexes.			
	Under 1 year.	Under 5 years.	20 to 29 years.	All others.
1910	21.1	28.4	6.1	65.5
1911	19.9	26.4	6.1	67.5
1912	20.0	26.3	6.0	67.6
1913	18.9	25.8	6.0	68.2
1914	18.7	24.6	6.0	69.4
1915	17.9	24.3	6.1	69.7
1916	16.6	23.2	5.8	71.0
1917	16.5	22.5	5.9	71.6
1918	13.7	21.0	13.7	65.3
1919	14.8	20.7	7.3	72.0
1920	15.6	21.9	6.1	72.0
1921	14.7	19.7	5.3	75.0
1922	13.9	19.2	4.9	75.9
1923	13.3	18.4	4.9	76.7
1924	12.5	16.9	4.9	78.2
1925	12.1	16.6	4.8	78.6
1926	11.6	16.1	4.4	79.5
1927	10.8	14.3	4.6	81.1
1928	10.0	13.6	4.3	82.1
1929	8.8	12.0	4.4	83.6
1930	9.0	11.9	3.9	84.2
1931	7.8	10.2	3.9	85.9
1932	7.3	9.7	3.7	86.6
1933	6.5	8.5	3.6	87.9
1934	6.2	8.0	3.5	88.5

[1] Exclusive of stillbirths.

Table 8

Age Periods.	Male Deaths per 1,000 Female Deaths at Specified Ages.				Age Periods.	Male Deaths per 1,000 Female Deaths at Specified Ages.			
	1934.	1933.	1932.	1931.		1934.	1933.	1932.	1931.
All Ages.	1,098	1,058	1,046	1,055	40 to 44 years	1,326	1,299	1,219	1,281
Under 1 year	1,320	1,353	1,320	1,335	45 to 49 years	1,382	1,341	1,318	1,248
1 year	1,179	1,241	1,106	1,315	50 to 54 years	1,369	1,353	1,239	1,263
2 years	1,278	1,276	1,265	1,315	55 to 59 years	1,345	1,205	1,292	1,279
3 years	1,845	1,493	1,172	1,045	60 to 64 years	1,238	1,148	1,168	1,134
4 years	1,262	1,253	1,375	1,028	65 to 69 years	1,138	1,101	1,041	1,063
5 to 9 years	1,422	1,387	1,187	1,349	70 to 74 years	1,035	1,026	995	976
10 to 14 years	1,568	1,290	1,410	1,278	75 to 79 years	893	885	860	875
15 to 19 years	1,433	1,141	1,299	1,278	80 to 84 years	768	754	780	773
20 to 24 years	978	958	956	901	85 to 89 years	645	643	596	691
25 to 29 years	1,029	951	885	894	90 to 94 years	436	520	540	467
30 to 34 years	1,142	970	1,037	1,010	95 to 99 years	320	319	370	352
35 to 39 years	1,261	1,080	1,122	1,166	100 years and over	286	357	333	278

Table 9

Age Periods and Years.	Deaths[1] of Males and Females at Specified Ages: 1925 to 1934.						
	Both sexes.		Males.		Females.		Female deaths per 1,000 male deaths.
	Number.	Per Cent distribution.	Number.	Per Cent distribution.	Number.	Per Cent distribution.	
All Ages.							
1925	51,890[2]	100.0	26,457	100.0	25,433	100.0	961
1926	52,888[3]	100.0	26,943	100.0	25,945	100.0	963
1927	49,324[4]	100.0	25,233	100.0	24,091	100.0	955
1928	51,442	100.0	26,082	100.0	25,360	100.0	972
1929	52,171	100.0	26,461	100.0	25,710	100.0	971
1930	49,503[5]	100.0	25,242	100.0	24,261	100.0	961
1931	48,743	100.0	25,021	100.0	23,722	100.0	948
1932	49,531	100.0	25,321	100.0	24,210	100.0	956
1933	50,832	100.0	26,131	100.0	24,701	100.0	945
1934	50,760	100.0	26,569	100.0	24,191	100.0	910
Under 1 Year.							
1925	6,294	12.1	3,637	13.7	2,657	10.4	731
1926	6,130	11.6	3,375	12.5	2,755	10.6	816
1927	5,320	10.8	3,072	12.2	2,248	9.3	732
1928	5,117	10.0	2,886	11.1	2,231	8.8	773
1929	4,592	8.8	2,634	10.0	1,958	7.6	743
1930	4,440	9.0	2,482	9.8	1,958	8.1	789
1931	3,803	7.8	2,174	8.7	1,629	6.9	749
1932	3,635	7.3	2,068	8.2	1,567	6.5	758
1933	3,294	6.5	1,894	7.2	1,400	5.7	739
1934	3,136	6.2	1,784	6.7	1,352	5.6	758
Under 5 Years.							
1925	8,623	16.6	4,879	18.4	3,744	14.7	767
1926	8,503	16.1	4,669	17.3	3,834	14.8	821
1927	7,035	14.3	3,999	15.9	3,036	12.6	759
1928	6,994	13.6	3,869	14.8	3,125	12.3	808
1929	6,279	12.0	3,563	13.5	2,716	10.6	762
1930	5,873	11.9	3,271	13.0	2,602	10.7	795
1931	4,969	10.2	2,810	11.2	2,159	9.1	768
1932	4,787	9.7	2,695	10.6	2,092	8.6	776
1933	4,341	8.5	2,484	9.5	1,857	7.5	748
1934	4,074	8.0	2,316	8.7	1,758	7.3	759
20 to 29 Years.							
1925	2,498	4.8	1,161	4.4	1,337	5.3	1,151
1926	2,330	4.4	1,070	4.0	1,260	4.8	1,178
1927	2,264	4.6	1,063	4.2	1,201	5.0	1,129
1928	2,190	4.3	1,003	3.9	1,187	4.7	1,183
1929	2,266	4.4	1,117	4.2	1,149	4.5	1,029
1930	1,956	3.9	968	3.8	988	4.1	1,019
1931	1,920	3.9	908	3.6	1,012	4.3	1,115
1932	1,850	3.7	885	3.5	965	4.0	1,090
1933	1,829	3.6	894	3.4	935	3.8	1,046
1934	1,777	3.5	891	3.4	886	3.7	994
All Other Ages.							
1925	40,769[2]	78.6	20,417	77.2	20,352	80.0	997
1926	42,055[3]	79.5	21,204	78.7	20,851	80.4	983
1927	40,025[4]	81.1	20,171	79.9	19,854	82.4	984
1928	42,258	82.1	21,210	81.3	21,048	83.0	992
1929	43,626	83.6	21,781	82.3	21,845	84.9	1,003
1930	41,674[5]	84.2	21,003	83.2	20,671	85.2	984
1931	41,854	85.9	21,303	85.2	20,551	86.6	965
1932	42,894	86.6	21,741	85.9	21,153	87.4	973
1933	44,662	87.9	22,753	87.1	21,909	88.7	963
1934	44,909	88.5	23,362	87.9	21,547	89.0	922

[1] Exclusive of stillbirths.
[2] Includes 5 deaths, age not reported.
[3] Includes 11 deaths, age not reported.
[4] Includes 2 deaths, age not reported.
[5] Includes 1 death, age not reported.

Table 10

DEATHS OF PERSONS 100 YEARS OF AGE AND OVER: 1934.

Age at Death. Yrs.	Age at Death. Mos.	Sex.	Place of death.	Place of birth.	Marital condition.	Date of death.	Name (and maiden name of married and widowed women).
117	–	M.	Boston	Washington, D. C.	Widowed	Jan. 18	William A. Smallwood
105	5	F.	Newburyport	Pepperell	Widowed	Sept. 23	Harriet H. Walworth m.n. Howe
105	–	F.	Boston	Italy	Widowed	Nov. 20	Natalina Mannuccia m.n. Fazzio
103	2	F.	Cambridge	Exeter, N. H.	Widowed	July 12	Mary A. G. Sawyer m.n. Gorham
103	–	F.	Westford	Nashua, N. H.	Widowed	Nov. 23	Lucy A. Keyes m.n. Turrell
101	10	F.	Malden	Ireland	Widowed	Dec. 16	Bridget Urann m.n. Flaherty
101	6	F.	Taunton	Nantucket	Widowed	June 4	Sarah M. Swift m.n. Ray
101	4	M.	Waltham	Plainfield, N. H.	Widowed	Jan. 23	Rufus W. Collins
101	4	F.	Boston	Italy	Widowed	Dec. 23	Rosa Nassano m.n. Canevale
101	–	F.	Fitchburg	Armenia	Widowed	Jan. 1	Martha Kasanjian m.n. Darmajian
101	–	F.	Waltham	Nova Scotia	Widowed	Aug. 15	Frances Callahan m.n. Hutcheson
100	9	M.	Worcester	England	Widowed	May 30	Mark Hook
100	9	F.	Waltham	England	Widowed	July 13	Hannah Cottuli m.n. unknown
100	5	F.	Wrentham	Wrentham	Widowed	Mar. 18	Adeliza Dart m.n. Ware
100	5	F.	Falmouth	Portugal	Widowed	Aug. 17	Macalina Lopes m.n. Lopes
100	4	F.	Milton	Taunton	Widowed	Dec. 27	Eliza H. Lincoln m.n. Danforth
100	–	M.	Lynn	Germany	Widowed	July 25	Paul Iankowski
100	–	F.	Boston	Syria	Widowed	Sept. 21	Anna Mudarri m.n. Abdelnous

Table 11

DEATHS OF PERSONS 100 YEARS OF AGE AND OVER: 1910 TO 1934.

Years.	Total.	Sex. Males.	Sex. Females.	Nativity. Native.	Nativity. Foreign.	Nativity. Unknown.	Marital condition. Single.	Marital condition. Married.	Marital condition. Widowed.	Marital condition. Divorced.	Age of oldest decedent.
1910	23	9	14	12	11	–	3	2	18	–	106
1911	17	8	9	8	9	–	1	2	14	–	108
1912	21	6	15	12	9	–	–	–	21	–	112
1913	18	4	14	10	8	–	2	–	16	–	104
1914	20	4	16	7	13	–	–	–	20	–	113
1915	25	10	15	15	10	–	–	3	22	–	105
1916	21	9	12	10	11	–	–	1	20	–	111
1917	29	10	19	15	14	–	4	2	23	–	108
1918	21	7	14	9	12	–	3	–	18	–	112
1919	21	5	16	11	10	–	3	3	15	–	113
1920	16	3	13	8	8	–	–	1	15	–	104
1921	19	4	15	9	10	–	1	1	17	–	107
1922	25	5	20	13	12	–	2	–	23	–	108
1923	23	10	13	9	14	–	–	1	21	1	115
1924	18	3	15	12	6	–	1	–	17	–	109
1925	22	6	16	11	10	1	1	1	20	–	118
1926	27	8	19	18	9	–	4	2	21	–	105
1927	20	4	16	10	10	–	2	2	16	–	105
1928	22	8	14	13	9	–	3	–	19	–	109
1929	28	7	21	14	14	–	4	–	24	–	108
1930	25	3	22	14	11	–	3	–	22	–	107
1931	23	5	18	15	8	–	3	1	19	–	106
1932	20	5	15	10	10	–	2	–	18	–	116
1933	19	5	14	11	8	–	3	–	16	–	105
1934	18	4	14	8	10	–	–	–	18	–	117

Table 12

DEATHS BY SEX, AGE, AND MARITAL CONDITION: 1934.

Age at Death.	Both Sexes.	Males. Total.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Total.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
The State.													
15 Years and Over.	45,626	23,620	4,497	13,320	5,309	399	95	22,006	4,001	8,382	9,368	242	13
15 to 19 years .	601	354	352	2	–	–	–	247	225	21	–	1	–
20 to 29 years .	1,777	891	640	240	7	4	–	886	432	438	7	8	1
30 to 39 years .	2,550	1,394	499	820	38	29	8	1,156	239	847	41	27	2
40 to 49 years .	4,489	2,585	570	1,811	119	67	18	1,904	316	1,373	179	35	1
50 to 59 years .	7,414	4,267	735	2,932	470	103	27	3,147	500	1,933	660	51	3
60 to 69 years .	11,078	6,008	874	3,798	1,199	113	24	5,070	778	2,146	2,081	60	5
70 to 79 years .	11,186	5,500	647	2,819	1,956	63	15	5,686	934	1,342	3,365	44	1
80 years and over	6,531	2,621	180	898	1,520	20	3	3,910	577	282	3,035	16	–
Unknown age .	–	–	–	–	–	–	–	–	–	–	–	–	–
Boston.													
15 Years and Over.	9,890	5,223	1,239	2,846	995	101	42	4,667	999	1,799	1,804	57	8
15 to 19 years .	141	78	77	1	–	–	–	63	57	5	–	1	–
20 to 29 years .	470	229	173	55	1	–	–	241	120	113	1	6	1
30 to 39 years .	695	383	137	216	13	13	4	312	67	223	14	6	2
40 to 49 years .	1,206	695	171	456	35	23	10	511	85	361	56	9	–
50 to 59 years .	1,884	1,104	236	721	122	18	7	780	146	438	180	14	2
60 to 69 years .	2,616	1,405	257	814	289	34	11	1,211	208	427	562	11	3
70 to 79 years .	1,935	989	152	460	355	11	10	946	198	186	553	9	–
80 years and over	943	340	35	123	180	2	–	603	118	46	438	1	–
Unknown age	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 13

Counties and Cities having over 50,000 Inhabitants in 1930 (Grouped in order of population).

Deaths,[1] in Counties and in Cities having over 50,000 Inhabitants, by Months: 1934.

	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	50,760	5,141	4,770	4,852	4,549	4,339	3,760	3,749	3,510	3,568	4,047	4,051	4,424
Average daily number of deaths.	139	166	170	157	152	140	125	121	113	119	131	135	143
Counties.													
Middlesex	9,865	1,028	991	970	895	853	752	693	613	677	736	797	860
Suffolk	12,147	1,235	1,133	1,159	1,115	1,047	836	900	858	840	1,002	975	1,047
Essex	5,882	584	599	566	508	479	439	462	405	421	469	463	487
Worcester	6,082	635	560	569	554	520	442	476	401	426	486	458	555
Bristol	4,267	438	386	420	368	356	309	291	299	320	354	345	381
Hampden	3,490	334	316	348	322	297	251	250	233	258	302	268	311
Norfolk	3,372	363	302	321	297	298	261	218	242	219	275	295	281
Plymouth	2,078	186	198	170	192	169	177	166	164	140	158	166	192
Berkshire	1,401	138	108	115	132	128	128	111	101	102	106	119	113
Hampshire	964	93	76	84	77	86	69	69	93	75	76	77	89
Franklin	576	54	54	62	40	56	44	39	39	42	47	45	54
Barnstable	501	46	37	60	40	37	40	63	40	32	28	35	43
Dukes	81	5	6	5	6	6	8	8	13	8	3	6	7
Nantucket	54	2	4	3	3	7	4	3	9	8	5	2	4
Cities over 100,000.													
Boston	11,329	1,152	1,058	1,078	1,050	987	793	835	800	780	938	893	965
Worcester	2,536	237	216	236	243	218	182	211	171	176	212	200	234
Springfield	1,715	148	156	183	176	119	136	125	96	127	160	127	162
Fall River	1,456	132	128	142	135	116	110	96	98	126	131	122	120
Cambridge	1,346	138	163	137	130	117	92	96	77	76	95	99	126
New Bedford	1,252	134	111	109	104	106	91	87	80	84	123	103	120
Somerville	900	89	102	85	112	81	61	56	53	57	66	76	62
Lynn	1,089	109	124	102	80	98	90	82	82	73	78	84	87
Lowell	1,344	137	131	137	100	114	101	91	94	93	100	110	136
Cities 50,000 to 100,000.													
Lawrence	958	87	107	88	77	74	107	61	51	71	76	75	84
Quincy	649	76	49	57	63	58	52	50	41	40	51	57	55
Newton	642	70	76	61	47	44	51	43	32	41	55	63	59
Brockton	767	64	68	65	66	56	68	60	59	47	61	65	88
Medford	505	55	43	49	46	47	42	31	41	26	47	35	43
Malden	603	61	56	50	53	73	44	34	46	49	51	51	35
Holyoke	702	68	66	58	66	70	47	44	55	55	51	64	58

[1] Exclusive of stillbirths.

Detailed Int. List No.	Table 14 — Cause of Death	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
	All Causes.	T	50,760	5,141	4,770	4,852	4,549	4,339	3,760	3,749	3,510	3,568	4,047	4,051	4,424
		M	26,569	2,649	2,473	2,526	2,356	2,281	1,964	1,986	1,827	1,898	2,133	2,183	2,293
		F	24,191	2,492	2,297	2,326	2,193	2,058	1,796	1,763	1,683	1,670	1,914	1,868	2,131
I.	Infectious and Parasitic Diseases	T	3,127	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,818	160	180	194	202	188	128	147	127	108	129	113	142
		F	1,309	158	124	133	127	118	82	96	92	89	95	86	109
1	Typhoid fever	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	1	2	–	1	–	3	–	–	–	1
		F	5	–	–	–	–	–	–	–	–	2	2	1	–
2	Paratyphoid fever	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
3	Typhus fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
4	Relapsing fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
5	Undulant fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
6	Smallpox	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
6a	Variola major	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
6b	Variola minor, alastrim	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
6c	Not specified	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
7	Measles	T	91	–	–	–	–	–	–	–	–	–	–	–	–
		M	50	3	10	14	13	6	3	–	–	–	–	1	–
		F	41	9	14	6	4	5	2	–	1	–	–	–	–
8	Scarlet fever	T	76	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	4	3	4	3	6	2	1	3	1	3	3	3
		F	40	6	5	4	11	5	2	1	1	1	1	3	–
9	Whooping cough	T	125	–	–	–	–	–	–	–	–	–	–	–	–
		M	54	7	3	9	4	8	5	6	3	2	3	–	4
		F	71	11	6	6	11	2	4	7	5	7	4	3	5
10	Diphtheria	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	2	2	2	4	4	3	1	2	–	2	2	1
		F	25	2	1	1	3	–	1	3	–	3	4	4	3
11	Influenza	T	268	–	–	–	–	–	–	–	–	–	–	–	–
		M	141	28	33	14	15	9	5	2	2	8	6	10	9
		F	127	28	21	20	14	9	1	1	–	4	3	8	18
11a	With respiratory complications specified	T	199	–	–	–	–	–	–	–	–	–	–	–	–
		M	106	21	28	12	10	8	3	–	2	6	3	6	7
		F	93	22	15	15	10	6	1	–	–	2	2	8	12
11b	Without respiratory complications specified	T	69	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	7	5	2	5	1	2	2	–	2	3	4	2
		F	34	6	6	5	4	3	–	1	–	2	1	–	6
12	Cholera	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	–	–	–	–	2	1	3	4	3	1	–	–
		F	10	–	–	–	1	–	–	–	6	3	–	–	–
13a	Amebic	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	2	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
13b	Bacillary	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	–	–	–	1	–	4	2	1	–	–
		F	9	–	–	–	1	–	–	–	6	2	–	–	–
13c	Unspecified or due to other causes	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	2	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
14	Plague	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
14a	Bubonic	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
14b	Pneumonic	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1934.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
	3,136	414	221	165	138	535	475	601	1,777	2,550	4,489	7,414	11,078	11,186	5,581	932	18	-
	1,784	224	124	107	77	343	290	354	891	1,394	2,585	4,267	6,008	5,500	2,344	273	4	-
	1,352	190	97	58	61	242	185	247	886	1,156	1,904	3,147	5,070	5,686	3,237	659	14	-
1.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	91	62	29	24	24	59	28	49	199	286	329	288	228	90	29	3	-	-
	81	52	32	18	12	52	42	78	286	185	145	130	105	57	29	5	-	-
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		-
	-	-	-	-	1	1	1	1	1	2	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	-	-	-
2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
6c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	16	11	7	-	6	7	3	-	-	-	-	-	-	-	-	-	-	-
	8	10	5	4	2	8	3	1	-	-	-	-	-	-	-	-	-	-
8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	3	3	3	2	15	3	-	3	-	1	-	1	-	-	-	-	-
	-	1	3	1	2	11	3	4	3	9	3	-	-	-	-	-	-	-
9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	27	17	5	2	-	3	-	-	-	-	-	-	-	-	-	-	-	-
	46	10	7	5	1	1	-	-	-	-	-	-	-	-	1	-	-	-
10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	5	8	5	5	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	4	2	1	11	-	-	-	2	-	2	1	-	-	-	-	-
11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10	9	3	3	2	4	2	-	7	5	17	25	19	16	17	2	-	-
	6	8	4	3	1	4	2	2	6	4	7	15	22	19	19	5	-	-
11a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	5	2	1	-	1	-	-	6	5	17	20	17	11	14	2	-	-
	4	5	-	2	1	4	1	2	4	4	2	11	17	16	15	5	-	-
11b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	4	1	2	2	3	2	-	1	-	-	5	2	5	3	-	-	-
	2	3	4	1	-	-	1	-	2	-	5	4	5	3	4	-	-	-
12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	2	1	-	1	-	1	-	4	3	-	-	-	-	-
	-	-	-	-	-	2	-	-	1	1	1	-	2	3	-	-	-	-
13a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	1	-	-	-	1	-	2	2	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	1	1	-	2	3	-	-	-	-
13c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death	Sex	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total	January	February	March	April	May	June	July	August	September	October	November	December
				Months.											
14c	Septicemic	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
14d	Unspecified	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	T	61	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	1	7	1	5	6	2	4	1	1	2	–	1
		F	30	3	4	4	6	3	2	–	2	3	1	1	1
16	Acute poliomyelitis	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	2	–	–	1	–	–	–
		F	6	–	1	–	–	1	–	–	1	1	1	1	–
17	Lethargic or epidemic encephalitis	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	3	2	1	–	1	1	1	–	–	–	–	–
		F	16	3	1	3	1	1	1	1	–	–	2	1	2
18	Epidemic cerebrospinal meningitis	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	3	–	2	3	1	–	2	–	1	1	1	1
		F	13	1	–	–	3	–	1	1	–	1	2	1	3
19	Glanders	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
20	Anthrax	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
21	Rabies	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
22	Tetanus	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	–	2	1	1	1	1	3	3	–	1	2
		F	4	–	–	–	1	–	1	–	1	–	–	1	–
23–32	Tuberculosis (total)	T	2,116	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,263	97	110	123	133	137	88	110	97	77	103	82	106
		F	853	87	64	84	68	86	60	78	66	61	72	54	73
23	Tuberculosis of the respiratory system	T	1,902	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,154	90	101	108	123	129	79	99	87	70	96	73	99
		F	748	77	56	71	59	78	50	69	61	53	64	45	65
24	Tuberculosis of the meninges and central nervous system	T	74	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	3	3	4	4	4	5	3	3	1	3	4	1
		F	36	3	1	8	7	2	2	–	1	3	2	3	4
25	Tuberculosis of the intestines and peritoneum	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	2	–	3	1	–	1	–	2	–	2	2	1
		F	17	1	3	–	–	2	3	2	–	1	3	1	1
26	Tuberculosis of the vertebral column	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	–	1	3	–	1	–	1	2	1	–	3	1
		F	11	4	1	1	–	–	–	1	1	1	–	1	1
27	Tuberculosis of the bones and joints (vertebral column excepted)	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	1	3	2	2	–	–	3	1	1	–	–	1
		F	7	–	1	–	1	1	1	–	–	–	2	1	–
27a	Bones	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	–	1	–	–	–	–	1
		F	3	–	1	–	–	1	1	–	–	–	–	–	–
27b	Joints	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	3	2	1	–	–	2	1	1	–	–	–
		F	4	–	–	–	1	–	–	–	–	–	2	1	–
28	Tuberculosis of the skin and subcutaneous cellular tissue	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	5	–	–	1	–	–	1	2	–	–	–	1	–
29	Tuberculosis of the lymphatic system (bronchial, mesenteric and retroperitoneal glands excepted)	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	1	–	–	1
		F	8	–	–	2	–	1	1	1	2	–	–	–	1
30	Tuberculosis of the genitourinary system	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	–	2	2	3	3	3	4	1	2	2	–	2
		F	12	2	2	1	–	–	1	1	1	–	1	2	1
31	Tuberculosis of other organs	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
32	Disseminated tuberculosis	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	1	–	–	–	–	1	1	–	–	–
		F	8	–	–	–	1	2	1	2	–	2	–	–	–
32a	Acute	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	1	–	–	–	–	1	1	–	–	–
		F	8	–	–	–	1	2	1	2	–	2	–	–	–
32b	Chronic	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
32c	Unspecified	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1934.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
14c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
14d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10	-	-	-	-	-	-	-	1	1	3	2	6	7	-	1	-	-
16	6	2	2	-	-	1	1	1	-	-	7	2	3	3	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
17	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-	-
18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	3	3	1	-	-	-	-	-	-
19	-	-	1	-	-	1	2	-	-	2	5	2	3	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
20	-	4	1	1	1	2	2	-	-	3	-	-	-	1	-	-	-	-
	1	5	-	-	1	2	1	-	1	-	1	-	1	-	-	-	-	-
21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23-32	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	1	3	2	1	1	2	2	1	2	-	-	-	-	-
23	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-
	6	14	2	5	4	15	12	43	181	256	274	224	159	58	10	-	-	-
24	7	10	5	3	2	7	23	65	270	159	109	93	64	29	7	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25	3	6	-	1	-	7	8	30	169	244	262	210	154	51	9	-	-	-
	2	3	1	1	-	-	14	61	257	147	93	83	54	27	5	-	-	-
26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	8	1	3	4	8	3	1	2	1	1	2	1	-	-	-	-	-
27	4	7	4	2	1	4	5	2	1	4	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
27a	-	-	-	-	-	-	-	1	2	2	2	5	-	2	-	-	-	-
	-	-	-	-	1	1	-	1	3	3	3	4	-	1	-	-	-	-
27b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	2	3	4	1	1	1	-	-	-	-	-
28	-	-	-	-	-	1	3	-	1	1	3	-	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
29	-	-	1	1	-	-	-	4	-	1	3	1	2	-	1	-	-	-
	-	-	-	-	-	-	1	-	2	1	-	-	2	-	1	-	-	-
30	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-
31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	2	-	1	3	1	2	-	1	-	-	-
32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32a	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-
	1	-	-	-	-	1	-	-	1	2	1	1	1	-	-	-	-	-
32b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
32c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				Months.											
33	Leprosy	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	T	159	–	–	–	–	–	–	–	–	–	–	–	–
		M	114	8	7	16	13	6	11	10	5	9	7	11	11
		F	45	7	5	5	4	4	3	3	4	2	1	6	1
34a	Congenital	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	–	1	4	–	–	4	–	–	–	1	1
		F	7	1	–	2	–	2	1	–	–	–	–	1	–
34b	Acquired	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	2	1	2	–	1	1	–	–	–	–	1	1
		F	4	2	–	–	–	–	–	1	1	–	–	–	–
34c	Unspecified	T	128	–	–	–	–	–	–	–	–	–	–	–	–
		M	94	6	6	13	9	5	10	6	5	9	7	9	9
		F	34	4	5	3	4	2	2	2	3	2	1	5	1
35	Gonococcus infection and other venereal diseases	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	–	–	1	2	1	1	–	1	–	–	–	–
		F	5	–	1	–	–	1	1	–	1	–	–	1	–
36	Purulent infection, septicemia, nonpuerperal	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	2	2	1	1	–	–	4	3	1	–	2	–
		F	6	–	1	–	–	–	1	–	2	1	1	–	–
36a	Septicemia	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	2	2	1	1	–	–	4	3	1	–	2	–
		F	5	–	1	–	–	–	1	–	1	1	1	–	–
36b	Pyemia or pyohemia	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
36c	Gas gangrene	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
37	Yellow fever	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
38	Malaria	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
38a	Malarial fever	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	1	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
38b	Malarial cachexia	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
39	Other diseases due to protozoal parasites	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	1	–	–	–	–	–	–	–	–	–	–	–
40	Ankylostomiasis	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
41	Hydatid cysts	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
41a	Of the liver	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
41b	Of other organs	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
42	Other diseases caused by Helminths	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	1	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
43	Mycoses	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	–	1	–	–	1
		F	2	–	–	–	–	–	–	–	1	–	–	1	–
44	Other infectious and parasitic diseases	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	–	2	3	–	–	1	–	–	–	–	2
		F	6	–	–	–	–	1	1	–	–	–	1	–	3
44a	Chicken-pox	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	1	3	–	–	1	–	–	–	–	2
		F	5	–	–	–	–	1	1	–	–	–	1	–	2
44b	German measles	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
44c	Others under this title	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1934.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown.
33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	1	-	-	-	1	2	2	8	22	29	35	5	1	-	-	-
	4	1	-	-	-	1	-	2	2	5	5	13	9	3	-	-	-	-
34a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	4	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
34b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	3	3	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
34c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	1	2	7	18	26	34	4	1	-	-	-
	-	-	-	-	-	-	-	2	-	4	4	12	9	3	-	-	-	-
35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	2	1	1	-	1	-	-	-	-
	1	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-
36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	1	1	2	-	-	1	1	-	-	4	-	-	1	-	-	-	-
	1	-	-	-	-	1	2	-	2	-	-	-	-	-	-	-	-	-
36a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	1	1	2	-	-	1	1	-	-	4	-	-	1	-	-	-	-
	1	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-
36b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
36c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
38b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
41b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	-	2	1	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-
44a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	-	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
44b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
44c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) from List, by Months and Sex — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
II.	Cancers and Other Tumors	T	6,917	–	–	–	–	–	–	–	–	–	–	–	–
		M	3,086	282	217	261	228	278	253	260	242	261	260	269	275
		F	3,831	312	315	329	324	321	289	313	292	332	313	340	351
45–53	Cancer and other malignant tumors (total)	T	6,675	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,995	270	212	252	221	270	241	251	228	258	255	265	272
		F	3,680	304	304	314	307	307	277	300	280	322	300	326	339
45	Cancer and other malignant tumors of the buccal cavity and pharynx	T	259	–	–	–	–	–	–	–	–	–	–	–	–
		M	216	17	20	16	15	12	16	14	20	26	24	16	20
		F	43	5	2	4	1	7	2	–	5	3	5	5	4
45a	Lip	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	3	4	3	4	2	3	3	4	2	4	2	2
		F	4	–	–	–	–	–	–	–	–	1	2	1	–
45b	Tongue	T	73	–	–	–	–	–	–	–	–	–	–	–	–
		M	58	4	5	5	1	2	4	5	7	9	2	8	6
		F	15	–	1	4	1	2	–	–	1	1	2	2	1
45c	Mouth	T	32	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	2	3	2	2	1	4	1	4	4	5	2	1
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
45d	Jaw	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	28	5	3	2	3	1	2	2	–	3	5	1	1
		F	12	2	1	–	–	4	–	–	2	1	–	1	1
45e	Other and unspecified parts of buccal cavity	T	56	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	2	5	4	4	5	3	1	3	4	6	2	8
		F	9	2	–	–	–	–	2	–	1	–	1	1	2
45f	Pharynx	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	–	–	1	1	–	2	2	4	2	1	2
		F	2	1	–	–	–	–	–	–	1	–	–	–	–
46	Cancer and other malignant tumors of the digestive tract and peritoneum	T	3,374	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,745	168	112	152	121	166	135	155	134	145	147	150	160
		F	1,629	122	124	135	137	127	128	143	130	148	141	148	146
46a	Esophagus	T	143	–	–	–	–	–	–	–	–	–	–	–	–
		M	112	9	8	10	7	13	7	9	9	14	9	11	6
		F	31	1	1	2	–	1	3	4	4	3	7	3	2
46b	Stomach and duodenum	T	1,231	–	–	–	–	–	–	–	–	–	–	–	–
		M	705	70	43	65	50	71	58	63	52	48	54	65	66
		F	526	35	42	46	43	42	45	57	40	49	42	46	39
46c	Intestine (except rectum and anus)	T	941	–	–	–	–	–	–	–	–	–	–	–	–
		M	404	39	30	37	26	32	30	36	27	37	36	33	41
		F	537	35	37	46	42	36	39	45	51	55	51	48	52
46d	Rectum and anus	T	384	–	–	–	–	–	–	–	–	–	–	–	–
		M	219	23	17	18	16	20	18	18	12	17	25	12	23
		F	165	19	9	15	14	16	14	15	8	14	7	13	21
46e	Liver and biliary passages	T	330	–	–	–	–	–	–	–	–	–	–	–	–
		M	155	15	11	14	9	15	10	17	16	14	13	15	6
		F	175	14	18	15	13	14	13	12	12	17	15	16	16
46f	Pancreas	T	241	–	–	–	–	–	–	–	–	–	–	–	–
		M	117	9	1	4	12	14	11	8	14	12	8	12	12
		F	124	11	9	5	15	13	9	9	12	7	10	13	11
46g	Peritoneum	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	1	2	–	–	–	–	–	1	–	1	2
		F	9	3	2	1	–	–	–	–	–	1	1	1	–
46h	Others	T	87	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	2	1	2	1	1	1	4	4	2	2	1	4
		F	62	4	6	5	10	5	5	1	3	2	8	8	5
47	Cancer and other malignant tumors of the respiratory system	T	294	–	–	–	–	–	–	–	–	–	–	–	–
		M	209	18	14	12	12	23	18	18	14	16	20	25	19
		F	85	11	7	4	4	8	2	9	8	10	5	10	7
47a	Larynx	T	73	–	–	–	–	–	–	–	–	–	–	–	–
		M	61	7	6	4	2	7	3	3	6	4	3	10	6
		F	12	1	1	–	–	–	1	–	3	2	1	1	2
47b	Lungs and pleura	T	192	–	–	–	–	–	–	–	–	–	–	–	–
		M	131	9	8	7	8	13	13	14	8	10	17	11	13
		F	61	9	6	3	2	7	1	7	4	6	3	8	5
47c	Others	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	2	–	1	2	3	2	1	–	2	–	4	–
		F	12	1	–	1	2	1	–	2	1	2	1	1	–
48	Cancer and other malignant tumors of the uterus	T	657	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	657	46	60	71	52	65	55	49	42	58	51	59	49
49	Cancer and other malignant tumors of other female genital organs	T	180	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	180	19	18	20	19	7	13	13	12	17	13	14	15
49a	Ovary and Fallopian tube.	T	151	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	151	17	16	16	13	6	12	10	9	16	13	11	12
49b	Vagina and vulva	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	29	2	2	4	6	1	1	3	3	1	–	3	3
49c	Others	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1934.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
11.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	2	1	11	10	16	36	86	259	636	993	798	220	16	-	-
	2	2	2	1	4	10	10	12	46	180	534	839	1,032	847	274	35	-	-
45–53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	2	1	8	7	12	29	71	237	617	978	795	220	16	-	-
	-	1	1	1	2	7	8	10	38	162	479	812	1,015	836	272	35	1	-
45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	8	40	74	66	26	1	-	-
	-	-	-	-	-	-	-	-	-	-	2	9	10	12	8	2	-	-
45a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	4	10	12	7	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-
45b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	14	20	18	4	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	3	3	5	3	1	-	-
45c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	5	9	11	4	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
45d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	4	10	7	5	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	3	4	2	1	-	-
45e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	7	21	14	4	1	-	-
	-	-	-	-	-	-	-	-	-	-	2	1	3	3	-	-	-	-
45f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	6	4	4	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	3	-	1	5	36	138	385	617	449	103	8	-	-
	-	-	-	-	1	2	-	-	10	50	148	308	483	453	160	14	-	-
46a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	8	37	35	26	5	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	8	13	6	1	-	-	-
46b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	11	53	166	242	180	47	2	-	-
	-	-	-	-	-	-	-	-	3	17	35	105	147	166	49	4	-	-
46c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	-	1	2	12	32	75	145	111	22	2	-	-
	-	-	-	-	-	1	-	-	5	15	54	97	158	138	59	10	-	-
46d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	4	14	53	73	62	12	1	-	-
	-	-	-	-	-	-	-	-	-	9	19	36	50	33	18	-	-	-
46e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	2	14	28	61	36	11	1	-	-
	-	-	-	-	-	-	-	-	-	4	19	30	60	50	12	-	-	-
46f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	6	10	24	48	21	6	2	-	-
	-	-	-	-	-	1	-	-	2	4	10	22	35	36	14	-	-	-
46g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	1	3	1	-	-	-	-
	-	-	-	-	1	-	-	-	-	1	3	1	1	2	-	-	-	-
46h	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	1	10	12	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	5	9	19	22	7	-	-	-
47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	1	5	11	26	66	59	30	10	-	-	-
	-	-	-	-	-	-	-	1	3	6	15	19	28	11	1	1	-	-
47a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	7	21	15	13	5	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	1	6	2	-	-	-	-
47b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	3	10	17	40	38	17	5	-	-	-
	-	-	-	-	-	-	-	1	2	4	11	17	18	6	1	1	-	-
47c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	2	1	2	5	6	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	2	1	1	4	3	-	-	-	-
48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	13	49	128	165	172	101	26	3	-	-
49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	4	15	33	50	39	30	8	-	-	-
49a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	4	15	32	43	33	20	3	-	-	-
49b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	7	6	10	5	-	-	-
49c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				Months.											
50	Cancer and other malignant tumors of the breast	T	712	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	1	3	–	–	–	–	1	–	1	1	–
		F	704	63	66	48	62	57	46	56	53	61	63	58	71
51	Cancer and other malignant tumors of the male genito-urinary organs	T	513	–	–	–	–	–	–	–	–	–	–	–	–
		M	513	37	42	43	51	53	43	39	37	45	43	35	45
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51a	Kidneys and suprarenals (male)	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	50	6	2	7	5	3	6	2	2	4	5	3	5
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51b	Bladder (male)	T	140	–	–	–	–	–	–	–	–	–	–	–	–
		M	140	10	14	7	16	19	14	11	10	9	9	10	11
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51c	Prostate	T	300	–	–	–	–	–	–	–	–	–	–	–	–
		M	300	20	24	27	26	28	21	25	24	30	26	21	28
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51d	Testes	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	–	1	2	3	1	2	1	1	1	3	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51e	Scrotum	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	2	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
51f	Others	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	1	–	1	–	–	–	–	1	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
52	Cancer and other malignant tumors of the skin	T	111	–	–	–	–	–	–	–	–	–	–	–	–
		M	57	2	3	6	6	4	8	7	3	3	3	5	7
		F	54	6	6	3	4	5	3	3	7	2	3	6	6
53	Cancer and other malignant tumors of other or unspecified organs	T	575	–	–	–	–	–	–	–	–	–	–	–	–
		M	247	27	20	20	16	12	21	18	19	23	17	33	21
		F	328	32	21	29	28	31	28	27	23	23	19	26	41
53a	Kidneys and suprarenals (female)	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	24	2	1	3	4	–	2	1	2	4	2	–	3
53b	Bladder (female)	T	86	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	86	12	6	12	9	7	3	7	7	6	4	5	8
53c	Brain	T	77	–	–	–	–	–	–	–	–	–	–	–	–
		M	48	4	4	3	4	5	6	–	4	5	4	6	3
		F	29	2	3	–	2	3	2	4	2	1	1	2	7
53d	Bones (except jaw)	T	51	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	3	2	2	3	–	3	1	4	4	2	3	–
		F	24	2	5	4	1	1	5	–	–	2	1	2	1
53e	Others	T	337	–	–	–	–	–	–	–	–	–	–	–	–
		M	172	20	14	15	9	7	12	17	11	14	11	24	18
		F	165	14	6	10	12	20	16	15	12	10	11	17	22
54	Nonmalignant tumors	T	160	–	–	–	–	–	–	–	–	–	–	–	–
		M	51	8	1	5	5	2	3	8	11	1	3	2	2
		F	109	7	8	7	14	13	6	10	9	6	11	10	8
54a	Of the ovary	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	–	–	–	–	–	–	–	1	–	1	–	2
54b	Of the uterus	T	68	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	68	3	6	5	10	8	5	5	4	3	9	7	3
54c	Of other female genital organs	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
54d	Of the brain	T	65	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	5	1	5	3	2	3	7	8	1	3	–	2
		F	25	2	1	1	3	2	1	3	2	3	1	3	3
54e	Of other organs	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	3	–	–	2	–	–	1	3	–	–	2	–
		F	12	2	1	1	1	3	–	2	2	–	–	–	–
55	Tumors of which the nature is not specified	T	82	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	4	4	4	2	6	9	1	3	2	2	2	1
		F	42	1	3	8	3	1	6	3	3	4	2	4	4
55a	Of the ovary	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	1	–	–	–	–	–	1
55b	Of the uterus	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	13	1	2	2	1	–	2	1	–	–	2	2	–
55c	Of other female genital organs	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
55d	Of the brain	T	46	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	1	2	4	1	4	8	–	3	1	2	–	1
		F	19	–	1	4	2	1	3	1	1	2	–	1	3

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1934.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	2	2	1	1	-	-	-
	-	-	-	-	-	-	-	-	4	30	117	182	186	137	40	7	1	-
51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	1	1	-	4	6	22	57	164	192	63	2	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	1	1	-	-	1	5	12	18	10	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	9	29	51	38	13	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	16	91	141	47	2	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	4	4	5	-	2	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
51f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	4	5	12	21	11	3	-	-
	-	-	-	-	-	-	-	-	-	2	3	5	10	21	8	5	-	-
53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	1	1	4	5	10	15	16	37	62	50	36	6	2	-	-
	-	1	1	1	1	5	7	9	4	10	33	74	87	71	21	3	-	-
53a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	1	2	7	6	7	-	-	-	-
53b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	3	15	28	30	8	1	-	-
53c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	2	2	1	1	6	10	20	5	-	-	-	-	-
	-	-	-	-	-	1	1	3	3	4	6	6	2	2	1	-	-	-
53d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	4	2	2	2	7	5	3	-	-	-	-
	-	-	-	-	-	-	3	2	-	-	1	6	9	3	-	-	-	-
53e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	1	1	2	1	5	12	8	25	35	40	33	6	2	-	-
	-	1	1	1	1	4	3	3	1	4	21	40	42	29	12	2	-	-
54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	3	4	4	6	15	11	5	2	-	-	-	-
	1	1	1	-	1	-	-	1	5	14	44	23	13	4	1	-	-	-
54a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-
54b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	6	38	14	6	2	-	-	-	-
54c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
54d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	3	4	4	5	11	8	3	1	-	-	-	-
	-	1	1	-	1	-	-	-	2	4	5	7	3	1	-	-	-	-
54e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	4	3	2	1	-	-	-	-
	1	-	-	-	-	-	-	1	1	3	1	2	2	-	1	-	-	-
55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	-	-	3	9	7	8	10	1	-	-	-	-
	1	-	-	-	1	3	2	1	3	4	11	4	4	7	1	-	-	-
55a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
55b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	8	1	1	2	-	-	-	-
55c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
55d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	3	7	4	5	7	-	-	-	-	-
	-	-	-	-	1	3	1	1	2	2	3	2	3	1	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
55e	Of other organs	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	3	2	–	1	2	1	1	–	1	–	2	–
		F	8	–	–	2	–	–	–	1	2	2	–	1	–
III.	Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and Other General Diseases	T	1,602	–	–	–	–	–	–	–	–	–	–	–	–
		M	593	69	63	56	51	62	55	50	21	35	50	40	41
		F	1,009	103	105	97	78	93	73	78	76	61	95	69	81
56	Acute rheumatic fever	T	49	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	5	2	4	–	4	3	1	–	1	–	5	4
		F	20	1	2	3	2	1	1	2	1	–	3	2	2
57	Chronic rheumatism, osteo-arthritis	T	76	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	2	2	3	1	2	2	2	–	1	2	1	3
		F	55	7	6	2	3	7	5	5	3	3	7	5	2
58	Gout	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
59	Diabetes mellitus	T	1,327	–	–	–	–	–	–	–	–	–	–	–	–
		M	481	57	51	42	43	50	44	41	18	28	45	33	29
		F	846	89	93	85	68	72	61	66	65	50	72	58	67
60	Scurvy	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
60a	Infantile scurvy (Barlow's disease)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
60b	Scurvy	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
61	Beriberi	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
62	Pellagra	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	1	–	1	1	–	1	2	–	1
		F	6	1	–	–	–	–	2	–	1	1	–	–	1
63	Rickets	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	1	1	–	–	–	–	1	–	–	–	–
		F	3	–	1	–	–	–	–	–	–	–	1	1	–
64	Osteomalacia	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
65	Diseases of the pituitary body	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	1	–	–	–	–	–	–
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
66	Diseases of the thyroid and parathyroid glands	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	3	1	–	1	2	1	1	–	–	–	1
		F	44	2	3	4	2	6	1	5	2	7	6	1	5
66a	Simple goiter	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	7	–	–	1	–	1	–	–	–	2	3	–	–
66b	Exophthalmic goiter	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	2	–	–	–	1	1	1	–	–	–	–
		F	25	2	3	2	1	3	–	3	2	3	2	1	3
66c	Myxedema and cretinism	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	1	–	–	1	–	–	–	–	–	–	1
		F	9	–	–	1	1	1	1	1	–	2	1	–	1
66d	Tetany	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
66e	Others	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	–	–	–	1
67	Diseases of the thymus gland	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	32	3	4	4	2	4	1	4	1	4	1	1	3
		F	23	2	–	3	2	6	1	–	2	–	3	2	2
68	Diseases of the adrenals (Addison's disease, not specified as tuberculous)	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	3	1	1	–	–	–	–	–	–
		F	10	1	–	–	–	1	2	–	2	–	3	–	1
69	Other general diseases	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
IV.	Diseases of the Blood and Bloodmaking Organs	T	425	–	–	–	–	–	–	–	–	–	–	–	–
		M	205	22	20	13	14	19	13	19	16	17	17	22	13
		F	220	20	17	24	17	18	21	19	16	17	19	19	13
70	Hemorrhagic conditions	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	1	3	1	–	1	1	1	3	2	1	–	1
		F	11	–	1	1	1	–	2	1	1	–	1	3	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1934.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
55e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	2	3	3	3	1	–	–	–	–
	1	–	–	–	–	–	1	–	1	1	–	1	–	2	1	–	–	–
III.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	29	3	2	2	–	3	5	9	20	26	38	108	171	145	28	4	–	–
	22	–	1	1	–	6	8	6	23	24	54	171	354	266	67	6	–	–
56	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	2	2	6	4	6	4	3	1	–	–	–	–	–
	–	–	–	–	–	2	6	2	4	3	3	–	–	–	–	–	–	–
57	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	3	5	7	4	–	–	–	–
	–	–	–	–	–	–	–	–	4	–	–	5	7	26	11	2	–	–
58	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
59	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	2	2	14	14	24	96	157	141	26	4	–	–
	–	–	–	–	–	1	–	3	12	10	39	153	333	235	56	4	–	–
60	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
60a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
60b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
61	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
62	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	4	–	–	–	2	–	–	–
	–	–	–	–	–	–	–	–	–	1	2	1	2	–	–	–	–	–
63	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
64	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
65	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
66	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	1	–	–	–	–	–	–	2	1	–	5	–	–	–	–	–
	2	–	–	–	–	–	–	1	3	6	9	9	11	3	–	–	–	–
66a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	–	2	2	1	–	–	–	–
66b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	–	3	–	–	–	–	–
	–	–	–	–	–	–	–	1	3	4	8	1	6	2	–	–	–	–
66c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	1	4	3	–	–	–	–	–
66d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
66e	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
67	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	26	1	1	1	–	–	1	1	1	–	–	–	–	–	–	–	–	–
	18	–	1	1	–	2	1	–	–	–	–	–	–	–	–	–	–	–
68	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	1	2	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	4	1	2	1	2	–	–	–	–
69	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
IV.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	9	5	4	3	1	8	4	5	21	12	26	35	42	27	3	–	–	–
	6	4	3	–	1	3	3	7	14	11	18	51	54	38	6	1	–	–
70	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	1	–	1	1	1	–	–	2	–	–	–	1	1	–	–	–	–
	4	–	–	–	1	–	1	–	2	1	–	1	–	–	1	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
70a	Primary purpuras	T	16	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	2	–	–	–	1	–	2	1	1	–	–
		F	9	–	–	1	1	–	2	1	1	–	1	2	–
70b	Hemophilia	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	1	1	–	1	–	1	1	1	–	–	1
		F	2	–	1	–	–	–	–	–	–	–	–	1	–
71	Anemias	T	135	–	–	–	–	–	–	–	–	–	–	–	–
		M	54	7	4	6	4	4	4	4	3	5	6	5	2
		F	81	11	7	3	5	8	5	7	5	5	13	9	3
71a	Pernicious anemia	T	108	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	6	3	3	3	2	3	4	2	4	4	3	2
		F	69	9	5	2	4	6	4	6	5	5	12	9	2
71b	Others	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	1	1	3	1	2	1	–	1	1	2	2	–
		F	12	2	2	1	1	2	1	1	–	–	1	–	1
72	Leukemias and pseudoleukemias	T	235	–	–	–	–	–	–	–	–	–	–	–	–
		M	125	13	12	6	9	14	7	14	10	9	9	16	6
		F	110	9	8	19	10	9	12	9	5	11	4	6	8
72a	True leukemias	T	151	–	–	–	–	–	–	–	–	–	–	–	–
		M	77	7	7	5	7	8	3	9	8	5	8	9	1
		F	74	6	8	11	8	6	7	5	3	6	2	4	8
72b	Pseudoleukemias (Hodgkin's disease)	T	84	–	–	–	–	–	–	–	–	–	–	–	–
		M	48	6	5	1	2	6	4	5	2	4	1	7	5
		F	36	3	–	8	2	3	5	4	2	5	2	2	–
73	Diseases of the spleen	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	1	–	–	1	–	1	–	–	1	–	1	4
		F	10	–	–	1	–	1	–	1	5	–	1	–	1
74	Other diseases of the blood and bloodmaking organs	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	–	–	1	–	–
		F	8	–	1	–	1	–	2	1	–	1	–	1	1
V.	Chronic Poisonings and Intoxications	T	276	–	–	–	–	–	–	–	–	–	–	–	–
		M	217	28	20	16	17	20	11	11	20	20	22	15	17
		F	59	4	4	3	6	4	4	9	5	5	4	7	4
75	Alcoholism (acute or chronic)	T	266	–	–	–	–	–	–	–	–	–	–	–	–
		M	211	28	17	15	16	20	11	11	20	20	21	15	17
		F	55	3	4	3	6	4	4	7	5	4	4	7	4
76	Chronic poisoning by other organic substances	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	2	1	1	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	1	–	–	–
76a	Occupational	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
76b	Others	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	2	–	1	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	1	–	1	–	–	–
77	Chronic poisoning by mineral substances	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	–	–	1	–	–
		F	2	1	–	–	–	–	–	1	–	–	–	–	–
77a	Lead	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	1	–	–	–	–	–	–	–	1	–	–
		F	2	1	–	–	–	–	–	1	–	–	–	–	–
77b	Occupational (except lead)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
77c	Others	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
VI.	Diseases of the Nervous System and of the Organs of Special Sense	T	5,094	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,382	223	238	214	213	218	181	186	169	162	173	206	199
		F	2,712	316	268	219	236	240	207	207	167	202	200	199	251
78	Encephalitis (nonepidemic)	T	36	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	2	–	2	–	2	1	5	1	3	–	2	–
		F	18	3	2	–	1	–	5	1	2	4	–	–	–
78a	Abscess of the brain	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	1	–	–	–	–	1	2	–	1	–	1	–
		F	6	1	–	–	–	–	2	1	2	–	–	–	–
78b	Others	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	–	2	–	2	–	3	1	2	–	1	–
		F	12	2	2	–	1	–	3	–	–	4	–	–	–
79	Meningitis	T	58	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	4	2	4	3	1	2	3	–	3	4	1	3
		F	28	5	2	4	3	3	1	4	1	2	2	1	–
79a	Simple meningitis	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	2	2	3	2	1	2	2	–	3	4	1	1
		F	20	3	2	4	2	2	1	3	–	1	2	–	–
79b	Nonepidemic cerebrospinal meningitis	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	2	–	1	1	–	–	1	–	–	–	–	2
		F	8	2	–	–	1	1	–	1	1	1	–	1	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1934.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
70a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	1	-	-	-	-	2	-	-	-	1	1	-	-	-	-
	2	-	-	-	1	-	1	-	2	1	-	1	-	-	1	-	-	-
70b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	1	-	-	1	-	1	1	-	6	11	17	12	1	-	-	-
	2	-	1	-	-	-	-	-	3	1	4	14	25	28	2	1	-	-
71a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	-	-	-	-	-	-	-	-	5	7	16	9	-	-	-	-
	1	-	1	-	-	-	-	-	2	1	3	11	21	27	1	1	-	-
71b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	1	-	-	1	-	1	1	-	1	4	1	3	1	-	-	-
	1	-	-	-	-	-	-	-	1	-	1	3	4	1	1	-	-	-
72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	2	1	-	6	4	4	15	11	19	20	24	14	2	-	-	-
	-	4	2	-	-	3	1	6	7	7	11	31	26	9	3	-	-	-
72a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	2	1	-	5	3	2	8	4	14	10	15	8	2	-	-	-
	-	4	2	-	-	2	1	5	2	2	5	22	20	8	1	-	-	-
72b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	2	7	7	5	10	9	6	-	-	-	-
	-	-	-	-	-	1	-	1	5	5	6	9	6	1	2	-	-	-
73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	-	-	-	-	3	-	1	3	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	2	1	4	-	1	-	-	-	-
74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	1	1	-	-	2	1	3	-	-	-	-	-
V.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	9	33	65	56	44	8	1	1	-	-
	-	-	1	-	-	-	-	-	-	7	19	19	12	1	-	-	-	-
75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	7	32	65	56	42	7	1	1	-	-
	-	-	-	-	-	-	-	-	-	7	17	18	12	1	-	-	-	-
76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
76a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
76b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
77a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
77b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
77c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
VI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	33	9	13	6	8	17	24	22	45	85	174	377	625	674	245	25	-	-
	20	7	7	4	1	25	9	15	22	53	143	336	669	850	474	75	2	-
78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	3	1	4	2	3	2	2	-	-	-	-	-
	-	-	1	-	-	7	-	-	1	1	2	2	1	3	-	-	-	-
78a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	-	1	1	2	-	-	-	-	-	-	-
	-	-	1	-	-	3	-	-	-	1	-	1	-	-	-	-	-	-
78b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	1	1	3	1	1	2	2	-	-	-	-	-
	-	-	-	-	-	4	-	-	1	-	2	1	1	3	-	-	-	-
79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	1	1	-	-	3	1	1	4	4	2	3	2	1	-	-	-	-
	6	1	3	1	-	6	-	2	-	3	1	2	2	1	-	-	-	-
79a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	1	1	-	-	3	1	-	3	2	1	3	2	-	-	-	-	-
	4	1	1	1	-	4	-	1	-	3	1	2	1	1	-	-	-	-
79b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	1	1	2	1	-	-	1	-	-	-	-
	2	-	2	-	-	2	-	1	-	-	-	-	1	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of stillbirths) from List, by Months and Sex — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
80	Progressive locomotor ataxia (tabes dorsalis)	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	3	4	–	2	3	4	5	2	3	2	5	2
		F	12	2	1	–	1	–	1	3	1	–	1	1	1
81	Other diseases of the spinal cord	T	94	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	3	6	2	5	–	3	8	6	3	2	6	3
		F	47	4	8	3	1	4	3	3	5	2	3	5	6
82	Cerebral hemorrhage, cerebral embolism and thrombosis	T	4,269	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,867	168	193	170	161	171	134	142	138	123	141	162	164
		F	2,402	274	234	188	214	221	181	179	143	180	183	176	229
82a	Cerebral hemorrhage	T	3,876	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,675	148	177	151	146	153	117	125	124	113	122	151	148
		F	2,201	254	212	165	201	206	166	156	128	167	168	166	212
82b	Cerebral embolism and thrombosis	T	319	–	–	–	–	–	–	–	–	–	–	–	–
		M	156	15	10	16	12	15	12	13	11	9	18	11	14
		F	163	14	18	18	9	13	11	18	12	11	13	9	17
82c	Softening of the brain	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	1	2	2	1	–	3	1	–	–	–	2
		F	13	1	2	2	2	–	1	2	1	1	1	–	–
82d	Hemiplegia and other paralysis, cause unspecified	T	49	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	5	5	1	1	2	5	1	2	1	1	–	–
		F	25	5	2	3	2	2	3	3	2	1	1	1	–
83	General paralysis of the insane	T	161	–	–	–	–	–	–	–	–	–	–	–	–
		M	125	10	11	11	12	10	7	8	6	13	12	15	10
		F	36	5	3	2	2	–	3	6	4	2	2	4	3
84	Dementia praecox and other psychoses	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	–	1	–
		F	3	1	1	–	1	–	–	–	–	–	–	–	–
84a	Dementia praecox	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
84b	Other psychoses	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	–	1	–
		F	2	1	–	–	1	–	–	–	–	–	–	–	–
85	Epilepsy	T	119	–	–	–	–	–	–	–	–	–	–	–	–
		M	73	15	4	5	6	12	7	5	4	3	5	2	5
		F	46	8	4	5	2	3	2	5	3	5	2	5	2
86	Convulsions (under 5 years of age)	T	19	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	2	3	1	–	1	3	–	–	2	–	2	1
		F	4	–	–	–	1	–	–	1	–	–	1	1	–
87	Other diseases of the nervous system	T	157	–	–	–	–	–	–	–	–	–	–	–	–
		M	90	7	7	10	12	11	12	6	4	8	3	4	6
		F	67	7	4	5	8	5	6	4	8	5	4	3	8
87a	Neuralgia and neuritis	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	1	–	–	–	1	–
		F	8	–	1	1	1	–	1	1	–	–	2	–	1
87b	Other diseases of the nervous system	T	147	–	–	–	–	–	–	–	–	–	–	–	–
		M	88	7	7	10	12	11	12	5	4	8	3	3	6
		F	59	7	3	4	7	5	5	3	8	5	2	3	7
88	Diseases of the organs of vision	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	–	1	–	–
		F	3	–	–	1	–	–	–	–	–	1	–	1	–
89	Diseases of the ear and of the mastoid process	T	124	–	–	–	–	–	–	–	–	–	–	–	–
		M	78	9	8	9	12	7	8	4	6	1	3	6	5
		F	46	7	9	11	2	4	5	1	–	1	2	2	2
89a	Diseases of the ear	T	87	–	–	–	–	–	–	–	–	–	–	–	–
		M	56	6	6	6	10	6	4	3	4	1	3	4	3
		F	31	7	6	9	1	1	3	–	–	–	1	2	1
89b	Diseases of the mastoid process	T	37	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	3	2	3	2	1	4	1	2	–	–	2	2
		F	15	–	3	2	1	3	2	1	–	1	1	–	1
VII.	Diseases of the Circulatory System	T	15,976	–	–	–	–	–	–	–	–	–	–	–	–
		M	8,413	877	801	807	770	668	628	570	550	590	686	700	766
		F	7,563	765	727	744	668	628	571	492	527	482	606	607	746
90	Pericarditis	T	33	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	3	2	3	1	2	–	–	1	–	3	–	2
		F	16	2	1	–	1	–	3	1	1	1	3	2	1
91	Acute endocarditis	T	120	–	–	–	–	–	–	–	–	–	–	–	–
		M	71	5	5	8	11	8	6	4	7	5	4	3	5
		F	49	7	7	5	4	2	4	3	4	5	1	2	5
91a	Specified as acute	T	103	–	–	–	–	–	–	–	–	–	–	–	–
		M	61	5	4	7	8	8	5	4	6	4	4	3	3
		F	42	5	7	5	3	2	4	3	4	5	1	1	2
91b	Unspecified (under 45 years of age)	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	1	1	3	–	1	–	1	1	–	–	2
		F	7	2	–	–	1	–	–	–	–	–	–	1	3

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1934.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79	80 to 89	90 to 99.	100 and over.	Unknown.
80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	3	5	8	10	8	1	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	4	5	-	-	-	-	-
81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	1	-	2	3	3	1	5	11	13	4	3	-	-	-
	-	-	-	-	1	-	-	1	-	3	3	7	14	14	4	-	-	-
82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	6	3	5	-	-	-	6	3	8	31	108	279	537	623	233	25	-	-
	6	2	1	-	-	1	1	7	11	25	104	294	612	801	462	73	2	-
82a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	3	4	-	-	-	2	1	7	26	93	250	492	559	210	24	-	-
	5	1	1	-	-	-	-	1	5	21	99	276	570	728	426	66	2	-
82b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	1	-	-	-	4	2	1	4	14	24	36	52	16	-	-	-
	1	1	-	-	-	1	1	4	6	4	4	15	37	60	24	5	-	-
82c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	2	5	2	1	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	2	6	3	1	-	-
82d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	4	7	7	5	-	-	-
	-	-	-	-	-	-	-	1	-	-	1	3	3	7	9	1	-	-
83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	3	18	29	45	20	9	1	-	-	-
	-	-	-	-	-	-	-	-	1	6	15	7	5	2	-	-	-	-
84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-
84a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
84b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	2	3	2	4	7	15	12	10	8	4	3	2	-	-	-
	-	-	-	1	-	-	5	4	5	5	7	5	6	6	2	-	-	-
86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	-	1	2	1	3	5	5	16	30	20	5	-	-	-
	-	2	-	-	-	-	-	1	2	5	5	11	16	19	4	2	-	-
87a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	1	3	-	1	2	-	1	-	-	-
87b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	-	1	2	1	3	5	5	16	29	19	5	-	-	-
	-	2	-	-	-	-	-	1	1	2	5	10	14	19	3	2	-	-
88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	3	4	1	4	11	6	6	4	9	7	4	5	6	-	-	-	-
	5	1	1	2	-	11	3	-	2	4	4	3	6	2	2	-	-	-
89a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	7	1	1	1	4	7	3	5	1	8	4	4	4	6	-	-	-	-
	5	1	-	1	-	6	3	-	2	3	3	1	3	1	2	-	-	-
89b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	2	3	-	-	4	3	1	3	1	3	-	1	-	-	-	-	-
	-	-	1	1	-	5	-	-	-	1	1	2	3	1	-	-	-	-
VII.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11	3	4	4	1	22	35	39	96	206	595	1,397	2,208	2,395	1,232	163	2	-
	4	2	4	1	3	19	33	29	99	178	374	802	1,661	2,370	1,619	356	9	-
90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	1	2	-	-	-	1	2	4	4	2	-	-	-
	-	-	1	-	1	1	4	-	2	2	-	2	2	1	-	-	-	-
91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	4	6	7	14	11	10	6	7	4	1	-	-	-
	-	-	1	-	1	2	4	4	14	7	4	5	1	4	2	-	-	-
91a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	3	5	6	12	7	10	6	7	4	1	-	-	-
	-	-	1	-	1	-	4	4	11	7	2	5	1	4	2	-	-	-
91b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	1	1	1	2	4	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	-	-	3	-	2	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death	Sex	Deaths (exclusive of stillbirths) from List, by Months and Sex — Total	January	February	March	April	May	June	July	August	September	October	November	December
92	Chronic endocarditis, valvular diseases	T	2,298	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,078	124	103	117	111	89	90	78	67	63	72	86	78
		F	1,220	125	126	120	104	99	95	64	86	76	106	90	129
92a	Endocarditis specified as chronic and valvular disease	T	2,121	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,000	115	95	110	100	84	80	75	63	54	68	80	76
		F	1,121	113	115	109	95	88	88	58	81	72	100	83	119
92b	Endocarditis unspecified (45 years and over)	T	177	-	-	-	-	-	-	-	-	-	-	-	-
		M	78	9	8	7	11	5	10	3	4	9	4	6	2
		F	99	12	11	11	9	11	7	6	5	4	6	7	10
93	Diseases of the myocardium	T	5,948	-	-	-	-	-	-	-	-	-	-	-	-
		M	2,858	305	276	269	246	225	211	178	189	205	245	233	276
		F	3,090	329	303	306	258	259	227	208	199	190	259	252	300
93a	Acute myocarditis	T	123	-	-	-	-	-	-	-	-	-	-	-	-
		M	56	4	9	3	6	5	4	5	4	2	5	4	5
		F	67	8	7	4	5	8	3	7	8	7	3	4	3
93b	Myocarditis unspecified (under 45 years of age)	T	13	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	1	1	1	-	-	1	-	-	-	1	-	2
		F	6	1	-	2	-	-	-	2	1	-	-	-	-
93c	Chronic myocarditis and myocardial degeneration	T	3,917	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,940	201	179	190	173	144	155	129	115	137	176	162	179
		F	1,977	207	194	182	162	172	153	136	123	127	173	154	194
93d	Unspecified	T	1,895	-	-	-	-	-	-	-	-	-	-	-	-
		M	855	99	87	75	67	76	51	44	70	66	63	67	90
		F	1,040	113	102	118	91	79	71	63	67	56	83	94	103
94	Diseases of the coronary arteries and angina pectoris	T	3,470	-	-	-	-	-	-	-	-	-	-	-	-
		M	2,261	214	186	202	201	182	162	162	153	160	189	210	240
		F	1,209	110	103	120	115	105	90	88	87	73	90	107	121
94a	Angina pectoris	T	971	-	-	-	-	-	-	-	-	-	-	-	-
		M	640	64	57	46	52	56	52	51	51	40	52	60	59
		F	331	49	28	36	33	29	21	24	20	13	17	34	27
94b	Diseases of the coronary arteries	T	2,499	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,621	150	129	156	149	126	110	111	102	120	137	150	181
		F	878	61	75	84	82	76	69	64	67	60	73	73	94
95	Other diseases of the heart	T	2,674	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,437	158	155	140	134	104	97	106	89	110	120	101	123
		F	1,237	125	118	114	120	107	92	79	95	90	81	97	119
95a	Functional diseases of the heart	T	21	-	-	-	-	-	-	-	-	-	-	-	-
		M	11	-	2	-	2	2	1	1	-	-	-	2	1
		F	10	1	-	-	1	1	1	2	1	-	1	-	2
95b	Other and unspecified	T	2,653	-	-	-	-	-	-	-	-	-	-	-	-
		M	1,426	158	153	140	132	102	96	105	89	110	120	99	122
		F	1,227	124	118	114	119	106	91	77	94	90	80	97	117
96	Aneurysm (except of the heart)	T	37	-	-	-	-	-	-	-	-	-	-	-	-
		M	24	3	1	1	2	2	3	1	-	2	4	3	2
		F	13	2	-	2	-	-	1	1	1	2	1	-	3
97	Arteriosclerosis (diseases of the coronary arteries excepted)	T	1,275	-	-	-	-	-	-	-	-	-	-	-	-
		M	597	52	65	60	55	54	55	36	37	42	46	57	38
		F	678	61	65	74	63	50	54	44	49	42	60	55	61
98	Gangrene	T	15	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	3	-	1	2	-	1	1	1	1	1	2	-
		F	2	-	1	-	-	-	-	-	-	1	-	-	-
98a	Senile	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
98b	Others	T	15	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	3	-	1	2	-	1	1	1	1	1	2	-
		F	2	-	1	-	-	-	-	-	-	1	-	-	-
99	Other diseases of the arteries	T	64	-	-	-	-	-	-	-	-	-	-	-	-
		M	40	6	6	6	5	2	2	1	5	2	-	3	2
		F	24	2	1	1	1	5	3	1	1	1	3	1	4
100	Diseases of the veins (varices, hemorrhoids, phlebitis, etc.)	T	25	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	2	1	-	-	-	1	2	1	-	1	1	-
		F	16	1	1	2	1	1	1	1	2	1	2	-	3
101	Diseases of the lymphatic system (lymphangitis, etc.)	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	1	-	-	-	-	1	-	-	-	1	-
		F	5	1	-	-	-	-	1	2	1	-	-	-	-
102	Idiopathic anomalies of the blood pressure	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	1	-	-	2	-	-	-	-	-	1	-	-
		F	4	-	1	-	1	-	-	-	1	-	-	1	-
103	Other diseases of the circulatory system	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	1	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
VIII.	Diseases of the Respiratory System	T	4,079	-	-	-	-	-	-	-	-	-	-	-	-
		M	2,231	299	308	289	257	189	104	102	81	105	144	175	178
		F	1,848	292	234	247	209	159	104	81	62	65	114	132	149
104	Diseases of the nasal fossae and annexae	T	25	-	-	-	-	-	-	-	-	-	-	-	-
		M	15	2	1	1	-	2	2	1	1	-	2	2	1
		F	10	3	-	-	-	1	-	-	1	1	1	3	-
105	Diseases of the larynx	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	4	-	-	-	-	-	-	-	-
		F	6	1	1	-	1	-	-	1	1	-	1	-	-

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1934.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
92	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	1	2	1	13	19	20	36	64	92	152	233	289	138	15	1	–
	–	1	1	–	–	5	14	15	49	73	110	162	244	319	201	26	–	–
92a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	1	2	1	13	19	20	36	64	89	139	211	266	122	14	1	–
	–	1	1	–	–	5	14	15	49	73	107	148	224	279	181	24	–	–
92b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	3	13	22	23	16	1	–	–
	–	–	–	–	–	–	–	–	–	–	3	14	20	40	20	2	–	–
93	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	4	1	–	1	–	2	3	2	15	45	139	379	746	888	563	69	1	–
	2	1	–	–	–	1	1	1	10	39	112	275	656	1,048	767	173	4	–
93a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	1	–	1	–	1	1	3	4	12	10	14	7	–	–	–
	2	–	–	–	–	–	1	–	–	2	9	9	16	17	10	1	–	–
93b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	4	2	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	3	2	–	–	–	–	–	–	–
93c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	1	6	29	95	253	517	629	367	42	1	–
	–	–	–	–	–	–	–	1	6	24	73	180	424	661	492	113	3	–
93d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	–	–	–	1	3	–	8	9	38	114	219	245	189	27	–	–
	–	–	–	–	–	1	–	–	4	10	28	86	216	370	265	59	1	–
94	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	1	11	46	229	551	688	560	161	13	–	–
	–	–	–	–	–	–	1	–	2	14	59	166	371	406	169	2	–	–
94a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	3	9	54	141	208	170	53	2	–	–
	–	–	–	–	–	–	–	–	1	2	18	38	101	117	45	9	–	–
94b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	1	8	37	175	410	480	390	108	11	–	–
	–	–	–	–	–	–	1	–	1	12	41	128	270	289	124	12	–	–
95	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	1	–	–	–	1	5	9	19	36	109	258	420	403	153	21	–	–
	1	–	–	1	1	9	9	8	18	38	78	160	305	361	205	41	2	–
95a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	1	–	–	4	3	2	–	–	–
	–	–	–	–	–	–	–	–	–	–	1	1	2	4	1	1	–	–
95b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	1	–	–	–	1	5	9	19	35	109	258	416	400	151	21	–	–
	1	–	–	1	1	9	9	8	18	38	77	159	303	357	204	40	2	–
96	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	1	–	10	5	6	1	–	–	–
	–	–	–	–	–	–	–	–	–	1	2	3	2	5	–	–	–	–
97	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	5	29	86	224	207	45	–	–
	–	–	–	–	–	–	–	–	–	1	6	19	70	215	271	93	3	–
98	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	2	3	1	6	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
98a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
98b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	2	3	1	6	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–
99	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	–	–	1	5	6	13	9	5	–	–	–
	1	–	–	–	–	–	–	–	–	3	2	3	3	8	2	2	–	–
100	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	1	1	4	2	–	–	–	–
	–	–	–	–	–	1	–	–	5	–	–	6	5	2	1	–	–	–
101	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	1	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	1	2	–	1	–	–	–	–	–	–	–
102	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	2	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	1	1	1	–	–	–	–
103	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
VIII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	305	91	42	26	12	40	23	33	63	145	264	292	386	335	158	16	–	–
	252	75	21	9	12	33	16	16	64	88	124	162	291	344	273	68	–	–
104	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	1	2	2	2	5	1	–	–	1	–	–	–	–
	–	–	–	1	–	2	1	–	1	–	2	1	1	1	–	–	–	–
105	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	–
	1	2	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death	Sex	Deaths (exclusive of stillbirths) from List, by Months and Sex — Total	January	February	March	April	May	June	July	August	September	October	November	December
106	Bronchitis	T	146	–	–	–	–	–	–	–	–	–	–	–	–
		M	79	16	7	7	10	6	2	4	6	4	10	2	5
		F	67	12	6	6	7	7	6	3	4	3	2	6	5
106a	Acute	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	21	6	4	1	3	2	–	1	–	–	1	1	2
		F	26	2	5	3	4	1	2	1	3	1	1	–	3
106b	Chronic	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	4	–	3	3	1	1	2	5	1	6	–	1
		F	23	4	–	1	2	4	2	2	1	–	1	6	–
106c	Unspecified (under 5 years of age)	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	2	–	–	–	–	–	–	2	–	1
		F	2	–	–	1	–	1	–	–	–	–	–	–	–
106d	Unspecified (5 years and over)	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	6	3	1	4	3	1	1	1	3	1	1	1
		F	16	6	1	1	1	1	2	–	–	2	–	–	2
107	Bronchopneumonia (including capillary bronchitis)	T	2,005	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,019	121	142	137	116	86	40	54	38	60	73	70	82
		F	986	151	119	119	107	89	63	54	37	40	63	62	82
107a	Bronchopneumonia	T	1,999	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,018	121	142	137	115	86	40	54	38	60	73	70	82
		F	981	150	117	117	107	89	63	54	37	40	63	62	82
107b	Capillary bronchitis	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	1	–	–	–	–	–	–	–	–
		F	5	1	2	2	–	–	–	–	–	–	–	–	–
108	Lobar pneumonia	T	1,601	–	–	–	–	–	–	–	–	–	–	–	–
		M	946	141	141	128	114	76	44	34	27	31	45	87	78
		F	655	114	101	109	77	50	24	11	11	18	35	53	52
109	Pneumonia, unspecified	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	3	2	–	2	2	1	–	–	1	1	–	1
		F	12	1	2	–	2	2	1	–	–	–	2	–	2
110	Pleurisy	T	118	–	–	–	–	–	–	–	–	–	–	–	–
		M	78	10	7	7	7	13	9	4	6	2	5	2	6
		F	40	3	4	5	8	4	3	4	1	–	3	2	3
111	Congestion, edema, embolism, hemorrhagic infarct, and thrombosis of the lungs	T	49	–	–	–	–	–	–	–	–	–	–	–	–
		M	18	–	3	3	–	1	–	–	2	1	1	5	2
		F	31	2	–	3	1	2	6	4	3	1	3	4	2
111a	Pulmonary embolism and thrombosis	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	1	2	–	–	–	–	2	–	1	3	1
		F	10	–	–	–	1	1	1	2	–	1	–	2	2
111b	Others	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	–	2	1	–	1	–	–	–	1	–	2	1
		F	21	2	–	3	–	1	5	2	3	–	3	2	–
112	Asthma	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	2	3	1	1	2	2	1	–	3	2	2	1
		F	21	2	–	3	2	2	–	1	1	2	3	2	3
113	Pulmonary emphysema	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	1	–	–	–	–	–	1	–	–
114	Other diseases of the respiratory system (tuberculosis excepted)	T	57	–	–	–	–	–	–	–	–	–	–	–	–
		M	39	4	2	5	3	1	4	4	1	3	5	5	2
		F	18	3	1	2	3	2	1	3	3	–	–	–	–
114a	Chronic interstitial pneumonia, including occupational diseases of the respiratory system	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	3	1	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	1	–	–	–	–
114b	Others, including gangrene of the lung	T	51	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	4	2	2	2	1	3	4	1	3	5	5	2
		F	17	3	1	2	3	2	1	3	2	–	–	–	–
IX.	Diseases of the Digestive System	T	2,837	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,532	138	120	131	123	129	125	113	142	114	146	126	120
		F	1,305	114	109	125	119	102	115	109	110	107	114	86	95
115	Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations)	T	190	–	–	–	–	–	–	–	–	–	–	–	–
		M	88	6	5	8	12	11	7	8	8	7	9	2	5
		F	102	9	11	18	12	11	11	8	5	5	6	1	5
115a	Pharynx and tonsils	T	166	–	–	–	–	–	–	–	–	–	–	–	–
		M	72	6	5	7	10	7	6	8	5	5	7	2	4
		F	94	8	11	16	12	11	10	8	4	4	5	–	5
115b	Others	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	–	–	1	2	4	1	–	3	2	2	–	1
		F	8	1	–	2	–	–	1	–	1	1	1	1	–
116	Diseases of the esophagus	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	–	–	1	2	2	1	3	1	1	–	–
		F	6	–	–	3	–	–	2	–	–	–	–	–	1
117	Ulcer of the stomach and duodenum	T	321	–	–	–	–	–	–	–	–	–	–	–	–
		M	269	32	25	22	26	21	22	16	13	14	29	21	28
		F	52	4	6	5	4	4	6	2	3	2	2	4	10

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1934.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown.
106	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	10	2	-	2	2	2	1	-	2	-	5	9	11	14	17	2	-	-
	6	-	1	1	-	-	-	-	2	-	-	4	11	17	18	7	-	-
106a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	1	-	2	2	1	-	-	1	-	3	-	2	1	3	-	-	-
	5	-	1	-	-	-	-	-	-	-	-	-	2	6	7	5	-	-
106b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	1	7	3	7	8	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	2	5	7	7	1	-	-
106c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	-	1	-	1	2	6	6	6	2	-	-
	-	-	-	-	-	-	-	-	1	-	-	2	4	4	4	1	-	-
107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	245	64	25	10	5	17	7	14	15	36	70	74	148	171	108	10	-	-
	202	51	16	5	7	14	8	5	9	27	39	54	128	197	180	44	-	-
107a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	245	64	25	10	5	17	7	14	15	36	70	74	147	171	108	10	-	-
	199	51	16	5	6	14	8	5	9	27	39	54	127	197	180	44	-	-
107b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	3	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	34	22	15	12	5	19	9	10	32	86	160	189	201	124	25	3	-	-
	34	15	3	1	4	13	6	6	39	53	73	89	138	100	61	11	-	-
109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	1	-	1	1	5	-	2	2	-	-	-	-
	4	1	-	-	-	-	-	1	1	-	1	2	1	-	-	1	-	-
110	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	11	1	1	2	-	1	3	4	4	11	9	11	7	11	2	-	-	-
	3	5	1	1	-	3	1	3	6	2	2	2	5	4	1	1	-	-
111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	1	-	3	-	2	7	3	1	-	-
	-	-	-	-	-	-	-	-	-	1	1	7	2	6	10	4	-	-
111a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	3	-	1	4	1	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	4	1	3	-	-	-	-
111b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	-	-	-	-	-	1	3	2	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	3	1	3	10	4	-	-
112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	-	2	1	1	4	7	2	2	-	-	-
	-	1	-	-	-	-	-	1	2	2	3	3	2	6	1	-	-	-
113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
114	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	3	4	4	9	5	8	3	-	-	-	-
	2	-	-	-	-	-	-	-	3	3	3	-	1	4	2	-	-	-
114a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	1	2	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
114b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	3	3	4	8	3	8	2	-	-	-	-
	2	-	-	-	-	-	-	-	3	3	3	-	1	4	1	-	-	-
IX.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	132	21	12	19	13	45	38	37	71	124	248	294	275	150	49	4	-	-
	82	21	10	13	12	38	21	29	75	100	175	227	252	158	75	17	-	-
115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	7	4	1	3	15	1	3	9	7	7	13	8	7	2	-	-	-
	-	6	2	3	6	8	2	3	11	12	8	18	12	6	4	1	-	-
115a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	7	3	1	3	14	1	2	8	6	5	9	6	5	1	-	-	-
	-	6	2	3	6	8	2	3	10	11	7	16	12	4	4	-	-	-
115b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	1	-	1	1	1	2	4	2	2	1	-	-	-
	-	-	-	-	-	-	-	-	1	1	1	2	-	2	-	1	-	-
116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	2	3	2	2	1	-	-	-
	1	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-	-	-
117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	15	35	64	74	52	22	6	1	-	-
	-	-	-	-	-	-	-	-	1	3	8	16	12	9	3	-	-	-

Table 14

Detailed Int. List No.	Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
117a	Stomach	T	201	–	–	–	–	–	–	–	–	–	–	–	–
		M	172	24	17	15	13	13	16	7	9	10	19	11	18
		F	29	3	5	1	2	2	6	–	1	2	1	3	3
117b	Duodenum	T	120	–	–	–	–	–	–	–	–	–	–	–	–
		M	97	8	8	7	13	8	6	9	4	4	10	10	10
		F	23	1	1	4	2	2	–	2	2	–	1	1	7
118	Other diseases of the stomach (cancer excepted)	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	2	1	–	1	–	2	4	1	2	1	2	1
		F	17	1	1	1	1	1	1	–	2	3	2	2	2
119	Diarrhea and enteritis (under 2 years of age)	T	194	–	–	–	–	–	–	–	–	–	–	–	–
		M	111	1	6	10	4	11	10	9	25	13	15	4	3
		F	83	6	4	10	8	4	6	9	13	10	8	2	3
120	Diarrhea, enteritis and ulceration of intestines (2 years and over)	T	102	–	–	–	–	–	–	–	–	–	–	–	–
		M	49	6	3	4	5	4	–	8	10	–	5	2	2
		F	53	6	4	2	6	3	6	4	3	5	7	2	5
120a	Diarrhea, enteritis	T	43	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	5	1	1	2	1	–	5	4	–	1	–	–
		F	23	2	3	1	4	2	3	1	3	1	–	–	3
120b	Ulceration of intestines	T	59	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	1	2	3	3	3	–	3	6	–	4	2	2
		F	30	4	1	1	2	1	3	3	–	4	7	2	2
121	Appendicitis	T	588	–	–	–	–	–	–	–	–	–	–	–	–
		M	347	33	30	33	30	32	27	22	19	29	31	32	29
		F	241	19	20	20	28	17	26	16	25	13	19	22	16
122	Hernia, intestinal obstruction	T	413	–	–	–	–	–	–	–	–	–	–	–	–
		M	201	24	21	11	12	14	14	23	20	18	16	12	16
		F	212	20	15	14	15	18	16	24	17	19	19	14	21
122a	Hernia	T	212	–	–	–	–	–	–	–	–	–	–	–	–
		M	117	14	18	6	6	6	9	12	11	12	7	9	7
		F	95	14	6	4	9	9	6	12	5	9	9	5	7
122b	Intestinal obstruction	T	201	–	–	–	–	–	–	–	–	–	–	–	–
		M	84	10	3	5	6	8	5	11	9	6	9	3	9
		F	117	6	9	10	6	9	10	12	12	10	10	9	14
123	Other diseases of the intestines	T	77	–	–	–	–	–	–	–	–	–	–	–	–
		M	40	4	1	3	4	2	5	4	8	3	2	2	2
		F	37	2	3	2	3	5	2	6	5	6	2	1	–
124	Cirrhosis of the liver	T	368	–	–	–	–	–	–	–	–	–	–	–	–
		M	220	17	12	22	18	20	19	9	23	10	18	33	19
		F	148	12	14	12	9	13	11	11	15	12	13	16	10
124a	Specified as alcoholic	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	1	2	–	1	1	–	1	2	2	1	1	1
		F	10	–	1	–	–	2	–	2	1	2	–	1	1
124b	Not specified as alcoholic	T	345	–	–	–	–	–	–	–	–	–	–	–	–
		M	207	16	10	22	17	19	19	8	21	8	17	32	18
		F	138	12	13	12	9	11	11	9	14	10	13	15	9
125	Other diseases of the liver (including yellow atrophy of liver)	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	25	1	2	1	3	1	6	–	2	6	1	1	1
		F	25	4	1	1	2	3	–	1	1	5	4	2	1
125a	Yellow atrophy of liver	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	1	–	1	–	2	–	1	2	–	–	–
		F	10	4	–	1	1	1	–	–	–	–	–	2	1
125b	Others	T	32	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	–	1	1	2	1	4	–	1	4	1	1	1
		F	15	–	1	–	1	2	–	1	1	5	4	–	–
126	Biliary calculi	T	265	–	–	–	–	–	–	–	–	–	–	–	–
		M	73	5	7	7	5	3	6	4	7	3	10	8	8
		F	192	16	16	24	17	12	15	14	15	17	25	12	9
127	Other diseases of the gall bladder and biliary passages	T	157	–	–	–	–	–	–	–	–	–	–	–	–
		M	53	6	3	4	6	4	4	3	3	4	6	5	5
		F	104	13	8	10	11	9	11	11	4	8	5	4	10
128	Diseases of the pancreas	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	16	1	4	2	–	3	1	1	–	3	–	1	–
		F	14	2	2	2	1	2	1	–	–	–	1	2	1
129	Peritonitis, cause not specified	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	–	–	4	1	1	–	1	–	1	2	1	1
		F	19	–	4	1	2	–	1	3	2	2	1	2	1
X.	Diseases of the Genito-urinary System	T	4,019	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,142	203	195	226	168	192	148	160	154	165	175	187	169
		F	1,877	191	186	171	180	169	140	152	131	132	142	128	155
130	Acute nephritis (including unspecified under 10 years of age)	T	81	–	–	–	–	–	–	–	–	–	–	–	–
		M	46	6	4	5	3	4	5	2	4	5	3	3	2
		F	35	2	4	1	6	3	1	2	4	3	3	3	3
131	Chronic nephritis	T	3,166	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,585	150	138	165	129	141	106	128	98	123	129	149	129
		F	1,581	167	147	155	148	136	119	129	109	112	117	117	125
132	Nephritis, unspecified (10 years and over)	T	115	–	–	–	–	–	–	–	–	–	–	–	–
		M	54	2	10	4	5	3	2	1	3	6	7	7	4
		F	61	3	6	4	8	10	4	4	2	5	6	3	6

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1934.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
117a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	9	19	40	48	35	15	5	1	–	–
	–	–	–	–	–	–	–	–	–	1	6	9	6	6	1	–	–	–
117b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	6	16	24	26	17	7	1	–	–	–
	–	–	–	–	–	–	–	–	1	2	2	7	6	3	2	–	–	–
118	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	1	–	–	–	–	–	1	–	–	6	3	–	3	–	–	–	–
	2	1	–	–	–	–	–	–	–	1	–	–	3	3	6	1	–	–
119	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	101	10	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	71	12	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
120	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	3	3	1	3	1	1	5	4	6	6	7	4	3	2	–	–
	–	–	–	1	–	1	–	2	6	5	7	5	6	7	10	3	–	–
120a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	2	3	1	3	–	1	–	1	1	1	2	2	1	2	–	–
	–	–	–	–	–	1	–	1	2	1	2	1	3	3	7	2	–	–
120b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	1	–	5	3	5	5	5	2	2	–	–	–
	–	–	–	1	–	–	–	1	4	4	5	4	3	4	3	1	–	–
121	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	3	4	13	5	23	25	27	35	42	63	52	41	11	2	–	–	–
	–	1	4	9	6	27	16	16	31	25	35	33	24	12	2	–	–	–
122	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	23	–	–	–	3	–	4	2	2	11	31	28	41	36	20	–	–	–
	6	1	1	–	–	–	1	4	5	17	31	31	42	45	23	5	–	–
122a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	–	–	–	1	–	1	–	–	7	14	19	27	27	16	–	–	–
	–	–	1	–	–	–	–	1	–	4	12	16	28	23	8	2	–	–
122b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	18	–	–	–	2	–	3	2	2	4	17	9	14	9	4	–	–	–
	6	1	–	–	–	–	1	3	5	13	19	15	14	22	15	3	–	–
123	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	–	1	–	–	1	2	1	–	1	8	8	10	4	2	–	–	–
	–	–	–	–	–	–	–	–	–	1	2	11	14	4	4	1	–	–
124	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	1	–	–	12	34	59	72	37	4	–	–	–
	1	–	–	–	–	–	1	–	1	4	24	37	50	25	4	1	–	–
124a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	3	4	3	1	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	3	4	2	–	–	–	–	–
124b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	1	–	–	10	31	55	69	36	4	–	–	–
	1	–	–	–	–	–	1	–	1	3	21	33	48	25	4	1	–	–
125	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	–	1	–	1	4	8	5	2	1	–	1	–	–
	–	–	1	–	–	–	–	1	7	3	1	4	3	2	1	2	–	–
125a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	3	1	1	2	1	–	–	–	–
	–	–	–	–	–	–	–	1	5	–	1	2	1	–	–	–	–	–
125b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	1	–	1	–	1	1	7	4	–	–	–	1	–	–
	–	–	1	–	–	–	–	–	2	3	–	2	2	2	1	2	–	–
126	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	4	10	22	20	12	4	–	–	–
	–	–	–	–	–	–	–	1	7	15	36	49	46	27	9	2	–	–
127	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	1	–	–	–	2	3	1	5	14	14	9	4	–	–	–
	–	–	–	–	–	–	–	–	3	7	15	21	32	17	8	1	–	–
128	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	2	3	4	5	1	1	–	–	–
	–	–	–	–	–	–	–	1	2	3	2	–	4	1	1	–	–	–
129	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	3	2	–	–	1	1	3	1	1	–	–	–	–
	1	–	2	–	–	2	–	1	1	3	5	1	3	–	–	–	–	–
X.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	7	1	1	–	–	5	9	5	35	76	174	346	565	622	264	30	2	–
	6	2	2	–	1	2	8	13	34	110	192	293	450	504	214	45	1	–
130	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	1	3	4	3	4	7	11	4	6	1	1	–	–
	1	2	1	–	–	1	–	1	5	6	1	7	6	3	1	–	–	–
131	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	3	1	29	56	143	286	430	432	183	20	2	–
	–	–	1	–	–	–	6	8	17	69	143	249	387	462	198	41	–	–
132	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	13	11	9	11	8	1	–	–
	–	–	–	–	–	–	1	–	1	2	6	6	15	19	8	3	–	–

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
133	Other diseases of the kidneys and ureters (puerperal diseases excepted)	T	135	–	–	–	–	–	–	–	–	–	–	–	–
		M	70	9	7	13	5	7	3	3	10	1	4	6	2
		F	65	6	14	2	4	3	8	6	6	3	5	1	7
133a	Pyelitis	T	114	–	–	–	–	–	–	–	–	–	–	–	–
		M	57	5	5	12	5	7	2	3	7	1	4	6	–
		F	57	6	10	1	4	3	7	6	6	3	4	1	6
133b	Others	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	4	2	1	–	–	1	–	3	–	–	–	2
		F	8	–	4	1	–	–	1	–	–	–	1	–	1
134	Calculi of the urinary passages	T	48	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	6	1	1	2	3	1	3	4	4	1	3	2
		F	17	1	1	–	2	2	2	–	1	3	2	–	3
134a	Of the kidneys and ureters	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	4	1	1	2	3	1	3	2	3	1	3	2
		F	16	1	1	–	2	2	2	–	1	2	2	–	3
134b	Of the bladder	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	2	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
134c	Other and unspecified	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	1	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	1	–	–	–
135	Diseases of the bladder (tumors excepted)	T	41	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	1	5	1	1	6	1	1	–	1	4	2	1
		F	17	3	1	1	3	3	–	–	1	1	2	1	1
135a	Cystitis	T	32	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	1	4	1	–	5	1	1	–	–	4	2	–
		F	13	3	1	1	2	2	–	–	1	1	1	1	–
135b	Others	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	1	–	1	1	–	–	–	1	–	–	1
		F	4	–	–	–	1	1	–	–	–	–	1	–	1
136	Diseases of the urethra, urinary abscess, etc.	T	14	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	1	2	–	–	2	2	3	1	1	1	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
136a	Stricture of the urethra	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	–	1	–	–	2	2	3	1	1	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
136b	Others	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	1	1	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
137	Diseases of the prostate	T	312	–	–	–	–	–	–	–	–	–	–	–	–
		M	312	26	28	37	23	26	25	19	33	24	26	17	28
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
138	Diseases of the male genital organs, not specified as venereal	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	6	2	–	–	–	–	3	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
139	Diseases of the female genital organs, not specified as venereal	T	101	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	101	9	13	8	9	12	6	11	8	5	7	3	10
139a	Cysts of the ovary	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	38	3	5	–	4	5	2	4	3	2	5	1	4
139b	Other diseases of the ovaries, tubes and parametrium	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	25	1	4	2	2	3	2	3	1	1	1	1	4
139c	Diseases of the uterus	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	34	4	4	6	3	3	2	3	4	2	1	1	1
139d	Nonpuerperal diseases of the breast (cancer excepted)	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
139e	Others	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	1	–	–	–	1	–	1	–	–	–	–	1
XI.	Diseases of Pregnancy, Childbirth and the Puerperal State	T	317	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	317	26	22	37	34	30	26	24	31	29	22	20	16
140	Abortion with septic conditions	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	15	3	1	2	3	1	1	1	–	2	–	–	1
141	Abortion without mention of septic conditions (to include hemorrhages)	T	13	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	13	1	1	1	–	2	1	1	1	–	1	1	3
142	Ectopic gestation	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	7	–	–	–	4	–	–	–	–	–	1	1	1
142a	With septic conditions specified	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1934.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
133	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	1	-	-	4	3	-	1	9	3	13	14	15	3	1	-	-
	4	-	-	-	1	1	1	3	2	3	8	13	16	10	2	1	-	-
133a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	1	-	-	2	2	-	-	8	3	9	12	15	1	1	-	-
	4	-	-	-	1	-	1	2	2	2	7	13	13	9	2	1	-	-
133b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	1	-	1	1	-	4	2	-	2	-	-	-
	-	-	-	-	-	1	-	1	-	1	1	-	3	1	-	-	-	-
134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	1	6	2	3	10	7	1	-	-	-
	1	-	-	-	-	-	-	-	-	3	1	3	6	2	1	-	-	-
134a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	6	2	2	9	5	1	-	-	-
	1	-	-	-	-	-	-	-	-	3	1	3	6	2	-	-	-	-
134b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
134c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	2	6	9	3	2	-	-
	-	-	-	-	-	-	-	-	-	-	1	4	5	3	3	-	-	-
135a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	4	7	3	2	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	5	3	3	-	-	-
135b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-
136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	2	1	7	3	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	-	-	-	1	7	2	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
136b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
137	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	19	84	138	65	5	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	9	27	32	11	15	5	1	-	-	-
139a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	2	8	10	4	9	3	1	-	-	-
139b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	4	8	11	1	-	1	-	-	-	-
139c	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	3	10	11	4	5	1	-	-	-	-
139d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
139e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	-	-
XI.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	14	125	145	33	-	-	-	-	-	-	-
140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	7	7	1	-	-	-	-	-	-	-
141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	8	3	-	-	-	-	-	-	-
142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	4	3	-	-	-	-	-	-	-	-
142a	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
142b	Without mention of septic conditions	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	7	–	–	–	4	–	–	–	–	–	1	1	1
143	Other accidents of pregnancy (not to include hemorrhages)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	1	–	–	–	–	1	–	–	–	–	1	–
144	Puerperal hemorrhage	T	45	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	45	1	1	4	3	4	7	6	5	4	4	3	3
144a	Placenta praevia	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	15	–	–	2	2	2	2	2	–	2	–	1	2
144b	Other puerperal hemorrhages	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	30	1	1	2	1	2	5	4	5	2	4	2	1
145	Puerperal septicemia (not specified as due to abortion)	T	78	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	78	8	11	9	9	8	3	5	7	7	1	3	7
145a	Puerperal septicemia and pyemia	T	78	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	78	8	11	9	9	8	3	5	7	7	1	3	7
145b	Puerperal tetanus	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
146	Puerperal albuminuria and eclampsia	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	29	3	1	2	4	5	–	3	3	5	2	1	–
147	Other toxemias of pregnancy	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	30	1	2	5	3	2	2	1	3	3	3	5	–
148	Puerperal phlegmasia alba dolens, embolus, sudden death (not specified as septic)	T	53	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	53	5	2	5	2	8	7	2	5	4	10	2	1
148a	Phlegmasia alba dolens	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	1	1	–	–	–	1	–	–
148b	Embolism and thrombosis	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	50	5	2	5	2	7	6	2	5	4	9	2	1
149	Other accidents of childbirth	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	44	3	3	9	6	–	4	5	7	4	–	3	–
149a	Cesarean operation	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	12	–	1	2	2	–	3	–	1	2	–	1	–
149b	Others	T	32	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	32	3	2	7	4	–	1	5	6	2	–	2	–
150	Other and unspecified conditions of the puerperal state	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XII.	Diseases of the Skin and Cellular Tissue	T	102	–	–	–	–	–	–	–	–	–	–	–	–
		M	54	6	3	4	9	5	5	2	1	5	5	5	4
		F	48	3	4	8	6	5	1	2	2	3	8	4	2
151	Furuncle, carbuncle	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	14	3	–	1	4	1	1	–	–	2	–	–	2
		F	11	1	–	1	2	–	–	1	2	–	3	–	1
152	Phlegmon, acute abscess	T	38	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	–	2	1	3	2	2	2	–	1	4	3	–
		F	18	1	1	3	3	3	–	–	–	2	2	2	1
153	Other diseases of the skin, and annexa, and of the cellular tissue	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	3	1	2	2	2	2	–	1	2	1	2	2
		F	19	1	3	4	1	2	1	1	–	1	3	2	–
XIII.	Diseases of the Bones and Organs of Locomotion	T	55	–	–	–	–	–	–	–	–	–	–	–	–
		M	34	5	3	1	6	2	3	4	4	1	1	2	2
		F	21	4	2	1	–	2	2	2	3	–	3	–	2
154	Osteomyelitis	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	23	4	1	–	6	–	3	4	2	1	1	1	–
		F	8	2	2	1	–	–	–	2	–	–	1	–	–
155	Other diseases of the bones (tuberculosis excepted)	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	2	–	–	2	–	–	1	–	–	–	2
		F	10	2	–	–	–	1	2	–	2	–	1	–	2
156	Diseases of the joints and other organs of locomotion	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	1	–	–	–	–	1	–	–	1	–
		F	3	–	–	–	–	1	–	–	1	–	1	–	–
156a	Diseases of the joints (tuberculosis and rheumatism excepted)	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	–	–	1	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1934.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
142b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
143	–	–	–	–	–	–	–	–	4	3	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
144	–	–	–	–	–	–	–	–	1	1	1	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
144a	–	–	–	–	–	–	–	2	11	27	5	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
144b	–	–	–	–	–	–	–	–	2	10	3	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
145	–	–	–	–	–	–	–	2	9	17	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
145a	–	–	–	–	–	–	–	3	42	25	8	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
145b	–	–	–	–	–	–	–	3	42	25	8	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
146	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
147	–	–	–	–	–	–	–	1	15	11	2	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
148	–	–	–	–	–	–	–	3	9	15	3	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
148a	–	–	–	–	–	–	–	3	17	26	7	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
148b	–	–	–	–	–	–	–	–	1	2	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
149	–	–	–	–	–	–	–	3	16	24	7	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
149a	–	–	–	–	–	–	–	2	17	22	3	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
149b	–	–	–	–	–	–	–	1	4	7	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
150	–	–	–	–	–	–	–	1	13	15	3	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14	2	–	2	1	1	1	2	1	1	7	8	6	3	5	–	–	–
151	6	1	–	–	–	1	1	2	5	2	6	7	4	9	3	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
152	2	–	–	–	–	–	–	–	1	–	3	3	2	1	2	–	–	–
	–	–	–	–	–	–	1	–	–	1	3	2	–	3	1	–	–	–
153	1	2	–	1	1	1	1	1	–	1	3	3	3	2	–	–	–	–
	2	1	–	–	–	1	–	–	3	–	3	4	1	3	–	–	–	–
XIII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	11	–	–	1	–	–	–	1	–	–	1	2	1	–	3	–	–	–
154	4	–	–	–	–	–	–	2	2	1	–	1	3	3	2	1	–	–
	–	–	–	–	–	9	9	1	2	4	2	2	2	3	–	–	–	–
155	1	–	–	–	–	1	4	1	1	3	4	1	1	2	2	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
156	–	–	–	–	–	6	9	1	1	3	1	2	–	–	–	–	–	–
	–	–	–	–	–	1	3	1	–	2	–	–	–	1	–	–	–	–
156a	–	–	–	–	–	2	–	–	–	1	1	–	2	1	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	3	1	1	1	2	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	1	–	–	–	–	2	–	–	–	–
	1	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–

Detailed Int. List No.	Table 14 — Cause of Death	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
156b	Other organs of locomotion	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	–	–	–	–	–	–	–	–	1	–
		F	2	–	–	–	–	–	–	–	1	–	1	–	–
XIV.	Congenital Malformations	T	444	–	–	–	–	–	–	–	–	–	–	–	–
		M	226	26	19	13	16	20	19	18	17	18	13	21	26
		F	218	21	19	27	14	21	18	18	12	14	17	16	21
157	Congenital malformations (stillbirths not included)	T	444	–	–	–	–	–	–	–	–	–	–	–	–
		M	226	26	19	13	16	20	19	18	17	18	13	21	26
		F	218	21	19	27	14	21	18	18	12	14	17	16	21
157a	Congenital hydrocephalus	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	3	2	–	–	2	2	2	2	–	2	1	1
		F	17	1	–	1	3	5	2	–	–	1	2	1	1
157b	Spina bifida and meningocele	T	101	–	–	–	–	–	–	–	–	–	–	–	–
		M	44	4	3	3	4	4	4	6	1	5	2	4	4
		F	57	10	4	9	3	2	5	8	3	5	4	2	2
157c	Congenital malformation of the heart	T	207	–	–	–	–	–	–	–	–	–	–	–	–
		M	116	14	10	8	9	12	10	5	7	8	7	11	15
		F	91	6	9	9	5	11	6	4	7	7	6	6	15
157d	Others	T	102	–	–	–	–	–	–	–	–	–	–	–	–
		M	49	5	4	2	3	2	3	5	7	5	2	5	6
		F	53	4	6	8	3	3	5	6	2	1	5	7	3
XV.	Diseases of Early Infancy	T	1,541	–	–	–	–	–	–	–	–	–	–	–	–
		M	909	79	67	75	75	78	67	85	72	71	76	73	91
		F	632	52	50	46	73	61	48	45	44	49	57	56	51
158	Congenital debility	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	3	3	1	2	5	4	1	3	2	3	2	2
		F	16	1	2	–	1	2	2	–	1	3	2	1	1
159	Premature birth	T	1,018	–	–	–	–	–	–	–	–	–	–	–	–
		M	575	56	48	45	44	48	38	55	46	45	54	43	53
		F	443	35	38	33	53	42	33	36	28	29	37	42	32
160	Injury at birth	T	244	–	–	–	–	–	–	–	–	–	–	–	–
		M	157	10	6	16	15	17	15	16	9	11	12	11	19
		F	87	8	5	5	9	8	6	4	9	8	8	10	7
160a	Cesarean operation	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
160b	Without Cesarean operation	T	243	–	–	–	–	–	–	–	–	–	–	–	–
		M	157	10	6	16	15	17	15	16	9	11	12	11	19
		F	86	8	5	5	9	7	6	4	9	8	8	10	7
161	Other diseases peculiar to early infancy	T	232	–	–	–	–	–	–	–	–	–	–	–	–
		M	146	10	10	13	14	8	10	13	14	13	7	17	17
		F	86	8	5	3	10	9	7	5	6	9	10	3	11
161a	Atelectasis	T	133	–	–	–	–	–	–	–	–	–	–	–	–
		M	85	6	6	4	6	6	9	6	9	10	5	10	8
		F	48	4	3	2	8	4	4	2	6	3	7	1	4
161b	Icterus of the new-born	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	1	2	3	1	1	–	2	–	–	–	3	2
		F	8	1	1	1	–	1	1	–	–	1	–	–	2
161c	Sclerema	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
161d	Others	T	76	–	–	–	–	–	–	–	–	–	–	–	–
		M	46	3	2	6	7	1	1	5	5	3	2	4	7
		F	30	3	1	–	2	4	2	3	–	5	3	2	5
XVI.	Senility	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	1	1	3	–	–	1	1	–	2	–	1
		F	31	2	7	2	1	4	1	1	2	1	4	2	4
162	Senility	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	1	1	3	–	–	1	1	–	2	–	1
		F	31	2	7	2	1	4	1	1	2	1	4	2	4
162a	With senile dementia	T	11	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	1	1	–	1	–	–
		F	8	1	1	1	1	–	–	–	1	–	–	1	2
162b	Without senile dementia	T	31	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	1	1	3	–	–	–	–	–	1	–	1
		F	23	1	6	1	–	4	1	1	1	1	4	1	2
XVII.	Violent and Accidental Deaths	T	3,836	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,669	225	215	217	194	209	224	254	204	221	233	226	247
		F	1,167	105	99	112	99	82	92	111	109	82	101	95	80
163–171	Suicide (total)	T	598	–	–	–	–	–	–	–	–	–	–	–	–
		M	470	39	36	48	47	34	33	44	34	45	40	35	35
		F	128	7	13	10	15	14	7	17	13	11	8	9	4
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	T	65	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	5	–	5	6	–	2	4	1	3	3	5	3
		F	28	4	3	1	3	3	–	5	3	3	1	1	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1934.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown.
156b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
XIV.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	210	7	1	–	–	3	–	2	2	1	–	–	–	–	–	–	–	–
	206	9	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
157	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	210	7	1	–	–	3	–	2	2	1	–	–	–	–	–	–	–	–
	206	9	1	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–
157a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	14	1	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
	14	2	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
157b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	43	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	54	3	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	106	4	1	–	–	2	–	2	1	–	–	–	–	–	–	–	–	–
	87	3	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	47	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
	51	1	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–
XV.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	906	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	631	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
158	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	30	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	16	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	574	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	443	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	156	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	86	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
160b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	156	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
	85	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	146	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	86	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	85	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	48	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	15	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161c	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161d	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	46	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	30	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XVI.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	2	7	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	6	13	11	–	–
162	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	2	7	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	6	13	11	–	–
162a	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	1	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	5	1	1	–	–
162b	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	6	1	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	1	12	10	–	–
XVII.	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	28	17	15	19	16	117	104	133	290	306	395	417	459	242	101	10	–	–
	29	14	13	11	15	52	28	24	90	69	79	106	180	232	185	39	1	–
163–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
171	–	–	–	–	–	–	–	7	42	75	87	115	93	48	2	1	–	–
	–	–	–	–	–	–	–	2	15	14	30	33	24	8	2	–	–	–
163	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	4	8	8	10	4	2	–	1	–	–
	–	–	–	–	–	–	–	–	5	4	11	5	1	1	1	–	–	–

Table 14

Deaths (exclusive of Stillbirths) from List, by Months and Sex

Detailed Int. List No.	Cause of Death.	Sex.	Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				Months.											
163a	Arsenic	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	–	1	–	–	–	1	–	1	1	1	1
		F	2	–	1	–	–	–	–	–	1	–	–	–	–
163b	Hydrocyanic acid	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	1	3	–	–	1	–	–	–	1	1
		F	1	–	–	–	1	–	–	–	–	–	–	–	–
163c	Opium, morphine, laudanum	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
163d	Strychnine	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	–	–	1	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163e	Corrosive sublimate	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	1	–	–	–	–	–	–	–	–	–
		F	4	2	–	–	1	–	–	–	–	1	–	–	–
163f	Carbolic acid	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	–	–	–	–	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163g	Lysol	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	1	1	–	–	1	–	–	–	–	–
		F	6	–	1	1	1	1	–	1	–	–	–	–	1
163h	Other poisons or kind not stated	T	25	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	3	–	–	1	–	1	1	–	1	1	2	1
		F	14	2	1	–	–	2	–	3	2	2	1	1	–
164	Suicide by poisonous gas	T	140	–	–	–	–	–	–	–	–	–	–	–	–
		M	106	10	10	11	12	8	7	9	6	12	6	9	6
		F	34	1	4	3	6	1	4	5	3	2	2	1	2
165	Suicide by hanging or strangulation	T	163	–	–	–	–	–	–	–	–	–	–	–	–
		M	137	7	11	13	16	13	12	14	14	8	8	12	9
		F	26	1	3	3	2	5	1	3	2	1	1	4	–
166	Suicide by drowning	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	1	3	2	3	1	3	3	3	5	4	–	1
		F	23	–	1	2	2	5	1	2	3	2	3	2	–
167	Suicide by firearms	T	113	–	–	–	–	–	–	–	–	–	–	–	–
		M	111	7	9	12	4	8	6	9	9	13	17	4	13
		F	2	–	–	–	1	–	–	1	–	–	–	–	–
168	Suicide by cutting or piercing instruments	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	7	3	4	1	3	2	5	1	3	1	4	3
		F	3	–	1	–	1	–	–	1	–	–	–	–	–
169	Suicide by jumping from high places	T	18	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	2	–	1	4	1	1	–	–	–	1	–	–
		F	8	1	–	1	–	–	1	–	2	1	–	1	1
170	Suicide by crushing	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
171	Suicide by other means	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	–	–	1	–
		F	4	–	1	–	–	–	–	–	–	2	1	–	–
172–175	Homicide (total)	T	93	–	–	–	–	–	–	–	–	–	–	–	–
		M	59	5	6	1	5	3	5	7	8	6	5	7	1
		F	34	2	4	7	3	2	3	3	2	2	2	2	2
172	Infanticide (murder of infants under one year of age)	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	1	–	–	–	–
		F	8	–	–	3	1	1	1	–	1	–	1	–	–
172a	Immediately after birth	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	1	–	–	–	–
		F	5	–	–	2	1	1	–	–	1	–	–	–	–
172b	Others, under one year	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	1	–	–	1	–	–	–	1	–	–
173	Homicide by firearms	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	2	2	–	2	–	2	3	4	1	2	3	1
		F	7	2	–	–	–	–	1	2	1	–	–	–	1
174	Homicide by cutting or piercing instruments	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	1	1	–	–	–	–	1	–
		F	3	–	–	1	–	–	–	–	–	1	–	1	–
175	Homicide by other means	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	2	4	1	2	2	2	4	3	5	3	3	–
		F	16	–	4	3	2	1	1	1	–	1	1	1	1
176–198, 201–214	Accidents (total).	T	3,145	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,140	181	173	168	142	172	186	203	162	170	188	184	211
		F	1,005	96	82	95	81	66	82	91	94	69	91	84	74
176	Attack by venomous animals	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
177	Poisoning by food	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	1	2	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1934.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
163*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	1	2	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
163*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	2	3	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
163*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
163*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
163*f*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163*g*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	3	-	-	-	-	-	-	-
163*h*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	2	2	2	1	-	1	-	-
	-	-	-	-	-	-	-	-	2	2	6	2	1	1	-	-	-	-
164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	7	15	20	29	24	10	-	-	-	-
	-	-	-	-	-	-	-	1	4	-	7	11	9	1	1	-	-	-
165	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	9	21	32	35	29	8	2	-	-	-
	-	-	-	-	-	-	-	-	1	4	6	7	5	3	-	-	-	-
166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	5	5	4	5	3	7	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	3	8	7	2	-	-	-	-
167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	5	15	20	12	22	21	16	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	4	5	13	10	5	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-
169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	2	4	1	2	-	-	-	-	-
	-	-	-	-	-	-	-	1	3	1	2	-	-	1	-	-	-	-
170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172–175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	4	12	14	10	8	6	2	-	-	-	-
	9	-	1	-	-	-	1	2	11	3	2	2	2	1	-	-	-	-
172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
172*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-		-	-	2	6	9	2	1	2	-	-	-	-	-
	1	-	-	-	-	-	-	-	4	-	-	1	1	-	-	-	-	-
174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	5	5	6	7	4	2	-	-	-	-
	-	-	-	-	-	-	1	1	7	3	1	1	1	1	-	-	-	-
176–198, 201–214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25	17	15	19	16	117	104	122	236	217	298	294	360	192	99	9	-	-
	20	14	12	11	15	52	27	20	64	52	47	71	154	223	183	39	1	-
176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
178	Accidental absorption of poisonous gas	T	71	–	–	–	–	–	–	–	–	–	–	–	–
		M	55	3	13	7	8	2	2	4	–	2	4	2	8
		F	16	2	2	–	3	1	1	1	–	–	1	2	3
179	Other acute accidental poisonings (gas excepted)	T	50	–	–	–	–	–	–	–	–	–	–	–	–
		M	33	5	1	5	–	4	5	2	4	3	2	2	–
		F	17	2	–	6	2	2	2	1	–	–	2	–	–
179a	Wood alcohol	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
179b	Denatured alcohol	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	1	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179c	Carbolic acid	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179d	Opium, morphine, laudanum	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
179e	Strychnine	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	1	–	–	–	–	–	–	–	–	–
		F	1	–	–	1	–	–	–	–	–	–	–	–	–
179f	Other poisons or kind not stated	T	44	–	–	–	–	–	–	–	–	–	–	–	–
		M	29	4	1	3	–	4	5	1	4	3	2	2	–
		F	15	2	–	4	2	2	2	1	–	–	2	–	–
180	Conflagration	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	3	5	7	4	2	–	1	1	–	1	5	1
		F	10	5	1	1	–	–	–	1	–	–	–	–	2
181	Accidental burns (conflagration excepted)	T	137	–	–	–	–	–	–	–	–	–	–	–	–
		M	65	12	6	4	6	7	3	3	5	6	2	4	7
		F	72	4	11	5	7	3	7	6	8	9	5	3	4
182	Accidental mechanical suffocation	T	49	–	–	–	–	–	–	–	–	–	–	–	–
		M	35	7	4	3	4	2	1	2	–	3	5	1	3
		F	14	1	2	2	–	–	–	–	1	2	3	2	1
183	Accidental drowning	T	193	–	–	–	–	–	–	–	–	–	–	–	–
		M	167	8	7	6	5	24	30	46	15	11	6	5	4
		F	26	4	–	1	–	1	4	6	6	2	1	1	–
184	Accidental traumatism by firearms (wounds of war excepted)	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	19	2	2	3	–	2	1	2	1	1	1	4	–
		F	4	–	–	–	1	–	–	1	1	–	1	–	–
185	Accidental traumatism by cutting or piercing instruments (wounds of war excepted)	T	26	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	1	1	1	2	3	2	2	–	2	4	1	3
		F	4	–	2	1	–	–	–	–	–	–	–	1	–
186	Accidental traumatism by fall, crushing, landslide	T	994	–	–	–	–	–	–	–	–	–	–	–	–
		M	498	39	45	46	38	47	40	34	38	38	44	37	52
		F	496	53	43	61	42	38	32	36	42	31	42	34	42
186a	Fall	T	982	–	–	–	–	–	–	–	–	–	–	–	–
		M	486	38	44	44	37	46	38	34	37	38	43	36	51
		F	496	53	43	61	42	38	32	36	42	31	42	34	42
186b	Crushing, landslide	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	1	2	1	1	2	–	1	–	1	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
187	Cataclysm	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
188	Injuries by animals	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	–	–	–	2	1	2	1	2	1	1	–
		F	6	1	–	1	1	1	–	–	–	1	–	1	–
189	Hunger or thirst	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	1	–	–	–	–	–	–	–
190	Excessive cold	T	28	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	9	11	3	–	–	–	–	–	–	3	–	–
		F	2	–	2	–	–	–	–	–	–	–	–	–	–
191	Excessive heat	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	15	–	–	–	–	–	5	10	–	–	–	–	–
		F	9	–	–	–	–	–	1	8	–	–	–	–	–
192	Lightning	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	1	3	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
193	Accidents due to electric currents	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	1	–	–	1	1	3	3	4	2	–	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
194	Other accidents	T	221	–	–	–	–	–	–	–	–	–	–	–	–
		M	162	10	16	18	14	13	14	9	11	9	14	14	20
		F	59	3	2	3	5	10	6	4	7	3	7	4	5
194a	Foreign body	T	42	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	2	4	5	2	1	2	–	4	1	5	4	1
		F	11	1	–	–	–	1	3	1	–	1	2	1	1

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1934.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown.
178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	10	11	12	12	5	3	-	-	-
	1	1	-	-	-	-	-	-	2	3	-	-	6	3	-	-	-	-
179	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	1	-	-	-	-	1	8	6	7	7	1	-	-	-	-
	1	2	3	-	-	-	-	2	2	5	1	-	1	-	-	-	-	-
179*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
179*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-		-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179*c*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179*d*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
179*f*	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	1	-	-	-	-	-	1	7	5	7	6	1	-	-	-	-
180	1	2	2	-	-	-	-	2	2	4	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	1	-	1	3	1	-	2	-	4	7	4	3	2	-	-	-
181	-	-	-	-	-	-	-	-	-	1	-	2	4	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	5	3	1	2	1	4	5	8	6	7	10	10	1	-	-	-
182	-	5	5	3	5	14	1	2	5	1	4	3	9	10	5	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	13	-	-	-	-	-	2	-	2	-	5	3	7	3	-	-	-	-
183	9	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	2	1	2	31	21	19	21	19	16	14	15	3	1	-	-	-
184	-	-	1	2	2	5	6	2	3	-	1	-	3	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	2	5	5	2	-	1	-	-	-	-	-	-
185	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	1	2	3	-	1	6	1	4	2	1	-	-	-
	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
186	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	4	1	1	3	9	10	10	16	42	61	84	97	84	67	8	-	-
	-	1	-	-	1	2	3	2	-	3	15	31	81	156	165	35	1	-
186*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	4	1	1	3	9	9	10	14	38	58	83	96	84	67	8	-	-
	-	1	-	-	1	2	3	2	-	3	15	31	81	156	165	35	1	-
186*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	2	4	3	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
187	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
188	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	1	-	-	-	1	1	3	2	1	1	-	-	-
	-	-	-	-	1	-	-	-	2	-	-	-	3	-	-	-	-	-
189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
190	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	1	-	-	-	-	-	-	-	3	4	4	7	6	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	1	-	-	-	-	-	1	-	1	-	3	-	4	1	4	-	-	-
	2	1	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	-
192	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	1	-	-	-	-	-	2	6	3	2	1	2	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	8	3	1	-	1	8	2	9	20	22	33	21	22	9	3	-	-	-
	6	1	-	-	-	-	-	1	14	14	3	5	5	5	3	2	-	-
194*a*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	2	1	-	-	-	-	1	2	5	8	5	4	-	-	-	-	-
	4	1	-	-	-	-	-	-	1	-	1	1	2	1	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
194b	Others	T	179	–	–	–	–	–	–	–	–	–	–	–	–
		M	131	8	12	13	12	12	12	9	7	8	9	10	19
		F	48	2	2	3	5	9	3	3	7	2	5	3	4
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
196	Wounds of war	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
197	Execution of civilians by belligerent armies	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
198	Legal executions	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	3	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
201	Accidents in mines and quarries	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
201m	Other accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
202	Accidents from agricultural machinery	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
202g	Traumatism by crushing, landslide	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
203	Elevator accidents	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	2	–	1	1	–	1	–	1	–	1	1	–
		F	2	–	–	–	–	–	1	–	–	–	–	–	1
203f	Traumatism by fall	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	–	–	–	1	–	1	–	1	–	–
		F	1	–	–	–	–	–	1	–	–	–	–	–	–
203g	Traumatism by crushing, landslide	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	1	–	1	1	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
203m	Other accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
204	Accidents from machinery used for recreation	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
204f	Traumatism by fall	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	1	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205	Other machinery accidents	T	21	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	2	2	1	2	–	1	2	2	2	–	2	4
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
205b	Burns (conflagration excepted)	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205e	Traumatism by cutting or piercing instruments	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	1	1	–	–	–	–	1	–	1	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
205g	Traumatism by crushing, landslide	T	8	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	1	1	–	1	–	2	–	–	2	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1
205m	Other accidents	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	1	1	–	1	–	–	1	–	–	–	–	3
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
206	Railroad and automobile collisions	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	12	1	1	–	2	–	1	–	1	1	1	3	1
		F	10	–	–	–	2	–	4	2	2	–	–	–	–
206e	Traumatism by cutting or piercing instruments	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
206g	Traumatism by crushing, landslide	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	1	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
206m	Other accidents	T	20	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	1	–	–	2	–	1	–	1	1	–	3	1
		F	10	–	–	–	2	–	4	2	2	–	–	–	–
207	Other railroad accidents	T	74	–	–	–	–	–	–	–	–	–	–	–	–
		M	69	4	7	7	5	6	7	4	6	3	7	9	4
		F	5	–	–	–	–	–	1	2	–	1	1	–	–
207b	Burns (conflagration excepted)	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	–	–	–	–	–	4	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1934.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
194*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	1	-	-	1	8	2	8	18	17	25	16	18	9	3	-	-	-
	2	-	-	-	-	-	-	1	13	14	2	4	3	4	3	2	-	-
195	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
201*m*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
202*g*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	1	-	1	1	4	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
203*f*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
203*g*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2 03*m*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204*f*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	3	3	2	5	5	2	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
205*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205*g*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	-	1	3	1	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
205*m*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	-	2	3	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
206	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	1	-	3	2	-	3	-	2	-	-	-	-
	-	2	-	-	1	1	3	-	2	1	-	-	-	-	-	-	-	-
206*e*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
206*g*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
206*m*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	-	-	1	-	3	2	-	2	-	1	-	-	-	-
	-	2	-	-	1	1	3	-	2	1	-	-	-	-	-	-	-	-
207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	1	10	2	8	6	15	10	13	2	1	-	-	-
	-	-	-	-	-	1	1	-	-	-	2	-	-	1	-	-	-	-
207*b*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				Months.											
207e	Traumatism by cutting or piercing instruments	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	1	2	-	-	1	1	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
207f	Traumatism by fall	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	1	-	-	1	1	-	1	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
207g	Traumatism by crushing, landslide	T	8	-	-	-	-	-	-	-	-	-	-	-	-
		M	8	-	1	2	2	-	-	-	2	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
207m	Other accidents	T	52	-	-	-	-	-	-	-	-	-	-	-	-
		M	47	3	3	5	3	4	5	4	3	2	6	5	4
		F	5	-	-	-	-	-	1	2	-	1	1	-	-
208	Street car and automobile collisions	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	1	1	1	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
208m	Other accidents	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	1	1	1	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
209	Other street car accidents	T	24	-	-	-	-	-	-	-	-	-	-	-	-
		M	17	3	-	4	2	1	2	1	1	2	1	-	-
		F	7	-	1	1	2	-	-	-	1	1	-	1	-
209e	Traumatism by cutting or piercing instruments	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	1	-	-	-	-	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
209f	Traumatism by fall	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	1	-	-	-	-	-	-	1	-
209g	Traumatism by crushing, landslide	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	-	-	1	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	1	-	-	-	-
209m	Other accidents	T	17	-	-	-	-	-	-	-	-	-	-	-	-
		M	13	3	-	3	2	1	1	1	-	1	1	-	-
		F	4	-	1	1	1	-	-	-	-	1	-	-	-
210	Automobile accidents	T	989	-	-	-	-	-	-	-	-	-	-	-	-
		M	757	64	43	45	44	49	53	61	61	71	84	86	96
		F	232	21	15	13	16	7	21	22	25	17	27	34	14
210b	Burns (conflagration excepted)	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	-	-	2	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	1	-	-	-	-
210d	Drowning	T	10	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	1	-	-	-	-	2	1	-	-	-	-	1
		F	5	-	-	3	-	-	-	1	-	-	-	-	1
210e	Traumatism by cutting or piercing instruments	T	7	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	1	2	2	-	-	-
		F	2	-	-	-	-	-	1	-	-	-	-	1	-
210f	Traumatism by fall	T	36	-	-	-	-	-	-	-	-	-	-	-	-
		M	29	2	-	-	3	1	3	3	4	4	2	3	4
		F	7	-	1	-	1	-	-	-	2	-	-	2	1
210g	Traumatism by crushing, landslide	T	74	-	-	-	-	-	-	-	-	-	-	-	-
		M	59	5	5	5	3	7	5	1	7	6	5	5	5
		F	15	3	2	-	1	1	1	-	2	-	1	3	1
210m	Other accidents	T	858	-	-	-	-	-	-	-	-	-	-	-	-
		M	656	56	38	40	38	41	41	55	48	59	77	78	85
		F	202	18	12	10	14	6	19	21	20	17	26	28	11
211	Motorcycle accidents	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	-	1	-	2	1	4	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
211f	Traumatism by fall	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	-	-	-	-	1	-	1	1	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
211m	Other accidents	T	5	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	-	1	-	3	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
212	Other land transportation accidents	T	29	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	2	5	2	1	1	1	3	3	2	1	3	1
		F	4	-	1	-	-	1	-	-	-	-	1	-	1
212f	Traumatism by fall	T	16	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	2	2	-	-	1	-	2	2	1	-	3	1
		F	2	-	-	-	-	1	-	-	-	-	1	-	-
212g	Traumatism by crushing, landslide	T	2	-	-	-	-	-	-	-	-	-	-	-	-
		M	2	-	-	-	1	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
212m	Other accidents	T	11	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	3	2	-	-	1	1	1	1	-	-	-
		F	2	-	1	-	-	-	-	-	-	-	-	-	1
213	Water transportation accidents	T	49	-	-	-	-	-	-	-	-	-	-	-	-
		M	47	1	-	4	2	5	7	7	6	5	4	-	6
		F	2	-	-	-	-	1	1	-	-	-	-	-	-

Each Cause and Class of Causes, according to the Detailed International and by Age and Sex: 1934.

Detailed Int. List No.	Age of decedents (years).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over.	Unknown.
207e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	-	-	1	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	2	4	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
207m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	-	-	7	1	8	5	10	3	9	2	1	-	-	-
	-	-	-	-	-	1	1	-	-	-	2	-	-	1	-	-	-	-
208	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
208m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	4	2	6	4	-	-	-	-
	-	-	-	-	-	-	-	-	-	2	-	-	2	3	-	-	-	-
209e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
209f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
209g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
209m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	3	2	5	3	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-
210	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	3	10	8	53	39	52	114	74	98	102	132	54	15	1	-	-
	1	1	2	6	4	25	13	7	31	17	19	26	33	36	9	2	-	-
210b	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
210d	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	-	1	2	-	-	1	-	-	-	-	-	-
210e	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	1	-	1	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
210f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	7	4	3	6	3	6	-	-	-	-	-
	-	-	-	1	-	-	-	-	1	1	-	-	-	2	-	2	-	-
210g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	3	1	6	7	10	12	8	5	6	-	-	-	-
	-	-	1	2	1	1	-	-	1	-	2	4	2	-	1	-	-	-
210m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	2	3	10	7	49	38	37	98	59	78	90	121	48	15	1	-	-
	1	1	1	3	2	23	13	6	27	15	17	21	30	34	8	-	-	-
211	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	3	4	1	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
211f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
211m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	2	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
212	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	4	4	3	1	4	1	5	2	-	-	-	-
	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-
212f	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	1	1	2	1	2	-	4	2	-	-	-	-
	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
212g	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
212m	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	3	3	-	-	2	-	1	-	-	-	-	-
	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
213	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	5	3	4	12	8	6	4	5	-	-	-	-	-
	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-

Detailed Int. List No.	Table 14 — Cause of Death.	Sex.	Deaths (exclusive of Stillbirths) from List, by Months and Sex — Total.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				Months.											
213*d*	Drowning	T	45	–	–	–	–	–	–	–	–	–	–	–	–
		M	43	–	–	4	2	5	7	5	6	5	4	–	5
		F	2	–	–	–	–	1	1	–	–	–	–	–	–
213*f*	Traumatism by fall	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	–	–	2	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
213*m*	Other accidents	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
214	Air transportation accidents	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	5	–	–	–	–	–	3	–	–	–	–	2	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
214*f*	Traumatism by fall	T	2	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	–	–	1	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–
214*m*	Other accidents	T	4	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	3	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
XVIII	Ill-defined Causes of Death	T	71	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	6	3	8	5	4	–	4	6	5	1	3	2
		F	24	4	5	1	2	1	2	4	2	–	–	2	1
199	Sudden death	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
200	Cause of death not specified or ill-defined	T	71	–	–	–	–	–	–	–	–	–	–	–	–
		M	47	6	3	8	5	4	–	4	6	5	1	3	2
		F	24	4	5	1	2	1	2	4	2	–	–	2	1
200*a*	Ill-defined	T	54	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	5	1	8	4	4	–	4	4	4	–	2	–
		F	18	4	1	1	2	1	2	2	2	–	–	2	1
200*b*	Not specified or unknown	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	2	–	1	–	–	–	2	1	1	1	2
		F	6	–	4	–	–	–	–	2	–	–	–	–	–

EACH CAUSE AND CLASS OF CAUSES, ACCORDING TO THE DETAILED INTERNATIONAL AND BY AGE AND SEX: 1934.

Detailed Int. List No.	AGE OF DECEDENTS (YEARS).																	
	Under 1.	1.	2.	3.	4.	5 to 9.	10 to 14.	15 to 19.	20 to 29.	30 to 39.	40 to 49.	50 to 59.	60 to 69.	70 to 79.	80 to 89.	90 to 99.	100 and over	Unknown.
213*d*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	5	3	4	11	7	6	4	3	–	–	–	–	–
	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–
213*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
213*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
214	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	1	3	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
214*f*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
214*m*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	1	–	3	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
XVIII	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	–	1	–	–	2	–	1	1	3	9	11	3	6	2	–	–	–
	4	–	–	–	–	–	–	1	2	1	4	3	4	2	3	–	–	–
199	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
200	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	8	–	1	–	–	2	–	1	1	3	9	11	3	6	2	–	–	–
	4	–	–	–	–	–	–	1	2	1	4	3	4	2	3	–	–	–
200*a*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	5	–	–	–	–	2	–	1	1	2	6	9	2	6	2	–	–	–
	3	–	–	–	–	–	–	1	2	1	4	1	3	1	2	–	–	–
200*b*	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	3	–	1	–	–	–	–	–	–	1	3	2	1	–	–	–	–	–
	1	–	–	–	–	–	–	–	–	–	–	2	1	1	1	–	–	–

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from — The State.	Abington.	Acton.	Acushnet.	Adams.	Agawam.	Alford.	Amesbury.	Amherst.	Andover.
	All Causes.[2]	50,760	57	26	72	124	58	–	108	55	101
(1)	Typhoid and paratyphoid fever (1, 2)	14	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	91	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	76	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	125	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	50	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	268	1	–	–	1	1	–	–	–	2
(10)	Tuberculosis of the respiratory system (23)	1,902	1	–	1	2	2	–	–	–	1
(11)	Tuberculosis of the meninges and central nervous system (24)	74	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	140	–	–	2	1	–	–	–	–	–
(12)	Syphilis (34)	159	–	–	–	–	–	–	–	–	–
(13)	Malaria (38)	2	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	61	–	–	–	1	–	–	–	–	–
(14)	Poliomyelitis (16)	9	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	28	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	6,675	12	6	5	19	6	–	22	8	13
(17)	Rheumatism (56, 57, 58)	125	–	–	–	–	–	–	–	1	–
(18)	Diabetes mellitus (59)	1,327	3	–	1	5	–	–	3	2	6
(19)	Alcoholism (acute or chronic) (75)	266	–	–	–	–	–	–	1	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	4,269	5	1	10	11	10	–	12	11	14
(24)	Acute endocarditis (91)	120	–	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	971	2	–	–	5	1	–	2	6	15
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	13,453	23	9	9	27	14	–	23	17	22
(25)	Arteriosclerosis (97)	1,275	2	–	4	3	–	–	3	2	1
(26)	Bronchitis (106)	140	–	–	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	2,003	2	1	3	2	–	–	3	2	4
(27)	Pneumonia (108, 109)	1,620	–	1	–	8	1	–	4	1	1
(28)	Other respiratory diseases (104, 105, 110–114)	302	–	–	–	1	1	–	–	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	193	–	–	1	–	–	–	–	–	1
(30)	Appendicitis (121)	588	–	–	4	–	–	–	1	–	–
(31)	Cirrhosis of the liver (124)	368	–	–	–	2	–	–	–	–	–
(32)	Diseases of the stomach (117, 118)	355	1	–	–	–	–	–	1	–	–
(32)	Hernia, intestinal obstruction (122)	413	–	1	1	1	–	–	1	–	–
(33)	Nephritis (130–132)	3,36[illegible]	2	5	6	9	5	–	9	1	9
(34)	Diseases of the female genital organs, not specified as venereal (139)	101	–	–	–	–	–	–	–	–	
(35)	Puerperal septicemia (140, 145)	9[illegible]	–	–	1	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	224	–	–	1	2	–	–	1	–	–
(38)	Congenital malformations (157)	443	–	–	1	–	–	–	2	–	–
(38)	Congenital debility (158)	47	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	42	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	598	–	1	–	4	2	–	1	–	2
(41)	Homicide (172–175)	93	–	–	–	–	–	–	–	–	1
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	3,145	3	–	6	7	10	–	7	3	5
(42)	*Burns (conflagration excepted) (181)*	137	–	–	–	–	–	–	1	–	–
(42)	*Accidental drowning (183)*	193	2	–	–	–	1	–	1	–	–
(42)	*Traumatism by fall (186a)*	982	1	–	–	1	1	–	3	–	–
(42)	*Railroad and automobile collisions (206)*	22	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	74	–	–	–	–	–	–	–	1	–
(42)	*Street car and automobile collisions (208)*	5	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	24	–	–	–	–	1	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	989	–	–	4	2	5	–	1	1	1
(42)	*All others*	719	–	–	2	4	2	–	1	1	4
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	5,064	–	1	15	13	4	–	12	1	4
(43)	Cause of death not specified or ill-defined (199, 200)	71	–	–	1	–	1	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1934.

Abridged Int. List No.	Arlington.	Ashburnham.	Ashby.	Ashfield.	Ashland.	Athol.	Attleboro.	Auburn.	Avon.	Ayer.	Barnstable.	Barre.	Becket.	Bedford.	Belchertown.	Bellingham.	Belmont.	Berkley.	Berlin.
	319	25	13	3	15	144	254	48	16	65	150	30	6	38	37	16	162	12	13
(1)	–	–	–	–	–	–	1	–	–	–	–	–	–	–		–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–
(5)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	6	–	–	–	2	4	2	–	–	–	4	–	–	–	–	–	2	–	–
(10)	13	–	–	–	–	3	31	2	–	1	–	–	–	1	4	3	2	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	41	4	–	1	–	15	31	5	3	5	19	3	2	2	6	1	21	3	1
(17)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1
(18)	8	–	–	–	2	6	10	1	–	2	–	–	–	–	–	–	4	–	–
(19)	–	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	–	–
(22)	31	3	3	–	–	21	17	4	1	6	9	7	–	6	3	2	18	1	3
(24)	2	–	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–
(24)	10	–	1	–	–	4	4	2	–	3	4	1	–	1	–	1	3	1	–
(24)	89	6	3	1	6	33	50	13	7	19	28	8	3	6	7	3	65	1	8
(25)	14	4	–	–	1	2	6	–	–	2	3	–	–	1	–	1	4	–	–
(26)	1	–	–	–	–	–	1	–	–	–	1	–	–	–	1	–	–	–	–
(27)	8	3	1	–	1	5	5	2	–	–	2	1	–	–	3	1	6	–	–
(27)	14	–	1	1	–	6	9	1	1	3	8	–	–	3	2	1	5	–	–
(28)	2	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	1	–
(29)	–	–	–	–	–	–	1	–	–	–	–	2	–	–	–	1	–	1	–
(30)	2	–	–	–	–	1	5	–	–	1	3	–	–	–	–	–	–	–	–
(31)	4	–	–	–	–	–	1	–	–	–	4	–	–	–	–	–	2	–	–
(32)	1	–	–	–	–	2	1	–	–	1	4	–	–	–	–	–	2	–	–
(32)	1	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	1	–	–
(33)	21	2	2	–	1	11	22	4	2	4	10	1	1	4	2	–	12	–	–
(34)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	1	1	–	–	–	2	–	–	–	–	–	–	–	–
(38)	5	–	–	–	–	–	3	1	1	1	–	–	–	1	–	1	1	–	–
(38)	–	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	1	–	–	1	1	–	–	–	–	1	–	–
(40)	4	–	–	–	1	1	4	1	–	1	1	–	–	–	1	–	2	–	–
(41)	–	–	–	–	–	2	–	–	–	–	1	–	–	–	–	–	–	–	
(42)	12	1	1	–	–	12	16	8	–	10	20	4	–	1	2	–	1	2	–
(42)	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	–	–	–	–	1	–	1	–	1	1	1	–	–	–	–	–	–	–
(42)	3	–	–	–	–	1	6	1	–	–	3	1	–	–	–	–	1	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	4	1	–	–	–	5	5	6	–	3	9	2	–	–	–	–	–	–	–
(42)	2	–	1	–	–	3	4	–	–	5	7	–	–	1	2	–	–	2	–
	26	2	1	–	1	12	28	2	1	5	18	–	–	12	5	1	9	2	–
(43)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No	Table 15 — Cause of Death.[1]	Deaths from Bernardston.	Beverly.	Billerica.	Blackstone.	Blandford.	Bolton.	Boston.	Bourne.	Boxborough.	Boxford.
	All causes.[2]	5	314	63	43	4	8	11,329	36	2	11
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	8	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	27	–	–	–
(5)	Scarlet fever (8)	–	1	–	–	–	–	22	–	–	1
(6)	Whooping cough (9)	–	1	–	–	–	–	38	–	–	–
(7)	Diphtheria (10)	–	1	–	1	–	–	9	–	–	–
(8)	Influenza (11)	–	–	–	–	–	–	37	–	–	–
(10)	Tuberculosis of the respiratory system (23)	–	2	–	–	–	–	457	5	–	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	32	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	1	–	–	–	–	36	–	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	48	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	17	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	3	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	7	–	–	–
(15)	Cancer and other malignant tumors (45–53)	1	48	7	2	1	1	1,520	3	–	2
(17)	Rheumatism (56, 57, 58)	–	1	–	–	–	–	20	–	–	–
(18)	Diabetes mellitus (59)	–	16	4	1	1	–	336	1	–	–
(19)	Alcoholism (acute or chronic) (75)	–	–	1	–	–	–	180	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	1	27	10	3	–	3	763	3	–	2
(24)	Acute endocarditis (91)	–	1	–	–	–	–	28	–	–	–
(24)	Angina pectoris (94a)	–	4	–	–	–	–	148	2	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	1	96	18	14	–	3	2,812	10	–	3
(25)	Arteriosclerosis (97)	–	3	9	1	–	–	115	–	2	–
(26)	Bronchitis (106)	–	1	–	–	–	–	18	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	8	1	1	–	–	619	1	–	–
(27)	Pneumonia (108, 109)	–	16	3	2	2	–	465	2	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	2	–	–	–	–	110	–	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	–	46	–	–	–
(30)	Appendicitis (121)	–	3	–	–	–	–	141	–	–	–
(31)	Cirrhosis of the liver (124)	–	1	–	–	–	–	99	–	–	–
(32)	Diseases of the stomach (117, 118)	–	3	1	–	–	–	85	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	4	–	–	–	–	115	–	–	–
(33)	Nephritis (130–132)	1	21	3	7	–	–	462	2	–	1
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	1	26	–	–	–
(35)	Puerperal septicemia (140, 145)	–	1	–	–	–	–	31	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	4	–	–	–	–	54	–	–	–
(38)	Congenital malformations (157)	–	2	–	2	–	–	113	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	5	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	1	–	–	–
(40)	Suicide (163–171)	–	4	1	–	–	–	117	–	–	1
(41)	Homicide (172–175)	–	–	–	–	–	–	32	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	1	18	2	5	–	–	698	4	–	–
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	29	–	–	–
(42)	*Accidental drowning (183)*	–	1	–	–	–	–	52	1	–	–
(42)	*Traumatism by fall (186a)*	–	9	1	–	–	–	254	2	–	–
(42)	*Railroad and automobile collisions (206)*	–	2	–	3	–	–	1	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	2	–	1	–	–	15	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	1	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	13	–	–	–
(42)	*Automobile accidents and injuries (210)*	1	2	–	1	–	–	163	–	–	–
(42)	*All others*	–	2	1	–	–	–	170	1	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	–	24	3	4	–	–	1,416	3	–	–
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	13	–	–	1

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1934.

Abridged Int. List No.	Boylston.	Braintree.	Brewster.	Bridgewater.	Brimfield.	Brockton.	Brookfield.	Brookline.	Buckland.	Burlington.	Cambridge.	Canton.	Carlisle.	Carver.	Charlemont.	Charlton.	Chatham.	Chelmsford.	Chelsea.
	40	143	11	127	13	767	18	531	19	12	1,346	46	7	10	18	39	29	51	454
(1)	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	2
(5)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(6)	–	1	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	1	2
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	2	–	–	–	5	–	1	–	–	3	–	–	–	–	–	–	1	–
(10)	30	24	–	11	2	11	–	4	1	–	49	3	–	–	1	1	–	4	7
(11)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(11)	–	1	–	2	–	2	–	1	–	–	–	–	–	–	–	–	–	–	1
(12)	–	–	–	3	–	4	–	–	–	–	4	–	–	–	–	–	–	–	1
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
(14)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	1	24	1	6	3	85	4	123	1	2	192	7	2	2	4	4	7	3	62
(17)	–	–	–	1	–	1	–	2	–	–	5	–	1	–	–	–	–	–	1
(18)	1	2	–	1	–	25	2	12	1	1	39	–	–	–	1	–	–	–	17
(19)	–	1	–	1	–	1	–	1	–	–	12	–	–	–	–	–	–	–	5
(22)	2	12	2	12	–	75	–	53	–	–	107	4	–	3	5	8	1	8	39
(24)	–	–	–	–	–	1	–	2	–	–	4	–	–	–	–	–	–	1	1
(24)	–	–	1	5	–	22	1	20	–	–	20	1	–	–	–	2	2	2	10
(24)	4	38	6	31	3	205	7	170	11	3	348	14	2	–	3	13	11	12	137
(25)	–	2	1	13	–	20	–	12	1	–	34	1	–	–	1	1	–	3	2
(26)	–	–	–	3	–	1	–	3	–	–	3	–	–	–	–	–	1	–	1
(27)	–	5	–	7	1	17	–	15	1	1	77	2	1	–	–	1	1	4	19
(27)	–	2	–	5	1	36	1	14	–	2	34	1	–	1	–	–	1	–	24
(28)	–	1	–	–	–	4	–	3	–	–	6	2	–	–	–	–	–	–	1
(29)	–	–	–	–	–	1	–	–	–	–	4	–	–	–	–	–	–	1	–
(30)	–	–	–	–	–	16	–	4	–	–	31	–	–	–	–	–	–	–	7
(31)	–	2	–	1	–	6	–	3	–	–	8	1	–	–	–	–	–	1	4
(32)	–	–	–	–	–	9	–	–	–	–	10	–	–	–	–	–	–	–	8
(32)	–	–	–	1	–	5	–	2	–	–	10	–	–	–	–	–	–	–	6
(33)	1	11	–	5	–	34	2	36	1	1	106	2	–	1	–	3	4	1	38
(34)	–	–	–	–	–	6	–	2	–	–	2	–	–	–	–	–	–	–	1
(35)	–	–	–	–	–	1	–	–	–	–	3	–	–	–	–	–	–	–	1
(36)	–	1	–	1	–	3	–	1	–	–	7	–	–	1	–	–	–	–	1
(38)	–	–	–	1	–	4	–	2	1	–	10	–	–	–	–	–	–	–	1
(38)	–	–	–	–	–	1	–	–	–	–	5	–	–	–	–	–	–	–	–
(39)	–	–	–	1	–	5	–	2	–	–	–	–	–	–	–	–	–	–	–
(40)	–	1	–	–	–	17	1	5	–	–	17	1	–	–	1	–	–	1	3
(41)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	2
(42)	1	10	–	5	3	53	–	11	1	–	73	3	–	1	1	6	1	7	18
(42)	–	–	–	–	–	6	–	2	–	–	–	–	–	–	–	–	–	–	1
(42)	–	1	–	1	–	–	–	1	–	–	1	–	–	–	–	–	–	1	2
(42)	1	5	–	2	–	13	–	4	–	–	27	2	–	–	–	2	–	1	5
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	1	2
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–
(42)	–	2	–	–	2	27	–	1	–	–	30	–	–	–	–	1	1	3	4
(42)	–	–	–	2	1	7	–	3	–	–	11	–	–	1	1	3	–	1	4
	–	3	–	10	–	89	–	27	–	2	115	3	1	1	1	–	–	–	29
(43)	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	1

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Cheshire.	Chester.	Chesterfield.	Chicopee.	Chilmark.	Clarksburg.	Clinton.	Cohasset.	Colrain.	Concord.
	All Causes.[2]	8	6	9	281	–	15	168	47	11	80
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	1	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	1	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	1	–	2	–	1	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	1	–	–	26	–	–	–	–	–	2
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	–	–	2	38	–	4	16	6	1	11
(17)	Rheumatism (56, 57, 58)	–	–	–	1	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	–	–	–	5	–	2	3	1	–	1
(19)	Alcoholism (acute or chronic) (75)	–	–	–	2	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	2	–	1	23	–	3	21	2	1	12
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	–	–	–	3	–	–	3	–	–	2
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	1	2	4	70	–	2	54	10	5	17
(25)	Arteriosclerosis (97)	–	–	–	1	–	–	2	–	–	1
(26)	Bronchitis (106)	–	–	–	1	–	–	–	1	–	1
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	–	7	–	–	4	–	1	3
(27)	Pneumonia (108, 109)	1	–	–	3	–	–	8	4	–	1
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	1	–	–	–	–	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	2	–	–	–	–	–	–
(30)	Appendicitis (121)	–	–	–	–	–	–	–	–	–	3
(31)	Cirrhosis of the liver (124)	–	–	–	2	–	–	3	1		–
(32)	Diseases of the stomach (117, 118)	–	–	–	2	–	–	1	1	–	1
(32)	Hernia, intestinal obstruction (122)	–	–	–	2	–	–	2	3	–	–
(33)	Nephritis (130–132)	1	2	–	31	–	2	10	8	–	2
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	1	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–	–
(38)	Congenital malformations (157)	–	–	–	3	–	–	2	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	1	1
(40)	Suicide (163–171)	1	–	1	4	–	–	1	1	1	3
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	1	1	25	–	–	24	6	–	8
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	2	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	6	–	–	2	–	–	–
(42)	*Traumatism by fall (186a)*	–	–	–	7	–	–	6	1	–	3
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	1	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	4	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	–	–	8	–	–	4	3	–	4
(42)	*All others*	–	1	1	4	–	–	6	1	–	1
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	1	–	–	26	–	1	11	3	1	11
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	1	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1934.

Abridged Int. List No.	Conway.	Cummington.	Dalton.	Dana.	Danvers.	Dartmouth.	Dedham.	Deerfield.	Dennis.	Dighton.	Douglas.	Dover.	Dracut.	Dudley.	Dunstable.	Duxbury.	East Bridgewater.	East Brookfield.	East Longmeadow.
	10	7	44	3	381	59	99	22	31	24	27	7	51	28	2	27	36	10	22
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	1	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(6)	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(7)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(8)	1	–	1	–	1	1	–	–	–	1	–	–	3	–	–	–	–	–	–
(10)	–	–	–	–	21	–	2	1	1	1	2	1	1	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(11)	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
(12)	–	–	–	–	7	1	–	–	–	–	–	–	–	–	–	–	–	–	1
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	1	–	7	–	17	6	12	4	4	–	4	–	3	4	–	5	7	1	4
(17)	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(18)	–	1	1	–	3	1	5	1	–	–	–	–	3	2	–	1	1	–	–
(19)	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	–	–	1
(22)	–	–	3	–	22	7	9	4	6	2	2	1	6	3	–	3	5	3	2
(24)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	1	–	–	–	10	2	1	–	2	1	2	–	–	–	–	2	1	1	1
(24)	3	5	18	2	163	26	39	5	7	4	9	3	12	6	–	8	11	3	5
(25)	1	–	1	–	12	1	6	1	–	5	–	–	3	1	–	1	–	–	–
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(27)	–	1	–	–	25	3	4	–	1	–	2	1	1	–	1	1	2	1	–
(27)	–	–	2	–	15	2	–	–	–	1	1	–	3	1	–	1	2	–	–
(28)	–	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	1
(29)	–	–	–	–	1	1	–	–	–	–	–	–	1	–	–	–	–	–	–
(30)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(31)	–	–	–	–	–	–	1	–	–	–	–	–	3	–	–	–	–	–	–
(32)	–	–	–	–	1	1	–	–	–	1	–	–	–	–	1	–	–	–	1
(32)	–	–	1	–	3	–	–	1	–	–	–	–	–	–	–	–	1	–	–
(33)	2	–	2	1	12	1	2	1	6	2	2	1	3	3	–	3	1	–	3
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(38)	–	–	–	–	1	–	–	1	1	3	–	–	1	2	–	–	–	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	–	–	–	–	5	1	2	–	–	–	–	–	–	–	–	–	2	–	1
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	2	–	15	1	7	3	2	1	–	–	3	–	–	1	2	1	1
(42)	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–
(42)	–	–	–	–	–	–	–	1	1	–	–	–	1	–	–	1	–	1	1
(42)	–	–	2	–	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	4	–	5	–	1	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	6	1	2	1	–	–	–	–	2	–	–	–	1	–	–
	–	–	5	–	41	2	5	–	1	1	2	–	3	4	–	1	–	–	–
(43)	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.	Deaths from Eastham.	Easthampton.	Easton.	Edgartown.	Egremont.	Enfield.	Erving.	Essex.	Everett.	Fairhaven.
	All Causes.[2]	9	81	39	9	4	4	8	10	354	96
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	1	–	–	–	–	–	–	1	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	1	1	1	–	–	–	–	–	1	–
(10)	Tuberculosis of the respiratory system (23)	1	1	1	–	–	–	–	1	6	2
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	1	–	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	2	12	5	–	–	–	1	3	58	10
(17)	Rheumatism (56, 57, 58)	–	–	1	–	–	–	–	–	2	–
(18)	Diabetes mellitus (59)	–	3	1	–	–	–	–	–	11	3
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	–	13	1	–	–	–	2	2	21	17
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	1	–
(24)	Angina pectoris (94a)	2	7	2	1	–	–	1	4	5	2
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	2	22	11	2	2	1	2	5	108	21
(25)	Arteriosclerosis (97)	–	–	6	2	–	–	–	–	3	3
(26)	Bronchitis (106)	–	–	1	1	–	–	–	–	1	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	2	2	1	–	–	–	–	12	5
(27)	Pneumonia (108, 109)	–	3	1	–	–	1	2	–	18	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	–	–	–	–	1	2
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	1	–	–	–	–	–	–	–
(30)	Appendicitis (121)	–	–	–	–	–	–	–	–	6	–
(31)	Cirrhosis of the liver (124)	–	–	–	–	–	–	–	1	2	2
(32)	Diseases of the stomach (117, 118)	–	–	–	–	–	–	–	–	3	1
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	–	–	1	1	–
(33)	Nephritis (130–132)	–	6	2	–	–	1	–	–	24	7
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	1	–	1	–	–	–	–	1	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	4	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	2	–
(38)	Congenital malformations (157)	–	–	1	–	1	–	–	–	4	1
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	–	2	–	–	1	1	–	1	2	1
(41)	Homicide (172–175)	–	1	–	–	–	–	–	–	1	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	1	1	1	–	–	–	–	30	8
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	3	–
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	–	–	–	1
(42)	*Traumatism by fall (186a)*	–	1	–	–	–	–	–	–	9	1
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	–	1	–	–	–	–	–	12	2
(42)	*All others*	–	–	–	1	–	–	–	–	6	4
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	–	5	1	–	–	–	–	1	25	8
(43)	Cause of death not specified or ill-defined (199, 200)									–	3

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1934.

Abridged Int. List No.	Fall River.	Falmouth.	Fitchburg.	Florida.	Foxborough.	Framingham.	Franklin.	Freetown.	Gardner.	Gay Head.	Georgetown.	Gill.	Gloucester	Goshen.	Gosnold.	Grafton.	Granby.	Granville.	Great Barrington.
	1,456	58	438	4	172	227	68	13	273	–	28	6	301	2	1	114	3	8	89
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	1	–	2	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(5)	2	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	6	–	3	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
(7)	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	11	1	3	–	–	–	1	–	2	–	–	–	4	–	–	–	–	–	–
(10)	76	1	15	–	12	2	2	–	7	–	–	–	2	–	–	12	–	–	–
(11)	4	–	–	–	1	–	–	–	1	–	–	–	–	–	–	1	–	–	–
(11)	2	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
(12)	5	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	1	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	3	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	229	3	44	–	13	26	15	2	30	–	3	–	41	–	–	9	1	–	8
(17)	1	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–
(18)	52	–	15	–	3	–	3	–	10	–	2	1	6	–	–	3	–	–	2
(19)	4	–	–	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
(22)	103	7	30	–	15	16	10	2	16	–	3	1	30	–	–	12	–	1	12
(24)	4	–	2	–	1	1	–	–	3	–	–	–	1	–	–	–	–	–	–
(24)	9	1	10	–	1	4	–	–	1	–	–	–	11	1	–	–	–	–	4
(24)	357	24	129	1	58	74	15	6	71	–	8	–	57	–	–	29	1	3	23
(25)	18	1	1	–	5	6	–	1	5	–	–	–	15	–	–	4	1	–	2
(26)	4	–	–	–	1	–	1	–	1	–	–	–	–	–	–	1	–	–	–
(27)	52	4	11	1	11	4	2	1	8	–	4	–	11	–	–	5	–	1	2
(27)	29	1	17	–	7	6	1	–	11	–	1	–	10	–	–	4	–	–	4
(28)	8	–	–	–	–	2	1	–	4	–	–	–	2	–	–	–	–	–	–
(29)	11	–	1	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–
(30)	28	–	4	–	1	6	–	–	4	–	–	–	4	–	–	–	–	–	2
(31)	17	–	4	–	2	–	1	–	1	–	–	–	4	–	–	–	–	–	2
(32)	10	–	6	–	–	2	–	–	3	–	–	–	2	–	–	1	–	–	1
(32)	16	–	1	–	–	3	–	–	2	–	–	–	4	–	–	–	–	–	2
(33)	142	5	36	–	5	15	2	–	21	–	5	–	42	–	–	8	–	–	10
(34)	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(35)	3	–	–	–	–	2	–	–	2	–	–	–	–	–	–	–	–	–	–
(36)	7	–	10	–	–	2	–	–	–	–	–	–	2	–	–	–	–	–	–
(38)	13	–	5	–	–	5	1	–	2	–	–	–	2	–	–	–	–	–	–
(38)	2	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(39)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	10	1	6	–	4	6	3	–	9	–	–	–	3	–	–	1	–	–	–
(41)	3	–	1	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(42)	66	5	34	–	9	19	5	–	23	–	1	–	19	–	–	11	–	2	13
(42)	4	–	–	–	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–
(42)	2	1	2	–	–	–	–	–	1	–	–	–	1	–	–	1	–	–	–
(42)	20	1	11	–	5	7	1	–	7	–	1	–	3	–	–	1	–	–	4
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	5	–	–	–
(42)	2	–	1	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	2
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	25	1	9	–	2	7	1	–	7	–	–	–	6	–	–	1	–	1	5
(42)	12	2	11	–	2	2	3	–	6	–	–	–	9	–	–	3	–	1	2
	144	4	43	1	22	21	2	1	31	–	–	2	24	1	–	13	–	1	2
(43)	–	–	–	–	–	2	–	–	–	–	1	1	–	–	1	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Greenfield.	Greenwich.	Groton.	Groveland.	Hadley.	Halifax.	Hamilton.	Hampden.	Hancock.	Hanover.
	All Causes.[2]	193	2	27	27	15	6	19	4	6	42
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	1	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	1	–	–	1	–	–	1	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	–	–	–	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	3	–	–	–	1	–	1	–	–	1
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	1	–	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	1	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	1	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	22	1	6	1	1	1	2	–	2	4
(17)	Rheumatism (56, 57, 58)	1	–	–	1	–	–	–	–	–	–
(18)	Diabetes mellitus (59)	2	–	–	1	–	–	–	–	–	2
(19)	Alcoholism (acute or chronic) (75)	1	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	18	–	1	4	–	–	2	2	–	5
(24)	Acute endocarditis (91)	1	–	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	10	–	1	1	–	–	–	–	–	2
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	37	1	6	7	2	2	9	2	1	17
(25)	Arteriosclerosis (97)	5	–	1	3	–	–	–	–	–	4
(26)	Bronchitis (106)	1	–	–	–	–	–	–	–	–	1
(27)	Bronchopneumonia (including capillary bronchitis) (107)	5	–	–	2	–	1	–	–	–	–
(27)	Pneumonia (108, 109)	9	–	–	–	–	–	1	–	1	1
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	–	–	–	–	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	1	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	3	–	–	–	–	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	1	–	–	–	–	–	–	–	–	–
(32)	Diseases of the stomach (117, 118)	2	–	–	1	–	–	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	3	–	–	–	–	–	–	–	–	–
(33)	Nephritis (130–132)	18	–	3	1	4	2	–	–	–	2
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–	–
(38)	Congenital malformations (157)	2	–	1	–	1	–	–	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	4	–	1	1	1	–	–	–	–	2
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	20	–	6	1	4	–	2	–	2	–
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	1	–	1	–	1	–	1	–	–	–
(42)	*Traumatism by fall (186a)*	6	–	1	–	–	–	–	–	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	1	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	8	–	2	–	3	–	–	–	2	–
(42)	*All others*	4	–	2	1	–	–	1	–	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	19	–	1	2	–	–	1	–	–	1
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	1	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1934.

Abridged Int. List No.	Hanson.	Hardwick.	Harvard.	Harwich.	Hatfield.	HAVERHILL.	Hawley.	Heath.	Hingham.	Hinsdale.	Holbrook.	Holden.	Holland.	Holliston.	HOLYOKE.	Hopedale.	Hopkinton.	Hubbardston.	Hudson.
	65	22	8	39	18	601	6	2	87	17	45	53	–	22	702	33	36	12	58
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	4	–	–	–	–	1	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	3	–	–	–	–	–	–	–	–	2	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	2	2	–	–	1
(10)	36	–	–	2	–	6	1	–	1	–	–	3	–	1	22	–	1	1	1
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	4	1	–	–	–
(11)	–	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	1	–	–
(12)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(15)	2	6	–	6	2	86	1	–	8	2	1	7	–	4	101	6	6	2	3
(17)	–	–	–	–	–	–	–	–	1	–	–	–	–	–	4	–	–	–	–
(18)	2	1	–	–	–	22	–	–	3	1	1	1	–	–	26	2	1	–	3
(19)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
(22)	5	1	4	5	4	57	1	1	16	3	4	2	–	1	45	4	2	3	6
(24)	1	–	–	–	–	2	–	–	–	–	–	–	–	–	2	–	1	–	–
(24)	–	–	1	3	–	8	–	–	2	–	1	–	–	1	9	–	–	–	5
(24)	10	10	1	14	6	168	2	1	31	6	21	13	–	8	178	10	16	4	19
(25)	–	1	–	1	–	17	–	–	3	–	3	–	–	1	4	2	2	–	–
(26)	1	–	–	–	–	–	–	–	–	–	–	–	–	–	3	–	–	–	–
(27)	3	–	–	1	1	29	–	–	1	–	–	–	–	–	25	–	2	–	1
(27)	1	–	–	1	1	15	–	–	3	–	3	1	–	2	32	2	–	–	–
(28)	–	–	–	–	–	1	–	–	–	–	–	1	–	–	2	–			–
(29)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	5	–	–	–	–
(30)	–	–	–	–	–	9	–	–	–	–	–	–	–	–	18	–	–	–	–
(31)	–	–	–	–	–	1	–	–	2	–	1	–	–	–	5	–	–	–	2
(32)	–	–	–	–	–	5	–	–	–	–	–	–	–	–	6	–	–	–	–
(32)	–	–	–	–	–	4	–	–	–	–	–	–	–	1	10	–	–	–	1
(33)	2	–	1	4	2	40	1	–	6	–	3	4	–	1	52	4	3	1	7
(34)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	3	–	–	–	–
(35)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	3	–	–	–	–
(36)	–	–	–	–	–	3	–	–	–	–	–	1	–	–	6	–	–	–	–
(38)	–	–	–	–	–	2	–	–	–	2	–	1	–	–	5	–	–	–	1
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	1	–	–	–	1	6	–	–	–	–	1	–	–	–	7	–	–	–	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(42)	1	3	–	2	1	43	–	–	5	3	2	5	–	1	42	–	–	–	4
(42)	–	1	–	–	–	2	–	–	–	–	–	1	–	–	3	–	–	–	–
(42)	–	–	–	–	–	2	–	–	–	–	–	–	–	–	5	–	–	–	–
(42)	–	1	–	2	1	17	–	–	1	–	1	–	–	–	11	–	–	–	4
(42)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	13	–	–	3	1	–	2	–	–	8	–	–	–	–
(42)	1	1	–	–	–	8	–	–	1	2	1	2	–	1	12	–	–	–	–
	–	–	1	–	–	54	–	–	4	–	3	13	–	1	73	–	1	1	4
(43)	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Hull.	Huntington.	Ipswich.	Kingston.	Lakeville.	Lancaster.	Lanesborough.	Lawrence.	Lee.	Leicester.
	All Causes.[2]	36	10	75	33	40	25	13	958	38	31
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	1	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	1	–	–	–	2	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	1	–	–
(8)	Influenza (11)	–	–	1	–	–	–	–	4	–	–
(10)	Tuberculosis of the respiratory system (23)	1	–	–	–	1	–	–	17	–	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	3	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	23	–	–	4	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	3	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	1	–	–
(15)	Cancer and other malignant tumors (45–53)	1	3	8	2	1	4	–	124	7	3
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	4	1	–
(18)	Diabetes mellitus (59)	–	–	2	2	1	–	2	30	3	1
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	2	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	5	–	8	7	4	2	3	82	3	2
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	2	1	–
(24)	Angina pectoris (94a)	3	2	1	1	–	–	2	56	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	16	2	23	14	7	11	3	223	10	11
(25)	Arteriosclerosis (97)	–	–	–	–	1	1	–	21	1	2
(26)	Bronchitis (106)	–	–	–	–	–	–	–	6	–	1
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	3	1	–	1	–	27	2	–
(27)	Pneumonia (108, 109)	2	–	1	–	1	1	–	11	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	–	–	1	4	1	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	1	–	–	–	–	8	–	–
(30)	Appendicitis (121)	–	–	3	–	–	–	–	9	–	–
(31)	Cirrhosis of the liver (124)	1	–	–	1	–	–	–	6	1	–
(32)	Diseases of the stomach (117, 118)	–	–	2	–	–	–	–	6	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	–	–	–	1	5	–	–
(33)	Nephritis (130–132)	2	2	8	1	–	1	–	97	1	5
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	4	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	2	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	2	–	–
(38)	Congenital malformations (157)	–	–	–	–	–	2	–	25	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	1	–	–
(39)	Senility (162)	–	–	1	–	–	–	–	1	–	–
(40)	Suicide (163–171)	1	–	1	–	1	–	–	11	–	1
(41)	Homicide (172–175)	–	–	–	–	–	–	–	2	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	3	1	10	2	–	–	1	58	5	3
(42)	*Burns (conflagration excepted) (181)*	–	–	1	–	–	–	–	5	–	–
(42)	*Accidental drowning (183)*	–	–	–	1	–	–	–	4	1	–
(42)	*Traumatism by fall (186a)*	1	1	2	–	–	–	–	15	2	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	1	–	–	–	–	1	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	1	–	3	1	–	–	–	24	1	2
(42)	*All others*	1	–	3	–	–	–	1	9	1	1
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–158, 159–161)	1	–	2	1	–	1	–	94	2	2
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged lists appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1934.

Abridged Int. List No.	Lenox.	Leominster.	Leverett.	Lexington.	Leyden.	Lincoln.	Littleton.	Longmeadow.	Lowell.	Ludlow.	Lunenburg.	Lynn.	Lynnfield.	Malden.	Manchester.	Mansfield.	Marblehead.	Marion.	Marlborough.
	21	249	4	78	–	12	17	37	1,344	58	23	1,089	10	603	15	48	118	14	200
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	1	–	–	–	–	–	–	3	–	–	1	–	1	–	–	–	–	–
(5)	–	2	–	–	–	–	–	–	1	–	–	3	–	1	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	3	1	–	3	1	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	15	–	–	5	–	–	–	–	–	–	–
(8)	–	–	–	2	–	–	–	–	6	1	–	7	–	2	–	–	–	–	4
(10)	–	–	–	1	–	1	1	–	35	1	–	13	1	18	–	–	1	–	4
(11)	–	1	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	1	3	–	–	2	–	1	–	–	–	–	–
(12)	–	1	–	–	–	–	–	–	5	1	–	4	–	1	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	1	–	–	2	–	1	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(14)	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(15)	1	34	1	12	–	1	2	6	154	7	4	118	1	75	1	11	15	1	21
(17)	–	1	–	–	–	–	–	–	3	–	–	4	–	–	–	1	–	–	–
(18)	2	7	–	–	–	–	–	–	26	2	–	35	–	18	–	1	3	–	–
(19)	–	–	–	1	–	–	–	–	1	–	–	4	–	–	–	–	–	–	–
(22)	6	18	–	11	–	1	1	3	91	3	2	122	1	60	1	5	16	4	21
(24)	–	2	–	–	–	–	–	–	6	–	–	3	–	1	–	–	–	–	–
(24)	1	5	–	4	–	–	1	1	8	–	–	12	1	7	1	–	3	1	4
(24)	7	73	2	27	–	4	9	8	376	18	7	312	3	175	8	21	38	5	69
(25)	–	3	–	2	–	–	1	4	93	–	–	36	–	21	–	3	2	–	4
(26)	–	1	1	–	–	–	–	–	12	–	1	9	–	–	–	–	–	–	1
(27)	1	8	–	–	–	–	–	1	52	1	1	12	–	22	1	–	9	–	8
(27)	–	10	–	6	–	2	–	2	37	3	–	45	–	12	–	–	–	1	4
(28)	–	1	–	–	–	–	–	–	8	–	–	8	–	1	–	–	–	–	1
(29)	–	–	–	–	–	–	–	–	16	–	–	3	–	2	–	–	–	–	–
(30)	–	4	–	–	–	–	–	–	26	–	–	12	–	10	–	–	–	–	2
(31)	1	1	–	–	–	–	–	–	18	–	–	7	–	7	–	–	1	–	4
(32)	–	1	–	–	–	–	–	–	12	–	–	8	–	2	–	–	–	–	–
(32)	–	1	–	–	–	–	–	–	8	–	–	16	–	6	–	–	–	–	3
(33)	1	16	–	6	–	1	–	10	63	3	1	75	1	49	2	4	7	1	14
(34)	–	1	–	–	–	–	–	–	4	–	–	–	–	–	–	–	1	–	1
(35)	–	2	–	–	–	–	–	–	3	–	–	1	–	–	–	–	–	–	2
(36)	–	5	–	–	–	–	–	–	7	1	–	8	–	1	–	–	1	–	2
(38)	–	4	–	–	–	–	–	–	10	–	–	5	–	6	–	–	–	–	3
(38)	–	1	–	–	–	–	–	–	7	–	–	–	–	–	–	–	–	–	–
(39)	–	2	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(40)	1	1	–	2	–	–	–	–	7	1	1	18	–	5	1	–	–	1	2
(41)	–	–	–	–	–	–	–	–	3	–	–	1	–	2	–	–	–	–	–
(42)	–	16	–	1	–	2	1	–	86	7	5	77	–	35	–	1	7	–	11
(42)	–	2	–	–	–	–	–	–	3	–	–	4	–	4	–	–	2	–	1
(42)	–	1	–	–	–	–	–	–	2	–	–	2	–	1	–	–	–	–	–
(42)	–	4	–	–	–	–	1	–	29	–	–	29	–	8	–	–	1	–	4
(42)	–	–	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–
(42)	–	7	–	–	–	1	–	–	30	5	1	24	–	14	–	1	–	–	5
(42)	–	2	–	1	–	1	–	–	20	2	–	16	–	8	–	–	4	–	1
	–	25	–	3	–	–	1	1	128	8	–	97	1	59	–	1	14	–	15
(43)	–	–	–	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Marshfield.	Mashpee.	Mattapoisett.	Maynard.	Medfield.	Medford.	Medway.	Melrose.	Mendon.	Merrimac.
	All Causes.[2]	30	3	26	44	131	505	24	268	7	30
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	2	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	3	–	2	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	1	–	1	–	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	–	–	1	–	21	5	–	3	–	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	1	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	1	–	–	–	–	–
(12)	Syphilis (34)	–	–	–	–	1	2	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	1	–	2	–	1	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–43)	3	–	4	3	4	86	4	44	–	5
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	1	1	–	–	–
(18)	Diabetes mellitus (59)	–	–	1	1	1	12	–	8	–	1
(19)	Alcoholism (acute or chronic) (75)	–	–	1	1	2	1	–	1	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	3	–	2	5	9	41	5	16	2	2
(24)	Acute endocarditis (91)	–	–	–	–	–	1	–	2	–	–
(24)	Angina pectoris (94a)	–	–	–	1	–	10	–	2	1	2
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	14	1	9	16	42	157	9	65	1	5
(25)	Arteriosclerosis (97)	1	–	1	–	15	14	–	7	–	3
(26)	Bronchitis (106)	–	–	–	–	–	1	–	2	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	1	–	2	4	5	14	2	8	1	–
(27)	Pneumonia (108, 109)	1	–	–	2	6	10	–	4	–	2
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	–	–	–	–	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	2	–	–	–	–
(30)	Appendicitis (121)	–	–	–	–	–	3	–	4	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	–	–	2	–	1	–	–
(32)	Diseases of the stomach (117, 118)	–	–	–	–	–	6	–	1	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	1	1	4	–	5	–	1
(33)	Nephritis (130–132)	1	–	2	2	4	43	–	21	2	4
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	1	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	1	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	4	–	–	–	–
(38)	Congenital malformations (157)	–	–	–	–	–	5	–	6	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	1	–	–	–	–	–	–	–
(40)	Suicide (163–171)	1	–	–	1	1	7	–	3	–	1
(41)	Homicide (172–175)	–	–	–	–	1	1	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	1	1	2	2	8	31	2	20	–	1
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	1	–	1	–	–
(42)	*Accidental drowning (183)*	–	–	–	1	–	2	–	–	–	–
(42)	*Traumatism by fall (186a)*	–	–	–	–	3	14	1	9	–	–
(42)	*Railroad and automobile collisions (206)*	1	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	1	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	–	2	1	2	10	–	8	–	1
(42)	*All others*	–	1	–	–	3	4	1	1	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	3	–	–	2	9	35	–	39	–	3
(43)	Cause of death not specified or ill-defined (199, 200)	1	–	–	1	–	–	1	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1934.

Abridged Int. List No.	Methuen.	Middleborough.	Middlefield.	Middleton.	Milford.	Millbury.	Millis.	Millville.	Milton.	Monroe.	Monson.	Montague.	Monterey.	Montgomery.	Mount Washington.	Nahant.	Nantucket.	Natick.	Needham.
	190	112	1	96	197	47	13	20	148	1	120	133	7	2	–	15	54	175	84
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	1	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	1
(5)	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	–	1
(6)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	1	–	–	5	3	–	1	–	–	3	4	–	–	–	–	1	1	–
(10)	4	3	–	74	7	1	1	1	3	–	7	1	–	–	–	–	–	1	4
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	1	1	–
(12)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	35	15	–	6	22	8	–	1	22	–	9	18	1	–	–	2	10	20	11
(17)	1	1	–	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–
(18)	8	2	–	3	6	2	–	–	3	–	–	4	–	–	–	1	–	5	1
(19)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	–	–
(22)	23	12	1	2	15	4	1	1	13	–	7	9	1	1	–	–	3	14	10
(24)	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	2	–
(24)	17	2	–	–	1	1	–	–	2	–	1	3	–	–	–	–	–	6	1
(24)	38	26	–	4	42	16	5	5	44	–	22	34	5	1	–	4	13	56	24
(25)	6	11	–	–	2	1	–	–	1	–	1	2	–	–	–	2	9	4	3
(26)	–	–	–	–	1	–	–	–	1	–	1	1	–	–	–	–	–	1	1
(27)	4	–	–	1	9	1	–	1	5	–	4	1	–	–	–	–	–	2	3
(27)	2	3	–	–	23	–	–	1	5	–	2	7	–	–	–	–	–	4	2
(28)	1	1	–	1	1	–	–	1	–	–	4	1	–	–	–	–	–	–	–
(29)	2	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	1	1
(30)	2	–	–	–	7	–	–	–	–	–	–	3	–	–	–	–	–	2	2
(31)	2	2	–	1	–	–	–	–	–	–	1	–	–	–	–	–	–	3	–
(32)	1	2	–	–	–	–	1	–	1	–	1	2	–	–	–	–	–	1	–
(32)	1	1	–	–	2	1	–	–	3	–	–	2	–	–	–	–	1	2	–
(33)	16	9	–	–	6	4	2	3	10	1	8	18	–	–	–	2	2	17	2
(34)	1	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1
(36)	–	–	–	–	2	–	–	–	2	–	–	1	–	–	–	–	–	–	–
(38)	2	1	–	–	2	–	–	1	–	–	–	1	–	–	–	–	1	1	1
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(40)	5	2	–	–	3	–	–	–	6	–	–	–	–	–	–	2	1	5	2
(41)	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–	–	–	–	2
(42)	8	9	–	–	17	3	1	–	16	–	3	12	–	–	–	2	6	11	4
(42)	–	1	–	–	2	–	–	–	1	–	–	3	–	–	–	–	–	–	–
(42)	3	–	–	–	1	1	–	–	–	–	–	–	–	–	–	1	2	1	–
(42)	2	3	–	–	3	1	1	–	5	–	2	2	–	–	–	–	1	4	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	2	5	–	–	9	1	–	–	8	–	–	4	–	–	–	–	2	5	4
(42)	1	–	–	–	2	–	–	–	2	–	1	3	–	–	–	1	1	1	–
	10	8	–	2	17	1	1	2	9	–	50	6	–	–	–	–	5	15	7
(43)	–	–	–	–	–	–	–	1	1	–	–	1	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from New Ashford.	New Bedford.	New Braintree.	New Marlborough.	New Salem.	Newbury.	Newburyport.	Newton.	Norfolk.	North Adams.
	All Causes.[2]	–	1,252	4	8	8	28	193	642	303	282
(1)	Typhoid and paratyphoid fever (1, 2)	–	1	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	4	–	–	–
(5)	Scarlet fever (8)	–	1	–	–	–	–	1	–	–	–
(6)	Whooping cough (9)	–	5	–	–	–	–	–	2	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	12	–	–	–	–	2	6	–	3
(10)	Tuberculosis of the respiratory system (23)	–	50	–	–	–	–	2	7	4	1
(11)	Tuberculosis of the meninges and central nervous system (24)	–	4	–	–	–	–	–	1	–	–
(11)	Other forms of tuberculosis (25–32)	–	4	–	–	–	–	–	1	–	–
(12)	Syphilis (34)	–	11	–	–	–	–	–	–	2	1
(13)	Malaria (38)	–	–	–	–	–	–	–	1	–	–
(14)	Erysipelas (15)	–	2	–	–	1	–	–	2	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	1
(15)	Cancer and other malignant tumors (45–53)	–	155	1	2	–	3	34	89	265	30
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	3	–	3
(18)	Diabetes mellitus (59)	–	37	–	–	–	–	5	17	–	8
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	1	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	–	129	1	–	2	4	13	73	3	17
(24)	Acute endocarditis (91)	–	7	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	–	22	–	–	–	2	4	5	–	15
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	–	325	1	4	4	10	41	193	5	66
(25)	Arteriosclerosis (97)	–	23	–	–	–	–	1	18	1	4
(26)	Bronchitis (106)	–	3	–	–	–	–	1	1	–	1
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	60	–	1	–	2	14	22	1	10
(27)	Pneumonia (108, 109)	–	13	–	–	–	–	2	20	1	9
(28)	Other respiratory diseases (104, 105, 110–114)	–	8	–	–	–	–	-	4	–	3
(29)	Diarrhea and enteritis (under 2 years) (119)	–	6	–	–	–	–	–	–	–	1
(30)	Appendicitis (121)	–	18	–	–	–	–	3	11	–	4
(31)	Cirrhosis of the liver (124)	–	8	–	–	–	–	1	4	1	2
(32)	Diseases of the stomach (117, 118)	–	16	–	–	–	1	1	4	4	6
(32)	Hernia, intestinal obstruction (122)	–	10	–	–	–	–	1	4	–	5
(33)	Nephritis (130–132)	–	75	1	–	1	2	22	22	3	38
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	1	–	–	–	–	2	2	–	1
(35)	Puerperal septicemia (140, 145)	–	3	–	–	–	–	1	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	5	–	–	–	–	–	4	–	4
(38)	Congenital malformations (157)	–	13	–	–	–	–	–	7	–	1
(38)	Congenital debility (158)	–	1	–	–	–	–	–	–	–	2
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	1
(40)	Suicide (163–171)	–	16	–	–	–	–	3	4	–	–
(41)	Homicide (172–175)	–	1	–	–	–	–	–	2	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	69	–	1	–	1	21	49	–	13
(42)	*Burns (conflagration excepted) (181)*	–	1	–	–	–	–	–	2	–	1
(42)	*Accidental drowning (188)*	–	6	–	–	–	1	1	4	–	–
(42)	*Traumatism by fall (186a)*	–	19	–	–	–	–	8	21	–	3
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	1	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	23	–	–	–	–	9	11	–	6
(42)	*All others*	–	20	–	1	–	–	3	10	–	3
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	–	122	–	–	–	2	14	64	13	32
(43)	Cause of death not specified or ill-defined 199, 200)	–	16	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1934.

Abridged Int. List No.	North Andover.	North Attleborough.	North Brookfield.	North Reading.	NORTHAMPTON.	Northborough.	Northbridge.	Northfield.	Norton.	Norwell.	Norwood.	Oak Bluffs.	Oakham.	Orange.	Orleans.	Otis.	Oxford.	Palmer.	Paxton.
	62	94	26	37	529	23	85	22	24	19	186	45	4	62	15	9	41	77	6
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	–	1	–	1	–	–	–	–	1	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	1	1	–
(10)	–	1	2	15	50	1	–	–	–	–	4	2	–	–	–	–	–	2	–
(11)	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	6	–	1	–	–	–	–	–	1	–	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	15	9	–	5	54	1	8	3	2	2	18	1	1	6	2	–	4	15	–
(17)	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	1	–
(18)	2	–	–	–	5	–	3	–	–	1	3	2	–	2	1	–	–	–	–
(19)	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(22)	1	17	4	2	34	–	11	2	3	1	21	4	–	10	1	2	4	2	1
(24)	–	1	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(24)	1	1	–	–	7	–	1	–	–	1	–	1	–	5	–	–	3	1	1
(24)	19	39	7	7	139	15	21	3	8	6	37	11	1	14	6	1	12	14	2
(25)	2	2	1	–	31	–	1	–	1	1	4	2	–	1	–	1	2	–	–
(26)	–	–	1	–	1	–	–	1	–	–	–	1	–	1	–	–	–	–	–
(27)	1	2	1	2	14	1	5	2	–	1	8	–	–	6	–	–	2	1	–
(27)	–	2	1	2	12	–	5	2	1	1	7	3	–	1	–	–	4	2	–
(28)	–	1	2	–	4	–	2	1	–	–	2	–	–	–	–	–	1	–	–
(29)	1	–	–	–	1	–	1	–	–	–	–	–	–	1	–	–	1	1	–
(30)	–	1	–	–	3	–	1	–	–	–	3	–	–	–	–	–	–	1	–
(31)	1	1	–	–	1	1	1	–	–	–	1	2	–	–	–	–	–	1	–
(32)	–	–	–	–	5	–	–	–	–	–	2	–	–	–	–	–	–	2	–
(32)	1	–	–	–	4	–	–	–	–	–	6	1	–	–	–	–	–	1	–
(33)	8	3	2	–	36	–	2	2	3	2	12	4	–	4	–	–	–	13	1
(34)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(35)	1	–	–	–	–	–	–	–	–	–	1	1	–	–	–	–	–	2	–
(36)	–	1	–	–	2	–	1	–	–	–	4	–	–	1	–	–	–	–	–
(38)	–	2	–	–	4	–	1	–	–	–	2	2	–	1	–	–	–	1	–
(38)	–	1	–	–	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
(39)	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	1	–	–	–
(40)	1	–	–	–	5	–	3	–	–	–	3	1	1	–	1	–	–	2	–
(41)	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	4	2	3	3	26	3	7	3	3	1	24	3	–	2	2	2	4	8	1
(42)	–	–	–	–	2	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(42)	–	–	–	1	1	–	2	1	–	–	–	–	–	–	–	–	1	–	1
(42)	1	2	2	–	11	–	–	–	–	–	1	1	–	–	–	–	–	1	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	–	–	–	–	–	–	–	–	–	1	–	–	1	–	–	–	1	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	–	–	1	5	2	4	1	–	1	12	1	–	–	–	–	2	6	–
(42)	1	–	1	1	7	1	1	1	3	–	9	1	–	1	2	2	1	–	–
	4	6	2	–	71	1	9	3	1	2	22	4	–	5	2	2	1	6	–
(43)	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Peabody.	Pelham.	Pembroke.	Pepperell.	Peru.	Petersham.	Phillipston.	Pittsfield.	Plainfield.	Plainville.
	All Causes.[2]	177	6	24	32	2	6	2	551	6	11
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	4	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	2	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	1	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	2	–	–
(8)	Influenza (11)	–	–	–	–	–	–	–	3	–	–
(10)	Tuberculosis of the respiratory system (23)	1	–	–	–	–	–	–	10	–	–
(11)	Tuberculosis of the meninges and central nervous system (24)	1	–	–	–	–	–	–	2	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	–	–	2	–	–
(12)	Syphilis (34)	1	–	–	–	–	–	–	1	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	1	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	2	–	–
(15)	Cancer and other malignant tumors (45–53)	23	1	1	4	–	1	–	75	–	1
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	4	–	–
(18)	Diabetes mellitus (59)	5	–	3	1	–	–	–	13	–	1
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	2	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	20	3	–	7	1	–	–	39	–	2
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	4	–	1	1	–	–	–	11	1	1
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	46	2	9	10	–	3	–	125	3	–
(25)	Arteriosclerosis (97)	7	–	1	2	–	1	–	4	1	–
(26)	Bronchitis (106)	1	–	–	–	–	–	–	4	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	2	–	–	–	1	13	–	1
(27)	Pneumonia (108, 109)	8	–	1	–	–	1	–	8	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	2	–	–	–	–	–	–	3	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	1	–	–	–	–	–	–	1	–	–
(30)	Appendicitis (121)	3	–	–	–	–	–	–	26	–	–
(31)	Cirrhosis of the liver (124)	1	–	–	2	–	–	–	2	–	–
(32)	Diseases of the stomach (117, 118)	2	–	–	–	–	–	–	10	–	1
(32)	Hernia, intestinal obstruction (122)	1	–	–	–	–	–	–	5	–	–
(33)	Nephritis (130–132)	17	–	1	–	–	1	1	72	1	2
(34)	Diseases of the female genital organs, not specified as venereal (139)	2	–	–	–	–	–	–	3	–	–
(35)	Puerperal septicemia (140, 145)	1	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	1	–	–	–	–	–	–	6	–	–
(38)	Congenital malformations (157)	2	–	1	–	–	–	–	9	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	1	–	–	–	–	–	–	1	–	–
(40)	Suicide (163–171)	4	–	–	1	–	–	–	10	–	–
(41)	Homicide (172–175)	1	–	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	10	–	2	1	–	–	–	47	–	1
(42)	*Burns (conflagration excepted) (181)*	2	–	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	–	–	–	–	–	–	–	2	–	–
(42)	*Traumatism by fall (186a)*	1	–	–	–	–	–	–	16	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	3	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	4	–	1	1	–	–	–	15	–	1
(42)	*All others*	3	–	1	–	–	–	–	11	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	31	–	2	3	1	1	–	78	–	1
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1934.

Abridged Int. List No.	Plymouth.	Plympton.	Prescott.	Princeton.	Provincetown.	QUINCY.	Randolph.	Raynham.	Reading.	Rehoboth.	REVERE.	Richmond.	Rochester.	Rockland.	Rockport.	Rowe.	Rowley.	Royalston.	Russell.
	206	9	–	3	43	649	55	28	88	20	187	3	14	81	45	1	24	15	9
(1)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	3	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	1	1	–	–	–	–	1	–	–	1	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–
(8)	9	–	–	1	–	2	–	–	1	–	–	–	–	2	2	–	–	–	–
(10)	2	1	–	–	3	19	2	–	5	1	–	–	–	4	1	–	–	–	1
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	2	1	–	–	–	–	–	–	1	–	–	–	–	–
(12)	1	–	–	–	–	2	–	–	–	–	1	–	–	1	–	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	27	1	–	–	4	85	3	3	22	2	26	–	–	9	9	–	4	4	–
(17)	1	–	–	–	–	3	–	1	1	–	–	–	–	–	–	–	–	–	–
(18)	5	–	–	–	3	16	3	1	–	–	4	–	–	3	1	–	1	2	1
(19)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(22)	18	2	–	–	7	38	6	5	4	4	25	–	2	11	2	–	4	4	2
(24)	–	–	–	–	–	4	–	–	–	–	–	–	–	–	–	–	–	–	–
(24)	1	–	–	–	1	6	1	3	4	1	9	–	1	1	1	–	1	–	1
(24)	63	3	–	2	13	184	22	8	32	4	62	2	8	25	16	–	10	–	1
(25)	3	1	–	–	1	11	4	–	3	–	2	–	–	4	–	–	1	–	–
(26)	1	–	–	–	–	2	–	1	1	–	–	–	–	–	–	–	–	–	–
(27)	5	1	–	–	–	12	2	1	1	2	7	–	1	2	1	–	–	–	1
(27)	4	–	–	–	1	27	–	–	1	–	8	1	–	2	–	–	1	1	–
(28)	3	–	–	–	–	4	1	–	–	–	2	–	–	–	–	–	–	–	–
(29)	–	–	–	–	–	7	–	–	–	–	1	–	–	–	–	–	–	1	–
(30)	–	–	–	–	–	10	–	–	–	–	–	–	–	–	–	–	–	–	–
(31)	1	–	–	–	–	1	–	–	–	–	2	–	–	1	–	–	–	–	–
(32)	2	–	–	–	1	2	–	–	–	1	–	–	–	–	–	–	–	–	–
(32)	3	–	–	–	–	9	–	–	–	–	1	–	–	–	–	–	–	–	–
(33)	16	–	–	–	4	69	1	2	3	2	16	–	–	6	6	–	1	–	–
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	4	–	1	–	–	–	–	–	–	–	–	–	–	–
(38)	–	–	–	–	1	10	–	–	–	–	1	–	–	–	–	–	–	–	–
(38)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	–
(40)	3	–	–	–	–	6	2	–	–	1	1	–	–	2	1	–	–	1	–
(41)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(42)	18	–	–	–	2	36	3	2	6	1	6	–	–	4	3	–	1	1	1
(42)	1	–	–	–	–	3	–	–	–	–	–	–	–	1	–	–	–	–	–
(42)	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–	–	–	–
(42)	2	–	–	–	1	15	–	–	2	–	2	–	–	–	1	–	1	1	1
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	2	1	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	9	–	–	–	–	8	1	2	3	1	1	–	–	2	–	–	–	–	–
(42)	4	–	–	–	1	8	1	–	1	–	1	–	–	1	2	–	–	–	–
	17	–	–	–	1	64	4	–	4	–	11	–	–	2	2	1	–	1	1
(43)	–	–	–	–	–	3	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Rutland.	Salem.	Salisbury.	Sandisfield.	Sandwich.	Saugus.	Savoy.	Scituate.	Seekonk.	Sharon.
	All Causes.[2]	152	547	38	5	25	119	2	50	36	39
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	1	1	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	3	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	1	–	–	–	1	–	–	1	–
(7)	Diphtheria (10)	–	1	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	3	–	–	–	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	135	6	–	–	–	1	–	–	–	6
(11)	Tuberculosis of the meninges and central nervous system (24)	–	1	–	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	1	1	–	–	–	–	–	–	–	–
(12)	Syphilis (34)	–	4	–	–	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	1	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	1	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	4	72	6	–	2	20	–	3	5	3
(17)	Rheumatism (56, 57, 58)	1	1	–	–	1	–	–	–	–	–
(18)	Diabetes mellitus (59)	–	12	–	–	–	–	–	–	–	1
(19)	Alcoholism (acute or chronic) (75)	–	1	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	3	51	8	–	1	14	–	7	2	8
(24)	Acute endocarditis (91)	–	2	–	–	–	1	–	–	–	–
(24)	Angina pectoris (94a)	–	8	1	–	2	8	–	3	–	2
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	3	160	11	2	11	37	1	17	12	11
(25)	Arteriosclerosis (97)	–	18	3	–	1	8	–	3	3	1
(26)	Bronchitis (106)	–	–	–	–	–	1	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	20	–	–	–	2	–	1	1	2
(27)	Pneumonia (108, 109)	–	22	1	–	1	4	–	–	3	–
(28)	Other respiratory diseases (104, 105, 110–114)	1	2	–	–	1	–	–	1	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	5	–	–	–	1	–	–	–	–
(30)	Appendicitis (121)	–	6	–	–	–	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	1	5	–	–	–	1	–	–	–	–
(32)	Diseases of the stomach (117, 118)	–	5	–	–	–	–	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	2	–	–	–	1	–	–	–	1
(33)	Nephritis (130–132)	–	27	2	1	1	6	1	3	3	1
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	1	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	1	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	2	–	–	–	–	–	–	–	–
(38)	Congenital malformations (157)	–	5	–	–	–	1	–	1	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	1	–
(39)	Senility (162)	–	1	–	–	–	1	–	–	1	–
(40)	Suicide (163–171)	1	5	1	–	–	1	–	2	–	1
(41)	Homicide (172–175)	–	1	–	–	–	–	–	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	21	3	2	2	5	–	2	1	2
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	–	1	–	1	–	1	–	1	1	–
(42)	*Traumatism by fall (186a)*	–	4	1	–	–	–	–	–	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	1	–	–	–	–
(42)	*Other street car accidents (209)*	–	1	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	9	1	–	1	–	–	–	–	2
(42)	*All others*	–	6	1	1	1	3	–	1	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	2	68	1	–	1	5	–	7	3	–
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	1	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1934.

Abridged Int. List No.	Sheffield.	Shelburne.	Sherborn.	Shirley.	Shrewsbury.	Shutesbury.	Somerset.	SOMERVILLE.	South Hadley.	Southampton.	Southborough.	Southbridge.	Southwick.	Spencer.	SPRINGFIELD.	Sterling.	Stockbridge.	Stoneham.	Stoughton.
	13	21	7	15	56	1	61	900	50	12	20	160	9	68	1,715	14	19	117	85
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	5	–	–	–	–	–	–	1	–	–	–	–
(5)	–	–	–	1	–	–	–	1	–	1	–	1	–	–	2	–	–	–	–
(6)	–	–	–	–	–	–	–	2	–	–	–	2	–	–	2	–	–	–	–
(7)	–	–	–	–	–	–	–	7	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	–	–	–	3	–	–	–	–	–	1	2	–	–	1	–
(10)	–	–	1	–	1	–	1	22	–	1	–	1	–	–	39	–	–	4	–
			–												–				
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(11)	–	–	–	–	1	–	–	1	1	–	–	–	–	1	3	–	–	–	–
(12)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	8	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	1	–	–	–	–	–	–	1	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	1	1	–	–	–	–	–	5	–	–	–	–
(15)	1	1	–	3	13	1	6	115	7	–	1	25	2	9	212	3	1	13	8
(17)	–	–	–	–	–	–	1	3	–	–	–	–	–	–	4	–	–	–	–
(18)	–	–	–	–	3	–	1	23	–	–	–	6	1	2	38	–	–	3	1
(19)	–	–	–	–	–	–	–	2	–	–	–	–	–	–	3	–	–	1	–
(22)	3	–	1	1	7	–	11	80	2	1	1	16	–	6	146	2	2	4	13
(24)	–	–	–	–	–	–	–	2	–	–	–	1	–	–	2	–	–	1	–
(24)	1	–	–	2	–	–	–	14	–	2	–	7	–	1	41	–	2	2	2
(24)	7	13	2	2	13	–	20	292	20	2	12	37	2	22	419	6	8	33	35
(25)	–	–	–	–	2	–	1	29	–	–	2	2	–	11	29	–	–	3	10
(26)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	8	–	–	–	–
(27)	–	–	–	–	–	–	1	31	–	–	–	4	–	5	39	1	–	2	–
(27)	–	1	–	–	1	–	2	22	–	1	–	12	–	–	38	–	–	4	–
(28)	–	–	–	–	–	–	–	4	1	1	–	1	–	–	8	–	–	–	–
(29)	–	–	–	–	–	–	1	3	1	–	–	–	–	–	2	–	–	–	–
(30)	–	–	–	–	–	–	–	9	–	–	–	2	–	–	37	–	–	2	–
(31)	–	1	–	–	1	–	–	3	–	–	–	5	–	–	10	–	–	–	–
(32)	–	–	–	–	–	–	1	5	–	–	–	1	–	1	12	–	–	–	–
(32)	–	1	–	–	–	–	–	5	–	–	–	–	–	–	21	–	–	1	–
(33)	–	2	2	1	4	–	7	53	4	1	1	9	–	2	146	–	3	8	5
(34)	–	–	–	–	–	–	1	3	–	–	–	–	–	–	5	–	–	2	–
(35)	–	–	–	–	–	–	–	3	–	–	–	–	–	–	3	–	–	–	–
(36)	–	–	–	–	–	–	–	5	–	–	–	2	–	1	10	–	–	3	1
(38)	–	–	–	–	–	–	–	7	1	–	–	1	–	1	22	–	–	1	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(40)	–	–	–	–	–	–	2	9	2	–	–	1	–	–	27	1	1	3	1
(41)	–	–	–	–	1	–	–	3	1	–	–	–	–	–	4	–	–	3	–
(42)	–	1	1	3	3	–	2	55	4	2	2	5	4	1	112	–	1	8	1
(42)	–	–	–	–	–	–	–	3	–	–	–	–	–	–	9	–	–	–	–
(42)	–	–	–	1	1	–	–	–	1	–	1	–	–	–	2	–	–	1	–
(42)	–	–	1	–	1	–	1	25	1	–	–	1	1	1	36	–	–	4	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(42)	–	–	–	–	–	–	–	2	–	–	–	2	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(42)	–	–	–	2	1	–	–	20	1	1	1	1	–	–	40	–	1	3	–
(42)	–	1	–	–	–	–	1	5	1	1	–	1	3	–	22	–	–	–	1
	1	1	–	2	6	–	3	76	5	–	1	18	–	4	251	1	1	15	8
(43)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[2] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Stow.	Sturbridge.	Sudbury.	Sunderland.	Sutton.	Swampscott.	Swansea.	Taunton.	Templeton.	Tewksbury.
	All Causes [2]	12	22	17	6	23	88	37	599	35	29
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	–	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	1	–	–
(8)	Influenza (11)	–	–	–	–	–	–	–	–	–	–
(10)	Tuberculosis of the respiratory system (23)	–	–	1	–	–	2	–	13	–	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	–	–	1	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	–	–	–	1	–	2	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	2	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	2	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	1	–	1	2	3	10	1	47	3	3
(17)	Rheumatism (56, 57, 58)	–	–	–	–	–	–	–	2	–	–
(18)	Diabetes mellitus (59)	–	1	–	–	2	3	2	10	2	–
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	6	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	2	4	1	–	6	9	4	43	6	2
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	1	2	1	–	–	3	–	5	–	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	5	10	7	2	7	29	13	195	8	11
(25)	Arteriosclerosis (97)	–	–	–	1	–	5	1	14	–	–
(26)	Bronchitis (106)	–	–	1	–	–	–	–	1	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	–	–	–	–	–	–	–	46	1	3
(27)	Pneumonia (108, 109)	–	–	–	–	1	4	3	26	3	–
(28)	Other respiratory diseases (104, 105, 110–114)	–	–	–	–	–	–	–	3	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	–	–	2	1	–
(30)	Appendicitis (121)	–	–	–	–	–	–	–	1	–	–
(31)	Cirrhosis of the liver (124)	–	–	–	–	–	2	–	5	–	1
(32)	Diseases of the stomach (117, 118)	–	–	–	–	–	–	–	2	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	1	–	–	1	–	7	–	–
(33)	Nephritis (130–132)	2	1	1	–	1	7	1	31	1	1
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	1	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	1	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	3	–	–
(38)	Congenital malformations (157)	–	–	–	–	–	–	1	5	1	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	–	–	–	–	–	–	–	–
(40)	Suicide (163–171)	1	–	1	–	–	3	2	9	–	–
(41)	Homicide (172–175)	–	–	–	–	–	–	–	2	–	1
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	–	3	–	–	1	4	4	40	1	5
(42)	*Burns (conflagration excepted) (181)*	–	–	–	–	–	–	–	2	–	–
(42)	*Accidental drowning (183)*	–	2	–	–	–	–	1	4	–	1
(42)	*Traumatism by fall (186a)*	–	–	–	–	–	2	–	19	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	–	1	–	–	–	1	2	11	–	4
(42)	*All others*	–	–	–	–	1	1	1	4	1	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	–	1	2	1	2	5	5	71	8	2
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1934.

Abridged Int. List No.	State Infirmary.	Tisbury.	Tolland.	Topsfield.	Townsend.	Truro.	Tyngsborough.	Tyringham.	Upton.	Uxbridge.	Wakefield.	Wales.	Walpole.	WALTHAM.	Ware.	Wareham.	Warren.	Warwick.	Washington.
	520	21	3	9	20	8	16	2	26	51	119	5	48	440	92	57	40	3	1
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(6)	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	–	–	–	1	–	–	–	–	1	–	1	–	7	–	–	–	–	–
(10)	85	1	1	–	1	–	1	–	1	–	1	1	3	45	2	1	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(12)	5	–	–	–	–	–	–	–	–	–	–	–	–	2	–	3	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	1	2	–	–	1	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	67	3	–	1	–	1	1	–	3	6	21	–	7	45	8	5	2	1	–
(17)	4	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–
(18)	5	1	–	–	–	–	–	1	–	2	2	–	3	10	3	3	3	–	–
(19)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(22)	21	–	–	–	–	2	5	–	4	6	16	–	3	50	10	14	2	1	1
(24)	–	–	–	–	–	–	–	–	–	–	1	–	–	3	–	1	–	–	–
(24)	–	–	–	1	3	1	1	–	1	2	–	–	–	8	1	3	–	–	–
(24)	114	10	2	4	8	1	3	1	5	13	36	–	12	103	23	15	15	1	–
(25)	105	–	–	–	2	2	1	–	2	–	8	–	1	7	1	–	2	–	–
(26)	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(27)	15	–	–	–	–	–	–	–	2	1	5	1	2	19	–	4	2	–	–
(27)	18	2	–	–	2	–	–	–	–	–	–	–	1	13	2	–	–	–	–
(28)	–	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	1	–	–
(29)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	1	1	–	–
(30)	1	–	–	–	–	–	–	–	–	–	–	–	–	5	1	–	–	–	–
(31)	3	1	–	–	–	–	–	–	1	–	1	1	–	4	1	–	–	–	–
(32)	2	–	–	–	–	–	–	–	–	–	1	1	–	2	2	–	–	–	–
(32)	2	–	–	–	–	–	–	–	1	–	–	–	–	4	–	–	–	–	–
(33)	15	2	–	1	–	–	2	–	3	9	9	–	1	19	7	–	3	–	–
(34)	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	1	–	–	–	–	–	–	–	–	–	–	–	–	1	2	–	–	–	–
(38)	1	–	–	–	–	–	–	–	–	–	2	–	1	5	3	1	–	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(39)	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–
(40)	1	–	–	–	–	–	–	–	–	–	–	–	–	3	1	–	–	–	–
(41)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(42)	12	–	–	2	2	–	1	–	–	2	3	–	9	23	16	1	2	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	1	–	–	–	2	–	–	1	–	–
(42)	9	–	–	–	–	–	1	–	–	–	–	–	1	8	4	–	1	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	1	–	1	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	1	–	–	1	2	–	–	–	–	1	–	–	6	11	6	–	–	–	–
(42)	2	–	–	1	–	–	–	–	–	–	2	–	1	2	5	1	–	–	–
	41	1	–	–	1	1	–	–	2	7	8	–	3	51	7	4	7	–	–
(43)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Watertown.	Wayland.	Webster.	Wellesley.	Wellfleet.	Wendell.	Wenham.	West Boylston.	West Bridgewater.	West Brookfield.
	All Causes.[2]	219	24	125	75	24	5	12	18	19	23
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	–	–	–	–	–	–	–	–	–
(5)	Scarlet fever (8)	1	–	–	–	–	–	–	–	–	–
(6)	Whooping cough (9)	–	–	–	2	–	–	–	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	–	–	–	–	–
(8)	Influenza (11)	–	–	2	1	–	–	–	1	1	1
(10)	Tuberculosis of the respiratory system (23)	5	–	–	–	2	–	–	–	1	–
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	1	–	–	–	–	–	–	–
(11)	Other forms of tuberculosis (25–32)	–	–	1	–	–	–	–	–	–	–
(12)	Syphilis (34)	–	–	–	–	–	–	–	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	–	–	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	–	–	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	–	–	–	–	–	–	–	–	–
(15)	Cancer and other malignant tumors (45–53)	24	6	20	10	3	2	2	4	2	–
(17)	Rheumatism (56, 57, 58)	–	–	–	1	–	–	–	1	–	–
(18)	Diabetes mellitus (59)	5	–	4	1	1	–	1	–	–	–
(19)	Alcoholism (acute or chronic) (75)	–	–	–	–	–	–	–	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	30	2	8	13	5	–	1	3	–	1
(24)	Acute endocarditis (91)	–	–	–	–	–	–	–	–	–	–
(24)	Angina pectoris (94a)	3	1	7	2	–	–	1	2	3	–
(24)	Other diseases of the heart (90, 92, 93, 94b, 95)	74	8	27	21	5	2	4	3	6	11
(25)	Arteriosclerosis (97)	1	1	2	3	–	–	–	–	2	–
(26)	Bronchitis (106)	–	1	1	–	–	–	–	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	10	3	4	4	1	–	–	1	–	–
(27)	Pneumonia (108, 109)	11	–	2	1	–	–	1	–	–	–
(28)	Other respiratory diseases (104, 105, 110–114)	3	–	–	–	1	–	–	–	–	–
(29)	Diarrhea and enteritis (under 2 years) (119)	–	–	–	–	–	–	–	–	–	–
(30)	Appendicitis (121)	–	–	–	–	–	–	–	–	–	–
(31)	Cirrhosis of the liver (124)	3	–	1	–	–	–	–	–	–	1
(32)	Diseases of the stomach (117, 118)	1	–	2	–	–	–	–	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	1	–	–	–	–	–	–	–
(33)	Nephritis (130–132)	23	–	16	4	5	–	1	1	2	5
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	–	–	–	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	–	–	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	–	–	–	–	–	–	–	–	–
(38)	Congenital malformations (157)	–	–	3	–	–	–	–	–	–	–
(38)	Congenital debility (158)	–	–	–	–	–	–	–	–	–	–
(39)	Senility (162)	–	–	1	–	1	–	–	–	–	–
(40)	Suicide (163–171)	2	–	1	–	–	–	–	–	–	1
(41)	Homicide (172–175)	–	–	–	–	–	–	–	–	–	1
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	12	1	9	7	–	–	1	1	1	2
(42)	*Burns (conflagration excepted) (181)*	2	–	–	–	–	–	–	–	–	–
(42)	*Accidental drowning (183)*	2	–	–	–	–	–	1	–	–	–
(42)	*Traumatism by fall (186a)*	3	–	1	2	–	–	–	–	–	–
(42)	*Railroad and automobile collisions (206)*	–	–	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	–	–	–	–	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	1	–	6	3	–	–	–	1	1	1
(42)	*All others*	4	1	2	2	–	–	–	–	–	1
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	11	1	12	5	–	1	–	–	1	–
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	1	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.

IMPORTANT CAUSES IN EACH MUNICIPALITY: 1934.

Abridged Int. List No.	West Newbury.	West Springfield.	West Stockbridge.	West Tisbury.	Westborough.	WESTFIELD.	Westford.	Westhampton.	Westminster.	Weston.	Westport.	Westwood.	Weymouth.	Whately.	Whitman.	Wilbraham.	Williamsburg.	Williamstown.	Wilmington.
	14	118	13	5	217	213	27	2	14	15	43	23	234	4	84	20	17	42	36
(1)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(3)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(4)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(5)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(6)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(7)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(8)	–	1	1	–	2	1	–	–	–	–	1	–	1	–	–	–	–	–	–
(10)	–	4	1	–	9	11	–	–	–	1	1	1	2	–	3	–	–	–	2
(11)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(11)	–	–	–	–	1	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(12)	–	–	–	–	1	1	–	–	–	–	–	–	–	–	1	–	–	–	–
(13)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(14)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(15)	3	11	–	–	8	25	4	–	4	–	7	2	25	1	12	2	1	3	2
(17)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	1	1
(18)	–	3	–	–	8	5	1	–	–	1	–	–	6	–	1	–	–	–	–
(19)	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–	–
(22)	1	17	2	–	13	16	2	–	2	2	5	1	18	1	6	1	2	1	4
(24)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
(24)	–	8	2	–	1	5	–	–	–	1	–	1	3	–	1	–	–	3	–
(24)	5	36	4	2	67	55	13	2	5	7	20	10	75	–	41	4	7	19	11
(25)	–	2	–	1	48	3	–	–	–	–	–	1	9	–	2	1	–	1	–
(26)	–	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–
(27)	–	2	–	–	5	3	–	–	–	1	2	–	6	–	1	1	1	3	1
(27)	2	3	1	–	5	5	–	–	–	–	2	–	6	1	2	1	–	3	6
(28)	–	1	–	–	–	1	–	–	–	–	1	1	1	–	–	–	–	–	–
(29)	–	–	–	–	–	1	–	–	–	–	1	–	–	–	–	–	–	–	–
(30)	–	–	–	–	–	3	–	–	–	–	–	–	3	–	–	–	–	1	–
(31)	–	1	–	–	1	–	–	–	1	–	–	1	1	–	–	–	–	–	–
(32)	–	–	–	–	1	1	–	–	–	–	–	–	3	–	–	–	–	–	–
(32)	–	–	–	–	2	3	1	–	–	–	–	–	3	–	–	–	–	–	–
(33)	2	6	–	1	8	37	1	–	–	–	1	–	19	–	5	1	1	2	2
(34)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–
(35)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(36)	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–	–	–	–	–
(38)	–	–	–	–	–	3	1	–	1	–	1	–	2	–	1	–	1	–	–
(38)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(39)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
(40)	–	2	–	–	2	–	–	–	–	–	–	2	3	–	2	1	1	1	2
(41)	–	2	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	7	–	1	9	15	1	–	1	1	1	1	16	–	2	4	1	4	3
(42)	–	–	–	–	–	1	–	–	–	–	–	–	–	–	1	–	–	–	–
(42)	–	3	–	1	–	–	–	–	–	–	1	–	2	–	–	–	–	–	–
(42)	–	–	–	–	7	5	–	–	–	–	–	–	4	–	1	–	–	1	2
(42)	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	2	–
(42)	–	–	–	–	–	1	–	–	–	1	–	–	–	–	–	–	–	–	1
(42)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	1	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
(42)	–	1	–	–	–	4	–	–	–	–	–	1	6	–	–	3	–	1	–
(42)	–	1	–	–	2	4	1	–	1	–	–	–	4	–	–	1	1	–	–
	1	11	2	–	24	14	2	–	–	1	–	1	30	1	2	4	1	–	2
(43)		–	–	–	–	–	–	–	–	–	–	–	–	–	–	–	1	–	–

[1] Exclusive of stillbirths.

Abridged Int. List No.	Table 15 — Cause of Death.[1]	Deaths from Important Causes in Each Municipality: 1934. Winchendon.	Winchester.	Windsor.	Winthrop.	Woburn.	Worcester.	Worthington.	Wrentham.	Yarmouth.
	All Causes.[2]	69	124	3	177	187	2,536	6	74	20
(1)	Typhoid and paratyphoid fever (1, 2)	–	–	–	–	–	–	–	–	–
(3)	Smallpox (6)	–	–	–	–	–	–	–	–	–
(4)	Measles (7)	–	1	–	–	1	7	–	4	–
(5)	Scarlet fever (8)	–	–	–	–	1	11	–	–	–
(6)	Whooping cough (9)	–	–	–	–	–	8	–	–	–
(7)	Diphtheria (10)	–	–	–	–	–	2	–	–	–
(8)	Influenza (11)	–	–	–	–	7	15	–	–	–
(10)	Tuberculosis of the respiratory system (23)	1	–	–	3	4	77	–	13	1
(11)	Tuberculosis of the meninges and central nervous system (24)	–	–	–	–	–	3	–	–	–
(11)	Other forms of tuberculosis (25–32)	1	1	–	–	–	9	–	1	–
(12)	Syphilis (34)	–	1	–	–	–	9	–	–	–
(13)	Malaria (38)	–	–	–	–	–	–	–	–	–
(14)	Erysipelas (15)	–	–	–	–	–	3	–	–	–
(14)	Poliomyelitis (16)	–	–	–	–	–	1	–	–	–
(14)	Epidemic cerebrospinal meningitis (18)	–	1	–	–	–	1	–	–	–
(15)	Cancer and other malignant tumors (45–53)	13	13	–	28	16	327	1	3	5
(17)	Rheumatism (56, 57, 58)	–	2	–	2	1	5	–	–	–
(18)	Diabetes mellitus (59)	2	4	–	5	3	61	–	–	–
(19)	Alcoholism (acute or chronic) (75)	–	1	–	–	1	8	–	–	–
(22)	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	12	13	–	14	21	185	–	5	3
(24)	Acute endocarditis (91)	–	–	–	–	1	3	–	–	–
(24)	Angina pectoris (94a)	3	2	–	16	3	37	–	2	1
(24)	Other diseases of the heart, (90, 92, 93, 94b, 95)	15	33	1	27	43	500	5	7	7
(25)	Arteriosclerosis (97)	1	3	–	2	9	49	–	6	–
(26)	Bronchitis (106)	–	–	–	–	–	12	–	–	–
(27)	Bronchopneumonia (including capillary bronchitis) (107)	3	8	–	3	4	179	–	17	–
(27)	Pneumonia (108, 109)	–	4	–	5	7	87	–	2	1
(28)	Other respiratory diseases (104, 105, 110–114)	–	1	–	–	1	18	–	1	–
(29)	Diarrhea and enteritis (under 2 years) (119)	1	1	–	1	–	21	–	–	–
(30)	Appendicitis (121)	1	1	–	3	2	30	–	–	–
(31)	Cirrhosis of the liver (124)	–	1	–	1	–	17	–	–	–
(32)	Diseases of the stomach (117, 118)	–	1	–	2	–	20	–	–	–
(32)	Hernia, intestinal obstruction (122)	–	–	–	1	–	24	–	–	–
(33)	Nephritis (130–132)	2	6	–	26	18	246	–	2	1
(34)	Diseases of the female genital organs, not specified as venereal (139)	–	–	–	–	2	7	–	–	–
(35)	Puerperal septicemia (140, 145)	–	–	–	–	–	5	–	–	–
(36)	Other diseases of pregnancy, childbirth and the puerperal state (141–144, 146–150)	–	1	–	2	1	3	–	–	–
(38)	Congenital malformations (157)	1	1	–	2	–	14	–	1	1
(38)	Congenital debility (158)	–	–	–	–	–	9	–	–	–
(39)	Senility (162)	–	–	–	–	–	1	–	–	–
(40)	Suicide (163–171)	–	–	–	3	1	32	–	1	–
(41)	Homicide (172–175)	–	–	–	–	–	5	–	–	–
(42)	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	7	14	2	13	20	169	–	1	–
(42)	*Burns (conflagration excepted) (181)*	–	–	–	1	–	8	–	–	–
(42)	*Accidental drowning (183)*	–	–	1	–	–	4	–	–	–
(42)	*Traumatism by fall (186a)*	3	4	–	2	3	69	–	1	–
(42)	*Railroad and automobile collisions (206)*	1	–	–	–	–	–	–	–	–
(42)	*Railroad accidents and injuries (207)*	–	–	–	1	1	4	–	–	–
(42)	*Street car and automobile collisions (208)*	–	–	–	–	–	–	–	–	–
(42)	*Other street car accidents (209)*	–	–	–	–	–	–	–	–	–
(42)	*Automobile accidents and injuries (210)*	2	8	1	1	13	48	–	–	–
(42)	*All others*	1	2	–	8	3	36	–	–	–
	All other defined causes (3–5, 12–14, 17, 19–22, 33, 35–37, 39–44, 54, 55, 60–74, 76–81, 83–89, 96, 98–103, 115, 116, 120, 123, 125–129, 133–138, 151–156, 159–161)	6	10	–	18	20	316	–	8	–
(43)	Cause of death not specified or ill-defined (199, 200)	–	–	–	–	–	–	–	–	–

[1] The numbers of the titles of the detailed International List included in each title of the abridged list appear in parentheses.
[2] Exclusive of stillbirths.

Table 16.

Years.	Deaths from Principal Causes: 1910 to 1934.									
	All causes.	Diseases of the heart.	Cancer.	Cerebral hemorrhage, embolism and thrombosis.	Pneumonia	Nephritis.	Tuberculosis of the respiratory system.	Diabetes.	Influenza.	Puerperal causes.
		90–95	45–53	82	107–109	130–132	23	59	11	140–150
1910	54,407	6,094	3,028	3,790	6,677	3,061	4,503	575	250	402
1911	53,062	5,879	3,199	3,824	5,991	3,567	4,418	631	163	506
1912	52,400	7,106	3,282	3,924	5,965	2,980	4,212	585	170	435
1913	53,402	7,310	3,526	3,802	6,112	3,356	4,180	621	204	467
1914	52,978	7,670	3,586	2,876	5,987	3,420	4,171	630	129	538
1915	53,131	7,164	3,708	3,691	6,448	3,530	4,194	673	232	462
1916	56,366	8,682	3,990	3,690	6,567	3,593	4,467	783	539	525
1917	56,628	8,889	4,057	4,152	6,293	3,591	4,559	776	494	616
1918	78,842	7,800	4,098	4,343	14,626	4,008	5,078	680	13,783	804
1919	52,345	6,941	4,112	4,461	5,279	3,743	4,145	633	2,872	622
1920	53,632	7,439	4,494	4,336	6,347	3,644	3,645	796	1,623	698
1921	47,780	7,757	4,645	4,389	4,200	3,250	3,272	777	153	580
1922	51,115	8,797	4,650	4,762	5,493	3,268	3,167	948	569	559
1923	52,380	9,132	4,775	4,847	5,835	3,466	3,062	852	742	498
1924	49,466	8,781	5,074	4,881	4,362	3,345	2,953	772	277	544
1925	51,890	9,747	5,196	5,050	5,244	3,153	2,883	806	519	501
1926	52,888	10,851	5,341	4,239	5,158	4,005	2,961	835	718	501
1927	49,324	10,309	5,454	4,113	4,088	3,763	2,774	844	326	486
1928	51,442	11,248	5,611	4,371	4,625	3,758	2,690	930	520	456
1929	52,171	11,528	5,672	4,299	4,906	3,565	2,561	997	1,185	453
1930	49,503	11,353	5,813	4,228	4,043	3,715	2,423	1,021	270	438
1931	48,743	11,959	5,859	4,363	3,844	3,488	2,306	1,060	432	408
1932	49,531	13,255	6,153	4,170	3,803	3,678	2,041	1,197	360	369
1933	50,832	14,119	6,382	4,359	4,039	3,518	2,059	1,234	584	389
1934	50,760	14,543	6,675	4,269	3,631	3,362	1,902	1,327	268	317

Table 16a.

Years.	Deaths from Principal Communicable Diseases: 1910 to 1934.									
	Scarlet fever.	Whooping cough.	Diphtheria.	Poliomyelitis.	Measles.	Epidemic cerebrospinal meningitis.	Typhoid fever.	Encephalitis lethargica.	Dysentery.	Smallpox.
	8	9	10	16	7	18	1	17	13	6
1910	254	183	679	–[1]	240	–[1]	411	–[1]	210	–
1911	184	292	563	–[1]	158	–[1]	302	–[1]	148	2
1912	118	225	473	76	286	2	269	–[1]	111	1
1913	293	239	628	69	315	3	280	–[1]	137	–
1914	246	225	652	45	149	5	268	–[1]	125	–
1915	182	233	720	32	149	9	246	–[1]	92	9
1916	127	346	629	452	392	10	172	–[1]	83	–
1917	120	243	838	51	371	13	178	–[1]	63	10
1918	78	729	608	37	532	115	160	–[1]	82	–
1919	122	323	593	15	183	71	107	–[1]	19	2
1920	214	546	591	144	352	39	95	–[1]	41	2
1921	191	201	607	48	179	49	119	81	41	–
1922	149	294	606	33	218	47	86	83	29	–
1923	155	493	579	35	321	41	70	85	14	–
1924	158	147	534	27	165	39	68	58	17	2
1925	117	269	333	52	337	35	73	99	19	–
1926	117	391	249	44	367	39	61	78	13	–
1927	144	149	268	169	87	43	44	61	19	–
1928	90	208	249	65	265	38	36	56	27	–
1929	71	137	256	21	121	79	41	44	18	1
1930	98	182	182	35	137	59	37	41	20	–
1931	101	88	130	114	64	30	30	24	15	–
1932	145	107	107	13	64	34	25	19	11	–
1933	108	97	86	32	27	25	22	16	9	–
1934	76	125	50	9	91	28	14	25	24	–

[1] Not tabulated.

Abridged Int. List No.	Table 17 — Cause of Death.[1]	Number of Deaths.[2] 1934.	1933.	1932.	1931.	1930.	1929.	1928.
	All Causes.[2]	50,760	50,832	49,531	48,743	49,503	52,171	51,442
I	Infectious and parasitic diseases	3,127	3,590	3,476	3,913	4,163	5,244	5,056
II	Cancer and other tumors	6,917	6,630	6,403	6,106	–	–	–
III	Rheumatic diseases, nutritional diseases, diseases of the endocrine glands and other general diseases	1,602	1,566	1,516	1,373	–	–	–
IV	Diseases of the blood and blood-making organs	425	397	463	438	–	–	–
V	Chronic poisonings and intoxications	276	234	215	231	–	–	–
VI	Diseases of the nervous system and of the organs of special sense	5,094	5,167	4,993	5,173	5,211	5,451	5,513
VII	Diseases of the circulatory system	15,976	15,437	14,652	13,460	13,610	13,972	13,544
VIII	Diseases of the respiratory system	4,079	4,558	4,250	4,341	4,511	5,502	5,152
IX	Diseases of the digestive system	2,837	2,809	2,801	2,907	3,053	2,993	3,053
X	Diseases of the genitourinary system	4,019	4,141	4,340	4,113	–	–	–
XI	Diseases of pregnancy, childbirth and the puerperal state	317	389	369	408	437	453	456
XII	Diseases of the skin and cellular tissue	102	106	89	79	97	144	137
XIII	Diseases of the bones and organs of locomotion	55	55	70	57	49	51	54
XIV	Congenital malformations	444	473	500	543	621	578	614
XV	Diseases of early infancy	1,541	1,654	1,794	1,863	1,938	2,056	2,126
XVI	Senility	42	56	56	72	68	101	98
XVII	Violent and accidental deaths	3,836	3,505	3,485	3,582	3,499	3,584	3,567
XVIII	Ill-defined causes of death	71	65	59	84	70	70	81
1	Typhoid and paratyphoid fever (1, 2)	14	24	25	31	38	42	36
3	Smallpox (6)	–	–	–	–	–	1	–
4	Measles (7)	91	27	64	64	137	121	265
5	Scarlet fever (8)	76	108	145	101	98	71	90
6	Whooping cough (9)	125	97	107	88	182	137	208
7	Diphtheria (10)	50	86	107	130	182	256	249
8	Influenza (11)	268	584	360	432	270	1,185	520
10	Tuberculosis of the respiratory system (23)	1,902	2,059	2,041	2,306	2,423	2,561	2,690
11	Tuberculous meningitis (24)	74	74	100	100	108	122	187
11	Other forms of tuberculosis (25–32)	140	148	160	149	203	239	246
13	Malaria (38)	2	2	4	2	3	3	6
14	Acute poliomyelitis and polioencephalitis (16)	9	32	13	114	35	21	65
14	Epidemic cerebro-spinal meningitis (18)	28	25	34	30	59	79	38
15	Cancer and other malignant tumors (45–53)	6,675	6,382	6,153	5,859	5,813	5,672	5,611
18	Diabetes mellitus (59)	1,327	1,234	1,197	1,060	1,021	997	930
22	Cerebral hemorrhage, cerebral embolism and thrombosis (82)	4,269	4,359	4,170	4,363	4,131	4,172	4,257
24	Acute endocarditis (91)	120	157	184	173	314[3]	304[3]	334[3]
24	Angina pectoris (94a)	971	905	899	896	995	974	987
24	Other diseases of the heart (90, 92, 93, 94b, 95)	13,452	13,057	12,172[3]	10,890[3]	10,012	10,218	9,881
26	Acute bronchitis (106a)	47	68	60	62	75	120	111
26	Chronic bronchitis (106b)	50	72	47	68	76	76	69
27	Bronchopneumonia (including capillary bronchitis) (107)	2,005	2,166	2,054	2,063	2,160	2,704	2,462
27	Pneumonia (108, 109)	1,626	1,873	1,749	1,781	1,833	2,202	2,163
28	Other respiratory diseases (104, 105, 106c, 106d, 110–114)	351	379	340	367	254	331	280
29	Diarrhea and enteritis (under 2 years) (119)	194	161	229	275	4 0	394	520
30	Appendicitis (121)	588	623	601	614	606	620	539
31	Cirrhosis of the liver (124)	368	349	257	292	282	251	272
32	Diseases of the stomach (cancer excepted) (117,118)	355	333	349	333	417	384	365
32	Hernia, intestinal obstruction (122)	413	435	421	428	412	366	376
32	Acute nephritis and Bright's disease (130, 131)	3,247	3,394	3,575	3,375	3,617	3,460	3,650
16, 34	Diseases of the female genital organs (54a, 54b, 54c, 55a, 55b, 55c, 139)	188	182	202	206	231	219	200
35	Puerperal septicemia (140, 145)	93	103	96	119	141	147	123
36	Other diseases of pregnancy, childbirth, and the puerperal state (141–144, 146–150)	224	286	273	289	296	306	333
38	Congenital debility and malformations (157–159)	1,509	1,570	1,631	1,760	1,929	2,049	2,123
39	Senility (162)	42	56	56	72	68	101	98
40	Suicide (163–171)	598	597	639	601	547	540	550
41	Homicide (172–175)	93	110	91	89	79	70	82
42	Violent and accidental deaths (suicide and homicide excepted) (176–198, 201–214)	3,145	2,798	2,755	2,892	2,873	2,972	2,935
42	Other diseases (3–5, 12–15, 17, 19–22, 33–37, 39–44, 54d, 54e, 55d, 55e–58, 60–81, 83–89, 96–103, 115, 116, 120, 123, 125–129, 132–138, 151–156, 160, 161)	5,960	5,852	6,112	6,185	7,089	7,677	7,490
42	Unknown or ill-defined diseases (199, 200)	71	65	59	84	69	70	81

[1]Abridged International List of Causes of Death. The title or titles of the detailed International List that are included under each heading are shown by numbers in parentheses.

Abridged Int. List No.	Death Rates[2] per 100,000 Population.							Per Cent Distribution.						
	1934.	1933.	1932.	1931.	1930.	1929.	1928.	1934.	1933.	1932.	1931.	1930.	1929.	1928.
	1,169.8	1,177.2	1,152.6	1,139.9	1,164.9	1,232.2	1,221.1	100.0	100.0	100.0	100.0	100.0	100.0	100.0
I	72.1	83.1	80.9	91.5	98.0	123.9	120.0	6.2	7.0	7.0	8.0	8.4	10.1	9.8
II	159.4	153.5	149.0	142.8	–	–	–	13.6	13.0	12.9	12.5	–	–	–
III	36.9	36.3	35.2	32.2	–	–	–	3.2	3.1	3.1	2.8	–	–	–
IV	9.8	9.2	10.8	10.2	–	–	–	.8	.8	.9	.9	–	–	–
V	6.4	5.4	5.0	5.4	–	–	–	.6	.5	.4	.5	–	–	–
VI	117.4	119.6	116.2	121.0	122.6	128.7	130.9	10.0	10.2	10.1	10.6	10.5	10.5	10.7
VII	368.2	357.5	341.0	314.8	320.3	330.0	321.5	31.5	30.4	29.6	27.6	27.5	26.8	26.3
VIII	94.0	105.6	98.9	101.5	106.2	130.0	122.3	8.0	9.0	8.6	8.9	9.1	10.5	10.0
IX	65.4	65.1	65.2	68.0	71.9	70.7	72.5	5.6	5.5	5.7	6.0	6.2	5.7	6.0
X	92.6	95.9	101.0	96.2	–	–	–	7.9	8.1	8.8	8.4	–	–	–
XI	7.3	9.0	8.6	9.5	10.3	10.7	10.8	.6	.8	.8	.8	.9	.9	.9
XII	2.4	2.4	2.1	1.8	2.3	3.4	3.3	.2	.2	.2	.2	.2	.3	.3
XIII	1.3	1.3	1.6	1.3	1.1	1.2	1.3	.1	.1	.1	.1	.1	.1	.1
XIV	10.2	11.0	11.6	12.7	14.6	13.7	14.6	.9	.9	1.0	1.1	1.3	1.1	1.2
XV	35.5	38.3	41.7	43.6	45.6	48.6	50.5	3.0	3.3	3.6	3.8	3.9	3.9	4.1
XVI	.9	1.3	1.3	1.7	1.6	2.4	2.3	.1	.1	.1	.2	.1	.2	.2
XVII	88.4	81.2	81.1	83.8	82.3	84.7	84.7	7.6	6.9	7.0	7.4	7.1	6.9	6.9
XVIII	1.6	1.5	1.4	1.9	1.6	1.7	1.9	.1	.1	.1	.2	.1	.1	.2
1	.3	.6	.6	.7	.8	1.0	.9	–[5]	–[5]	.1	.1	.1	.1	.1
3	–	–	–	–	–	–[4]	–	–	–	–	–	–	–[5]	–
4	2.1	.6	1.5	1.5	3.2	2.8	6.3	.2	.1	.1	.1	.3	.2	.5
5	1.7	2.5	3.4	2.4	2.3	1.6	2.1	.2	.2	.3	.2	.2	.1	.2
6	2.9	2.2	2.5	2.1	4.2	3.2	4.9	.2	.2	.2	.2	.4	.3	.4
7	1.2	2.0	2.5	3.0	4.2	6.0	5.9	.1	.2	.2	.3	.4	.5	.5
8	6.2	13.6	8.4	10.1	6.3	27.9	12.4	.5	1.1	.7	.9	.5	2.3	1.0
10	43.8	47.7	47.5	53.9	57.0	60.4	63.9	3.7	4.1	4.1	4.7	4.9	5.0	5.2
11	1.7	1.7	2.3	2.3	2.5	2.8	4.4	.1	.1	.2	.2	.2	.2	.4
11	3.2	3.4	3.7	3.5	4.7	5.6	5.8	.3	.3	.3	.3	.4	.4	.5
13	–[4]	–[4]	.1	–[4]	–[4]	–[4]	.1	–[5]	–[5]	–[5]	–[5]	–[5]	–[5]	–[5]
14	.2	.7	.3	2.7	.8	.5	1.6	–[5]	1	–[5]	.2	.1	–[5]	.1
14	.6	.6	.8	.7	1.3	1.8	.9	.1	–[5]	.1	.1	.1	.2	.1
15	153.8	147.8	143.2	137.0	136.7	133.9	133.2	13.2	12.5	12.4	12.0	11.7	10.9	10.9
18	30.6	28.6	27.8	24.8	24.0	23.5	22.1	2.6	2.4	2.4	2.2	2.1	1.9	1.8
22	98.4	100.9	97.0	102.0	97.2	98.5	101.1	8.4	8.6	8.4	9.0	8.3	8.0	8.3
24	2.8	3.6	4.3	4.0	7.3	7.1	7.9	.2	.3	.4	.4	.6	.6	.7
24	22.4	21.0	20.9	21.0	23.4	23.0	23.4	1.9	1.8	1.8	1.8	2.0	1.9	1.9
24	310.0	302.4	283.3	254.7	235.6	241.3	234.6	26.5	25.7	24.6	22.3	20.2	19.6	19.2
26	1.1	1.6	1.4	1.5	1.8	2.8	2.6	.1	.1	.1	.1	.2	.2	.2
26	1.2	1.7	1.1	1.6	1.8	1.8	1.6	.1	.1	.1	.1	.2	.1	.1
27	46.2	50.1	47.8	48.2	50.8	61.7	56.9	4.0	4.3	4.1	4.2	4.4	5.2	4.8
27	37.5	43.4	40.7	41.6	44.3	52.0	51.4	3.2	3.7	3.6	3.7	3.8	4.2	4.2
28	8.1	8.8	7.9	8.6	6.0	7.6	6.5	.7	.7	.7	.7	.5	.6	.5
29	4.5	3.7	5.3	6.4	9.6	9.3	12.3	.4	.3	.5	.6	.8	.8	1.0
30	13.5	14.4	14.0	14.4	14.3	14.6	13.3	1.2	1.2	1.2	1.3	1.2	1.2	1.1
31	8.5	8.1	6.0	6.8	6.6	5.9	6.5	.7	.7	.5	.6	.6	.5	.5
32	8.2	7.7	8.1	7.8	9.8	9.0	8.7	.7	.7	.7	.7	.8	.7	.7
32	9.5	10.1	9.8	10.0	9.7	8.6	8.9	.8	.9	.9	.9	.8	.7	.7
32	74.8	78.6	83.2	78.9	85.1	81.7	86.6	6.4	6.7	7.2	6.9	7.3	6.6	7.1
16 34	4.3	4.2	4.7	4.8	5.4	5.1	4.7	.4	.4	.4	.4	.5	.4	.4
35	2.1	2.4	2.2	2.8	3.3	3.4	2.9	.2	.2	.2	.2	.3	.3	.2
36	5.2	6.6	6.3	6.8	7.0	7.2	7.9	.4	.6	.6	.6	.6	.6	.6
38	34.8	36.4	38.0	41.2	45.4	48.4	50.4	3.0	3.1	3.3	3.6	3.9	3.9	4.1
39	1.0	1.3	1.3	1.7	1.7	2.4	2.3	.1	.1	.1	.1	.1	.2	.2
40	13.8	13.8	14.9	14.1	12.9	12.7	13.1	1.2	1.2	1.3	1.2	1.1	1.0	1.1
41	2.1	2.6	2.1	2.1	1.8	1.6	1.9	.2	.2	.2	.2	.2	.1	.2
42	72.5	64.8	64.1	67.6	67.8	70.2	69.7	6.2	5.5	5.6	5.9	5.8	5.7	5.7
42	137.4	135.5	142.2	144.6	166.7	181.3	177.8	11.7	11.5	12.3	12.8	14.3	14.7	14.6
42	1.6	1.5	1.4	2.0	1.6	1.6	1.9	.1	.1	.1	.2	.1	.1	.2

[2] Exclusive of stillbirths.
[3] Includes Acute Myocarditis.
[4] Less than one-tenth of 1 per 100,000.
[5] Less than one-tenth of 1 per cent.

Table 18

DEATHS RATES PER 100,000 POPULATION BASED ON ANNUAL AVERAGE NUMBER OF DEATHS FOR THE FIVE-YEAR PERIOD OF WHICH THE CENSUS YEAR IS THE MEDIAN YEAR:[1] CENSUS YEARS 1905 TO 1930.

YEARS.	All causes.[2]	Typhoid fever.* 1	Smallpox.* 6	Measles.* 7	Scarlet fever.* 8	Diphtheria and croup.* 10	Tuberculosis of the respiratory system.* 23	Cancer. 45-53	Nephritis, Bright's disease, etc. 130, 131, 132
1905 . .	1,677.0	15.8	.3	6.3	7.9	24.6	155.7	83.0	88.1
1910 . .	1,566.2	11.2	–[3]	6.9	7.0	18.1	130.0	89.9	89.6
1915 . .	1,475.7	6.2	.1	7.5	5.2	18.8	116.8	102.2	94.7
1920 . .	1,472.9	2.9	–[3]	7.6	3.9	15.6	100.2	114.2	93.0
1925 . .	1,235.2	1.5	–[3]	6.2	4.1	11.1	70.6	124.3	85.6
1930 . .	1,181.9	.8	–[3]	3.0	2.4	4.3	56.5	136.9	85.6

[1] This method eliminates any peculiarities in the census year and makes the rates more typical of the period as a whole.
[2] Exclusive of stillbirths.
[3] Less than one-tenth of 1 per 100,000.

Table 19.

DEATHS PRODUCED BY EXTERNAL CAUSES: 1910 TO 1934.

YEARS.	Total.	Traumatism by fall. 186a	Automobile (including railroad and street car collisions). 206, 208 210	Drowning. 183	Burns (conflagration excepted) 181	Absorption of poisonous gas. 178	Excessive heat. 191	Excessive cold. 190	Suicide. 163–171	Homicide. 172–175
1910 . . .	2,825	281	66	300	268	112	23	15	438	76
1911 . . .	3,418	305	97	301	315	108	614	18	449	85
1912 . . .	3,097	591	135	303	331	134	53	21	478	92
1913 . . .	3,222	588	165	364	311	168	25	7	486	111
1914 . . .	3,070	587	193	304	312	186	17	32	495	106
1915 . . .	3,206	621	265	362	274	197	17	11	515	113
1916 . . .	3,402	682	314	318	282	260	26	27	455	115
1917 . . .	3,584	630	415	315	309	272	91	27	493	106
1918 . . .	3,442	563	495	276	302	295	14	17	492	93
1919 . . .	3,242	535	532	292	296	207	26	13	445	102
1920 . . .	2,938	529	457	224	282	207	15	9	391	78
1921 . . .	2,996	523	526	301	202	140	31	9	472	116
1922 . . .	3,140	611	500	269	243	183	12	3	458	102
1923 . . .	3,392	646	638	260	265	192	32	4	452	106
1924 . . .	3,474	674	705	354	257	135	30	14	486	109
1925 . . .	3,573	643	743	273	215	151	135[1]	9	459	109
1926 . . .	3,343	700	682	225	219	157	63	1	473	87
1927 . . .	3,371	692	697	296	198	136	14	7	466	86
1928 . . .	3,567	746	734	318	204	127	34	8	550	82
1929 . . .	3,584	760	785	257	191	160	37	14	540	70
1930 . . .	3,499	817	799	238	189	123	25	7	547	79
1931 . . .	3,582	851	849	242	152	133	38	3	601	89
1932 . . .	3,485	859	804	261	179	94	12	6	639	91
1933 . . .	3,505	933	816	245	126	109	23	13	597	110
1934 . . .	3,142	982	1,016	193	137	71	24	28	598	93

[1] Deaths from heat for the year 1925 numbered 135. This is the nearest approach to the high mark since 1911 when the total number of deaths from this cause was 614.

The highest temperature recorded at the Weather Bureau of the United States Department of Agriculture since 1900 was 104 degrees on July 4, 1911. The highest temperature recorded in 1925 was 100 degrees on June 6.

The average monthly temperature for the months of June, July, and August, in 1911 and 1925, was as follows:

	June.	July.	August.
1911	65.6	77.1	69.0
1925	70.9	72.4	71.2

Table 20

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1934.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
45–53	Cancer (all causes)	6,675	396	1,850	710	37	2	665	1,675	1,306	32	2
	Under 20 years	62	32	–	–	–	–	29	1	–	–	–
	20 to 29 years	67	14	14	–	1	–	21	16	–	1	–
	30 to 39 years	233	16	55	–	–	–	29	120	8	5	–
	40 to 49 years	716	53	167	12	5	–	84	341	48	6	–
	50 to 59 years	1,429	90	444	71	12	–	143	511	146	11	1
	60 to 69 years	1,993	119	658	184	15	2	178	435	397	4	1
	70 to 79 years	1,631	67	430	295	3	–	128	220	483	5	–
	80 years and over	544	5	82	148	1	–	53	31	224	–	–
45	Cancer of the buccal cavity and pharynx	259	40	108	60	8	–	6	16	21	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	1	–	–	–	–	–	–	–	–
	40 to 49 years	10	5	3	–	–	–	–	2	–	–	–
	50 to 59 years	49	12	22	5	1	–	1	4	4	–	–
	60 to 69 years	84	13	45	11	5	–	1	5	4	–	–
	70 to 79 years	78	9	31	25	1	–	1	3	8	–	–
	80 years and over	37	1	6	19	1	–	3	2	5	–	–
45*a*	Cancer of the lip	40	7	15	14	–	–	1	3	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	1	–	–	–	–	–	–	–	–
	40 to 49 years	2	2	–	–	–	–	–	–	–	–	–
	50 to 59 years	5	2	2	–	–	–	–	1	–	–	–
	60 to 69 years	11	2	7	1	–	–	–	1	–	–	–
	70 to 79 years	12	1	4	7	–	–	–	–	–	–	–
	80 years and over	9	–	1	6	–	–	1	1	–	–	–
45*b*	Cancer of the tongue	73	11	29	16	2	–	2	2	11	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	2	1	1	–	–	–	–	–	–	–	–
	50 to 59 years	17	5	8	1	–	–	1	–	2	–	–
	60 to 69 years	23	4	10	4	2	–	–	1	2	–	–
	70 to 79 years	23	1	9	8	–	–	1	–	4	–	–
	80 years and over	8	–	1	3	–	–	–	1	3	–	–
45*c*	Cancer of the mouth	32	6	16	8	1	–	–	–	1	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	2	1	1	–	–	–	–	–	–	–	–
	50 to 59 years	5	2	3	–	–	–	–	–	–	–	–
	60 to 69 years	9	2	5	1	1	–	–	–	–	–	–
	70 to 79 years	11	–	6	5	–	–	–	–	–	–	–
	80 years and over	5	1	1	2	–	–	–	–	1	–	–
45*d*	Cancer of the jaw	40	3	17	7	1	–	3	5	4	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	2	1	1	–	–	–	–	–	–	–	–
	50 to 59 years	6	–	3	1	–	–	–	2	–	–	–
	60 to 69 years	13	1	7	2	–	–	1	2	–	–	–
	70 to 79 years	11	1	5	–	1	–	–	1	3	–	–
	80 years and over	8	–	1	4	–	–	2	–	1	–	–
45*e*	Cancer of other and unspecified parts of the buccal cavity	56	9	23	12	3	–	–	6	3	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	2	–	–	–	–	–	–	2	–	–	–
	50 to 59 years	8	2	3	2	–	–	–	1	–	–	–
	60 to 69 years	24	3	13	3	2	–	–	1	2	–	–
	70 to 79 years	17	4	5	5	–	–	–	2	1	–	–
	80 years and over	5	–	2	2	1	–	–	–	–	–	–

Table 20

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1934.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
45f	Cancer of the pharynx	18	4	8	3	1	–	–	–	2	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	8	1	3	1	1	–	–	–	2	–	–
	60 to 69 years	4	1	3	–	–	–	–	–	–	–	–
	70 to 79 years	4	2	2	–	–	–	–	–	–	–	–
	80 years and over	2	–	–	–	–	–	–	–	–	–	–
46	Cancer of the digestive tract and peritoneum	3,374	204	1,120	401	19	1	257	695	668	9	–
	Under 20 years	7	4	–	–	–	–	3	–	–	–	–
	20 to 29 years	15	2	3	–	–	–	7	2	–	1	–
	30 to 39 years	86	10	26	–	–	–	8	38	3	1	–
	40 to 49 years	286	29	94	10	5	–	26	107	13	2	–
	50 to 59 years	693	52	281	44	8	–	56	199	52	1	–
	60 to 69 years	1,100	69	416	125	6	1	66	214	202	1	–
	70 to 79 years	902	36	259	154	–	–	60	116	274	3	–
	80 years and over	285	2	41	68	–	–	31	19	124	–	–
46a	Cancer of the esophagus, pharynx	143	13	68	30	1	–	5	14	12	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	1	–	–	–	–	–	–	–	–
	40 to 49 years	11	2	4	2	–	–	–	3	–	–	–
	50 to 59 years	45	2	28	6	1	–	2	4	2	–	–
	60 to 69 years	48	5	23	7	–	–	3	5	5	–	–
	70 to 79 years	32	4	10	12	–	–	–	1	5	–	–
	80 years and over	6	–	2	3	–	–	–	1	–	–	–
46b	Cancer of the stomach and duodenum	1,231	78	462	157	8	–	90	205	227	4	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	5	1	1	–	–	–	1	1	–	1	–
	30 to 39 years	28	3	8	–	–	–	5	11	1	–	–
	40 to 49 years	90	9	39	4	3	–	6	24	4	1	–
	50 to 59 years	271	22	121	20	3	–	19	64	21	1	–
	60 to 69 years	389	28	165	47	2	–	25	58	64	–	–
	70 to 79 years	346	14	108	58	–	–	24	43	98	1	–
	80 years and over	102	1	20	28	–	–	10	4	39	–	–
46c	Cancer of the intestines (except duodenum, rectum and anus)	941	53	248	96	6	1	78	229	228	2	–
	Under 20 years	4	3	–	–	–	–	1	–	–	–	–
	20 to 29 years	7	1	1	–	–	–	4	1	–	–	–
	30 to 39 years	27	4	8	–	–	–	1	12	1	1	–
	40 to 49 years	86	8	23	–	1	–	13	37	4	–	–
	50 to 59 years	172	10	57	6	2	–	18	64	15	–	–
	60 to 69 years	303	17	93	31	3	1	18	72	67	1	–
	70 to 79 years	249	10	62	39	–	–	16	35	87	–	–
	80 years and over	93	–	4	20	–	–	7	8	54	–	–
46d	Cancer of the rectum and anus	384	30	132	56	1	–	25	81	56	3	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	13	2	2	–	–	–	–	9	–	–	–
	40 to 49 years	33	3	8	2	1	–	–	17	1	1	–
	50 to 59 years	89	13	35	5	–	–	7	20	9	–	–
	60 to 69 years	123	7	52	14	–	–	6	24	20	–	–
	70 to 79 years	95	5	32	25	–	–	8	9	14	2	–
	80 years and over	31	–	3	10	–	–	4	2	12	–	–
46e	Cancer of the liver and biliary passages	330	15	112	27	1	–	29	82	64	–	–
	Under 20 years	1	1	–	–	–	–	–	–	–	–	–
	20 to 29 years	1	–	1	–	–	–	–	–	–	–	–
	30 to 39 years	6	–	2	–	–	–	–	3	1	–	–
	40 to 49 years	33	4	9	1	–	–	4	12	3	–	–
	50 to 59 years	58	4	21	2	1	–	5	22	3	–	–
	60 to 69 years	121	5	44	12	–	–	8	32	20	–	–
	70 to 79 years	86	1	25	10	–	–	8	11	31	–	–
	80 years and over	24	–	10	2	–	–	4	2	6	–	–

Table 20

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1934.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
46*f*	Cancer of the pancreas	241	12	74	30	1	–	20	51	53	–	–
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	2	–	–	–	–	–	2	–	–	–	–
	30 to 39 years	10	1	5	–	–	–	1	3	–	–	–
	40 to 49 years	20	2	7	1	–	–	2	7	1	–	–
	50 to 59 years	46	1	17	5	1	–	4	16	2	–	–
	60 to 69 years	83	6	29	13	–	–	3	15	17	–	–
	70 to 79 years	57	1	14	6	–	–	3	8	25	–	–
	80 years and over	22	1	2	5	–	–	4	2	8	–	–
46*g*	Cancer of the mesentery and peritoneum	17	1	6	–	1	–	3	6	–	–	–
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	–	–	–	–	1	–	–	–	–
	40 to 49 years	6	1	2	–	–	–	1	2	–	–	–
	50 to 59 years	2	–	1	–	–	–	–	1	–	–	–
	60 to 69 years	4	–	2	–	1	–	–	1	–	–	–
	70 to 79 years	3	–	1	–	–	–	–	2	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
46*h*	Cancer of other organs under this title	87	2	18	5	–	–	7	27	28	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	7	–	2	–	–	–	–	5	–	–	–
	50 to 59 years	10	–	1	–	–	–	1	8	–	–	–
	60 to 69 years	29	1	8	1	–	–	3	7	9	–	–
	70 to 79 years	34	1	7	4	–	–	1	7	14	–	–
	80 years and over	7	–	–	–	–	–	2	–	5	–	–
47	Cancer of the respiratory system	294	29	134	42	4	–	16	45	24	–	–
	Under 20 years	3	2	–	–	–	–	1	–	–	–	–
	20 to 29 years	8	4	1	–	–	–	3	–	–	–	–
	30 to 39 years	17	2	9	–	–	–	2	3	1	–	–
	40 to 49 years	41	5	21	–	–	–	1	12	2	–	–
	50 to 59 years	85	7	48	8	3	–	3	15	1	–	–
	60 to 69 years	87	5	39	15	–	–	3	11	14	–	–
	70 to 79 years	41	4	11	14	1	–	2	4	5	–	–
	80 years and over	12	–	5	5	–	–	1	–	1	–	–
47*a*	Cancer of the larynx	73	10	34	15	2	–	2	5	5	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	10	1	6	–	–	–	–	2	1	–	–
	50 to 59 years	22	3	13	3	2	–	1	–	–	–	–
	60 to 69 years	21	3	8	4	–	–	1	2	3	–	–
	70 to 79 years	15	3	5	5	–	–	–	1	1	–	–
	80 years and over	5	–	2	3	–	–	–	–	–	–	–
47*b*	Cancer of the lungs and pleura	192	16	88	25	2	–	12	32	17	–	–
	Under 20 years	2	1	–	–	–	–	1	–	–	–	–
	20 to 29 years	5	2	1	–	–	–	2	–	–	–	–
	30 to 39 years	14	2	8	–	–	–	1	2	1	–	–
	40 to 49 years	28	4	13	–	–	–	1	9	1	–	–
	50 to 59 years	57	4	30	5	1	–	2	14	1	–	–
	60 to 69 years	56	2	27	9	–	–	2	6	10	–	–
	70 to 79 years	23	1	6	9	1	–	2	1	3	–	–
	80 years and over	7	–	3	2	–	–	1	–	1	–	–
47*c*	Cancer of the other respiratory organs	29	3	12	2	–	–	2	8	2	–	–
	Under 20 years	1	1	–	–	–	–	–	–	–	–	–
	20 to 29 years	3	2	–	–	–	–	1	–	–	–	–
	30 to 39 years	3	–	1	–	–	–	1	1	–	–	–
	40 to 49 years	3	–	2	–	–	–	–	1	–	–	–
	50 to 59 years	6	–	5	–	–	–	–	1	–	–	–
	60 to 69 years	10	–	4	2	–	–	–	3	1	–	–
	70 to 79 years	3	–	–	–	–	–	–	2	1	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–

Table 20

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1934.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
48	Cancer of the uterus	657	–	–	–	–	–	74	373	196	12	2
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	13	–	–	–	–	–	3	10	–	–	–
	30 to 39 years	49	–	–	–	–	–	5	37	4	3	–
	40 to 49 years	128	–	–	–	–	–	15	95	16	2	–
	50 to 59 years	165	–	–	–	–	–	10	120	29	5	1
	60 to 69 years	172	–	–	–	–	–	25	79	66	1	1
	70 to 79 years	101	–	–	–	–	–	13	31	56	1	–
	80 years and over	29	–	–	–	–	–	3	1	25	–	–
49	Cancer of other female genital organs	180	–	–	–	–	–	43	84	51	2	–
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	4	–	–	–	–	–	3	1	–	–	–
	30 to 39 years	15	–	–	–	–	–	2	13	–	–	–
	40 to 49 years	33	–	–	–	–	–	10	19	4	–	–
	50 to 59 years	50	–	–	–	–	–	8	31	9	2	–
	60 to 69 years	39	–	–	–	–	–	13	14	12	–	–
	70 to 79 years	30	–	–	–	–	–	6	5	19	–	–
	80 years and over	8	–	–	–	–	–	–	1	7	–	–
49*a*	Cancer of the ovary and Fallopian tube	151	–	–	–	–	–	38	75	36	2	–
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	4	–	–	–	–	–	3	1	–	–	–
	30 to 39 years	15	–	–	–	–	–	2	13	–	–	–
	40 to 49 years	32	–	–	–	–	–	10	19	3	–	–
	50 to 59 years	43	–	–	–	–	–	8	25	8	2	–
	60 to 69 years	33	–	–	–	–	–	10	13	10	–	–
	70 to 79 years	20	–	–	–	–	–	4	3	13	–	–
	80 years and over	3	–	–	–	–	–	–	1	2	–	–
49*b*	Cancer of the vagina and vulva	29	–	–	–	–	–	5	9	15	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	1	–	–	–	–	–	–	–	1	–	–
	50 to 59 years	7	–	–	–	–	–	–	6	1	–	–
	60 to 69 years	6	–	–	–	–	–	3	1	2	–	–
	70 to 79 years	10	–	–	–	–	–	2	2	6	–	–
	80 years and over	5	–	–	–	–	–	–	–	5	–	–
49*c*	Cancer of other female genital organs	–	–	–	–	–	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	–	–	–	–	–	–	–	–	–	–	–
	60 to 69 years	–	–	–	–	–	–	–	–	–	–	–
	70 to 79 years	–	–	–	–	–	–	–	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
50	Cancer of the breast	712	3	4	–	1	–	178	320	200	6	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	4	–	–	–	–	–	3	1	–	–	–
	30 to 39 years	30	–	–	–	–	–	7	22	–	1	–
	40 to 49 years	119	1	1	–	–	–	24	80	12	1	–
	50 to 59 years	184	1	1	–	–	–	52	97	30	3	–
	60 to 69 years	188	1	–	–	1	–	53	73	60	–	–
	70 to 79 years	138	–	1	–	–	–	32	42	62	1	–
	80 years and over	49	–	1	–	–	–	7	5	36	–	–
51	Cancer of the male genito-urinary organs	513	55	310	145	2	1	–	–	–	–	–
	Under 20 years	3	3	–	–	–	–	–	–	–	–	–
	20 to 29 years	4	–	4	–	–	–	–	–	–	–	–
	30 to 39 years	6	1	5	–	–	–	–	–	–	–	–
	40 to 49 years	22	6	16	–	–	–	–	–	–	–	–
	50 to 59 years	57	6	46	5	–	–	–	–	–	–	–
	60 to 69 years	164	25	113	23	2	1	–	–	–	–	–
	70 to 79 years	192	12	100	80	–	–	–	–	–	–	–
	80 years and over	65	2	26	37	–	–	–	–	–	–	–

Table 20

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1934.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
51*a*	Cancer of the kidneys and suprarenals (male)	50	12	29	9	–	–	–	–	–	–	–
	Under 20 years	3	3	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	1	–	–	–	–	–	–	–	–	–
	40 to 49 years	5	3	2	–	–	–	–	–	–	–	–
	50 to 59 years	12	1	8	3	–	–	–	–	–	–	–
	60 to 69 years	18	3	13	2	–	–	–	–	–	–	–
	70 to 79 years	10	1	6	3	–	–	–	–	–	–	–
	80 years and over	1	–	–	1	–	–	–	–	–	–	–
51*b*	Cancer of the bladder (male)	140	17	91	31	1	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	9	1	8	–	–	–	–	–	–	–	–
	50 to 59 years	29	4	23	2	–	–	–	–	–	–	–
	60 to 69 years	51	10	33	7	1	–	–	–	–	–	–
	70 to 79 years	38	2	20	16	–	–	–	–	–	–	–
	80 years and over	13	–	7	6	–	–	–	–	–	–	–
51*c*	Cancer of the prostate	300	24	172	102	1	1	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	1	–	–	–	–	–	–	–	–
	40 to 49 years	2	1	1	–	–	–	–	–	–	–	–
	50 to 59 years	16	1	15	–	–	–	–	–	–	–	–
	60 to 69 years	91	12	63	14	1	1	–	–	–	–	–
	70 to 79 years	141	8	74	59	–	–	–	–	–	–	–
	80 years and over	49	2	18	29	–	–	–	–	–	–	–
51*d*	Cancer of the testes	16	–	15	1	–	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	4	–	4	–	–	–	–	–	–	–	–
	30 to 39 years	4	–	4	–	–	–	–	–	–	–	–
	40 to 49 years	5	–	5	–	–	–	–	–	–	–	–
	50 to 59 years	–	–	–	–	–	–	–	–	–	–	–
	60 to 69 years	2	–	2	–	–	–	–	–	–	–	–
	70 to 79 years	1	–	–	1	–	–	–	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
51*e*	Cancer of the scrotum	2	1	1	–	–	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	1	1	–	–	–	–	–	–	–	–	–
	50 to 59 years	–	–	–	–	–	–	–	–	–	–	–
	60 to 69 years	1	–	1	–	–	–	–	–	–	–	–
	70 to 79 years	–	–	–	–	–	–	–	–	–	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
51*f*	Cancer of other male genitourinary organs	5	1	2	2	–	–	–	–	–	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	–	–	–	–	–	–	–	–	–	–	–
	40 to 49 years	–	–	–	–	–	–	–	–	–	–	–
	50 to 59 years	–	–	–	–	–	–	–	–	–	–	–
	60 to 69 years	1	–	1	–	–	–	–	–	–	–	–
	70 to 79 years	2	1	–	1	–	–	–	–	–	–	–
	80 years and over	2	–	1	1	–	–	–	–	–	–	–
52	Cancer of the skin	111	8	26	22	1	–	9	14	31	–	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	3	1	–	–	–	–	1	1	–	–	–
	40 to 49 years	7	2	1	1	–	–	–	3	–	–	–
	50 to 59 years	10	1	4	–	–	–	–	3	2	–	–
	60 to 69 years	22	–	8	3	1	–	2	2	6	–	–
	70 to 79 years	42	4	11	6	–	–	5	5	11	–	–
	80 years and over	27	–	2	12	–	–	1	–	12	–	–

Table 20

DEATHS FROM CANCER BY SEX, AGE AND MARITAL CONDITION: 1934.

Detailed Int. List No.	Cause of Death and Age Period.	Total both sexes.	Males. Single.	Males. Married.	Males. Widowed.	Males. Divorced.	Males. Unknown.	Females. Single.	Females. Married.	Females. Widowed.	Females. Divorced.	Females. Unknown.
53	Cancer of other or unspecified organs	575	57	148	40	2	–	82	128	115	3	–
	Under 20 years	48	23	–	–	–	–	24	1	–	–	–
	20 to 29 years	19	8	6	–	1	–	2	2	–	–	–
	30 to 39 years	26	2	14	–	–	–	4	6	–	–	–
	40 to 49 years	70	5	31	1	–	–	8	23	1	1	–
	50 to 59 years	136	11	42	9	–	–	13	42	19	–	–
	60 to 69 years	137	6	37	7	–	–	15	37	33	2	–
	70 to 79 years	107	2	17	16	1	–	9	14	48	–	–
	80 years and over	32	–	1	7	–	–	7	3	14	–	–
53*a*	Cancer of the kidneys and suprarenals (female)	24	–	–	–	–	–	6	7	10	1	–
	Under 20 years	1	–	–	–	–	–	1	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	–	–	–	–	–	1	–	–	–
	40 to 49 years	2	–	–	–	–	–	1	–	–	1	–
	50 to 59 years	7	–	–	–	–	–	–	3	4	–	–
	60 to 69 years	6	–	–	–	–	–	2	2	2	–	–
	70 to 79 years	7	–	–	–	–	–	2	1	4	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
53*b*	Cancer of the bladder (female)	86	–	–	–	–	–	20	25	40	1	–
	Under 20 years	–	–	–	–	–	–	–	–	–	–	–
	20 to 29 years	–	–	–	–	–	–	–	–	–	–	–
	30 to 39 years	1	–	–	–	–	–	–	1	–	–	–
	40 to 49 years	3	–	–	–	–	–	–	3	–	–	–
	50 to 59 years	15	–	–	–	–	–	4	7	4	–	–
	60 to 69 years	28	–	–	–	–	–	6	11	10	1	–
	70 to 79 years	30	–	–	–	–	–	6	3	21	–	–
	80 years and over	9	–	–	–	–	–	4	–	5	–	–
53*c*	Cancer of the brain	77	9	35	4	–	–	12	14	3	–	–
	Under 20 years	11	6	–	–	–	–	5	–	–	–	–
	20 to 29 years	4	–	1	–	–	–	2	1	–	–	–
	30 to 39 years	10	–	6	–	–	–	2	2	–	–	–
	40 to 49 years	16	1	9	–	–	–	1	5	–	–	–
	50 to 59 years	26	2	15	3	–	–	1	3	2	–	–
	60 to 69 years	7	–	4	1	–	–	–	2	–	–	–
	70 to 79 years	2	–	–	–	–	–	–	1	1	–	–
	80 years and over	1	–	–	–	–	–	1	–	–	–	–
53*d*	Cancer of the bones (except jaw)	51	10	14	3	–	–	8	10	6	–	–
	Under 20 years	11	6	–	–	–	–	5	–	–	–	–
	20 to 29 years	2	1	1	–	–	–	–	–	–	–	–
	30 to 39 years	2	–	2	–	–	–	–	–	–	–	–
	40 to 49 years	3	–	2	–	–	–	–	1	–	–	–
	50 to 59 years	13	2	5	–	–	–	2	4	–	–	–
	60 to 69 years	14	1	4	–	–	–	1	4	4	–	–
	70 to 79 years	6	–	–	3	–	–	–	1	2	–	–
	80 years and over	–	–	–	–	–	–	–	–	–	–	–
53*e*	Cancer of other or unspecified organs	337	38	99	33	2	–	36	72	56	1	–
	Under 20 years	25	11	–	–	–	–	13	1	–	–	–
	20 to 29 years	13	7	4	–	1	–	–	1	–	–	–
	30 to 39 years	12	2	6	–	–	–	2	2	–	–	–
	40 to 49 years	46	4	20	1	–	–	6	14	1	–	–
	50 to 59 years	75	7	22	6	–	–	6	25	9	–	–
	60 to 69 years	82	5	29	6	–	–	6	18	17	1	–
	70 to 79 years	62	2	17	13	1	–	1	8	20	–	–
	80 years and over	22	–	1	7	–	–	2	3	9	–	–

Table 21

Municipalities.	Total deaths under 1 month of age.	Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1934. Total	Males.	Females.
Infant Mortality Rate.	49.2			
The State.	1,935	3,136	1,784	1,352
Abington	–	–	–	–
Acton	1	1	–	1
Acushnet	8	11	6	5
Adams	4	6	4	2
Agawam	2	2	–	2
Alford	–	–	–	–
Amesbury	6	6	3	3
Amherst	–	1	1	–
Andover	2	6	1	5
Arlington	11	13	11	2
Ashburnham	–	–	–	–
Ashby	–	1	–	1
Ashfield	–	–	–	–
Ashland	–	–	–	–
Athol	4	6	3	3
Attleboro	14	20	11	9
Auburn	1	2	–	2
Avon	1	1	1	–
Ayer	3	3	2	1
Barnstable	10	12	8	4
Barre	2	2	–	2
Becket	–	–	–	–
Bedford	–	1	1	–
Belchertown	–	1	–	1
Bellingham	2	2	1	1
Belmont	1	1	–	1
Berkley	1	3	2	1
Berlin	–	–	–	–
Bernardston	–	–	–	–
Beverly	5	7	5	2
Billerica	1	1	1	–
Blackstone	2	4	3	1
Blandford	–	1	–	1
Bolton	–	–	–	–
Boston	491	871	503	368
Bourne	–	–	–	–
Boxborough	–	–	–	–
Boxford	–	–	–	–
Boylston	–	–	–	–
Braintree	2	3	–	3
Brewster	–	–	–	–
Bridgewater	3	6	2	4
Brimfield	–	–	–	–
Brockton	30	42	23	19
Brookfield	–	–	–	–
Brookline	5	8	6	2
Buckland	–	1	–	1
Burlington	1	2	1	1
Cambridge	55	103	60	43
Canton	–	–	–	–
Carlisle	–	–	–	–
Carver	1	1	–	1
Charlemont	–	–	–	–
Charlton	–	–	–	–
Chatham	–	–	–	–
Chelmsford	–	3	–	3
Chelsea	14	23	19	4
Cheshire	1	1	1	–
Chester	–	–	–	–
Chesterfield	–	–	–	–
Chicopee	21	28	16	12
Chilmark	–	–	–	–
Clarksburg	–	1	1	–
Clinton	4	9	6	3
Cohasset	1	1	1	–
Colrain	–	–	–	–
Concord	5	5	4	1
Conway	–	–	–	–
Cummington	–	–	–	–
Dalton	1	3	2	1
Dana	–	–	–	–
Danvers	1	3	1	2
Dartmouth	1	2	1	1
Dedham	2	2	1	1
Deerfield	1	1	1	–
Dennis	1	1	1	–
Dighton	4	4	3	1

Municipalities.	Total deaths under 1 month of age.	Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1934. Total.	Males.	Females.
Douglas	1	1	–	1
Dover	–	1	1	–
Dracut	5	7	5	2
Dudley	5	6	5	1
Dunstable	–	–	–	–
Duxbury	–	1	–	1
East Bridgewater	–	–	–	–
East Brookfield	–	1	1	–
East Longmeadow	–	–	–	–
Eastham	–	–	–	–
Easthampton	3	5	–	5
Easton	2	3	1	2
Edgartown	–	–	–	–
Egremont	–	1	–	1
Enfield	–	–	–	–
Erving	–	–	–	–
Essex	–	–	–	–
Everett	15	25	17	8
Fairhaven	8	8	4	4
Fall River	57	87	43	44
Falmouth	1	4	1	3
Fitchburg	20	35	18	17
Florida	1	2	–	2
Foxborough	2	3	3	–
Framingham	10	14	9	5
Franklin	1	2	1	1
Freetown	1	1	1	–
Gardner	12	17	14	3
Gay Head	–	–	–	–
Georgetown	–	1	–	1
Gill	–	–	–	–
Gloucester	13	22	17	5
Goshen	–	–	–	–
Gosnold	–	–	–	–
Grafton	3	3	1	2
Granby	–	–	–	–
Granville	–	–	–	–
Great Barrington	1	1	1	–
Greenfield	6	13	4	9
Greenwich	–	–	–	–
Groton	1	1	–	1
Groveland	1	1	1	–
Hadley	1	1	–	1
Halifax	–	1	–	1
Hamilton	–	–	–	–
Hampden	–	–	–	–
Hancock	–	–	–	–
Hanover	–	–	–	–
Hanson	1	3	3	–
Hardwick	–	–	–	–
Harvard	–	–	–	–
Harwich	–	–	–	–
Hatfield	–	1	1	–
Haverhill	18	40	27	13
Hawley	–	–	–	–
Heath	–	–	–	–
Hingham	3	6	3	3
Hinsdale	–	2	–	2
Holbrook	2	2	1	1
Holden	8	9	6	3
Holland	–	–	–	–
Holliston	–	–	–	–
Holyoke	27	43	23	20
Hopedale	–	1	1	–
Hopkinton	–	–	–	–
Hubbardston	–	–	–	–
Hudson	2	4	3	1
Hull	1	2	–	2
Huntington	–	–	–	–
Ipswich	–	2	1	1
Kingston	–	1	–	1
Lakeville	–	–	–	–
Lancaster	1	2	2	–
Lanesborough	–	–	–	–
Lawrence	57	85	49	36
Lee	1	2	1	1
Leicester	–	1	–	1
Lenox	–	1	1	–
Leominster	13	18	9	9
Leverett	–	–	–	–

[1] Exclusive of stillbirths.

Table 21

Municipalities.	Total deaths under 1 month of age.	Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1934.		
		Total.	Males.	Females.
Lexington	–	1	–	1
Leyden	–	–	–	–
Lincoln	–	–	–	–
Littleton	–	–	–	–
Longmeadow	–	–	–	–
Lowell	67	110	73	37
Ludlow	3	6	3	3
Lunenburg	–	–	–	–
Lynn	33	50	28	22
Lynnfield	–	–	–	–
Malden	25	39	22	17
Manchester	–	–	–	–
Mansfield	1	1	1	–
Marblehead	2	3	2	1
Marion	–	–	–	–
Marlborough	8	12	7	5
Marshfield	2	3	2	1
Mashpee	–	–	–	–
Mattapoisett	–	–	–	–
Maynard	1	2	2	–
Medfield	–	–	–	–
Medford	24	33	17	16
Medway	–	1	1	–
Melrose	11	17	8	9
Mendon	–	–	–	–
Merrimac	1	1	1	–
Methuen	5	8	4	4
Middleborough	3	4	3	1
Middlefield	–	–	–	–
Middleton	–	–	–	–
Milford	13	15	10	5
Millbury	–	–	–	–
Millis	1	1	–	1
Millville	1	4	1	3
Milton	5	5	4	1
Monroe	–	–	–	–
Monson	–	1	1	–
Montague	3	5	4	1
Monterey	–	–	–	–
Montgomery	–	–	–	–
Mount Washington	–	–	–	–
Nahant	–	–	–	–
Nantucket	–	1	–	1
Natick	6	7	4	3
Needham	1	2	1	1
New Ashford	–	–	–	–
New Bedford	71	108	63	45
New Braintree	–	–	–	–
New Marlborough	–	–	–	–
New Salem	–	–	–	–
Newbury	1	1	–	1
Newburyport	7	11	9	2
Newton	18	27	15	12
Norfolk	–	–	–	–
North Adams	12	18	8	10
North Andover	1	2	2	–
North Attleborough	3	4	1	3
North Brookfield	1	2	2	–
North Reading	–	–	–	–
Northampton	15	20	9	11
Northborough	–	1	–	1
Northbridge	6	8	6	2
Northfield	–	1	–	1
Norton	–	–	–	–
Norwell	1	1	1	–
Norwood	6	10	3	7
Oak Bluffs	4	5	4	1
Oakham	–	–	–	–
Orange	4	7	4	3
Orleans	–	–	–	–
Otis	2	2	2	–
Oxford	–	1	1	–
Palmer	4	6	3	3
Paxton	–	–	–	–
Peabody	10	14	9	5
Pelham	–	–	–	–
Pembroke	–	1	1	–
Pepperell	1	1	–	1
Peru	1	1	1	–
Petersham	–	–	–	–

Municipalities.	Total deaths under 1 month of age.	Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipailty: 1934.		
		Total.	Males.	Females.
Phillipston	–	1	1	–
Pittsfield	33	41	18	23
Plainfield	–	–	–	–
Plainville	–	–	–	–
Plymouth	7	9	5	4
Plympton	–	–	–	–
Prescott	–	–	–	–
Princeton	–	–	–	–
Provincetown	2	3	2	1
Quincy	34	52	29	23
Randolph	1	1	–	1
Raynham	1	1	1	–
Reading	–	–	–	–
Rehoboth	–	2	1	1
Revere	6	10	4	6
Richmond	–	–	–	–
Rochester	–	–	–	–
Rockland	2	3	2	1
Rockport	1	1	1	–
Rowe	–	–	–	–
Rowley	–	–	–	–
Royalston	–	1	1	–
Russell	–	–	–	–
Rutland	–	–	–	–
Salem	33	58	33	25
Salisbury	–	–	–	–
Sandisfield	–	–	–	–
Sandwich	–	–	–	–
Saugus	–	4	1	3
Savoy	–	–	–	–
Scituate	–	2	1	1
Seekonk	3	5	3	2
Sharon	–	–	–	–
Sheffield	–	–	–	–
Shelburne	–	–	–	–
Sherborn	–	–	–	–
Shirley	–	–	–	–
Shrewsbury	1	2	1	1
Shutesbury	–	–	–	–
Somerset	3	4	1	3
Somerville	38	55	34	21
South Hadley	3	4	–	4
Southampton	–	–	–	–
Southborough	–	–	–	–
Southbridge	7	14	8	6
Southwick	–	–	–	–
Spencer	3	4	2	2
Springfield	96	127	71	56
Sterling	–	–	–	–
Stockbridge	1	1	–	1
Stoneham	7	9	5	4
Stoughton	2	2	1	1
Stow	–	–	–	–
Sturbridge	–	–	–	–
Sudbury	–	–	–	–
Sunderland	–	–	–	–
Sutton	–	1	–	1
Swampscott	–	–	–	–
Swansea	3	3	3	–
Taunton	21	30	16	14
Templeton	1	3	–	3
Tewksbury	–	1	–	1
State Infirmary	2	4	3	1
Tisbury	–	–	–	–
Tolland	–	–	–	–
Topsfield	–	–	–	–
Townsend	–	–	–	–
Truro	–	–	–	–
Tyngsborough	–	1	1	–
Tyringham	–	–	–	–
Upton	2	2	1	1
Uxbridge	2	4	3	1
Wakefield	5	6	4	2
Wales	–	–	–	–
Walpole	1	2	2	–
Waltham	20	29	14	15
Ware	6	7	3	4
Wareham	2	3	1	2
Warren	3	5	4	1
Warwick	–	–	–	–

[1] Exclusive of stillbirths.

Table 21

Municipalities.	Total deaths under 1 month of age.	Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1934.			Municipalities.	Total deaths under 1 month of age.	Deaths[1] under 1 Year of Age, by Sex, in the State and in Each Municipality: 1934.		
		Total.	Males.	Females.			Total.	Males.	Females.
Washington	–	–	–	–	Weston	1	1	1	–
Watertown	3	6	4	2	Westport	–	1	1	–
Wayland	1	2	2	–	Westwood	–	–	–	–
Webster	9	14	8	6	Weymouth	12	16	5	11
Wellesley	–	1	1	–	Whately	–	–	–	–
Wellfleet	–	–	–	–	Whitman	2	2	2	–
Wendell	1	1	–	1	Wilbraham	2	3	1	2
Wenham	–	–	–	–	Williamsburg	–	1	1	–
West Boylston	–	–	–	–	Williamstown	–	–	–	–
West Bridgewater	–	–	–	–	Wilmington	–	2	1	1
West Brookfield	–	–	–	–	Winchendon	3	6	4	2
West Newbury	–	–	–	–	Winchester	4	7	3	4
West Springfield	2	3	2	1	Windsor	–	–	–	–
West Stockbridge	–	–	–	–	Winthrop	8	12	8	4
West Tisbury	–	–	–	–	Woburn	9	13	10	3
Westborough	1	1	–	1	Worcester	106	199	104	95
Westfield	5	10	7	3	Worthington	–	–	–	–
Westford	–	1	–	1	Wrentham	–	1	–	1
Westhampton	–	–	–	–	Yarmouth	–	–	–	–
Westminster	–	1	–	1					

[1] Exclusive of stillbirths.

Table 22

Years.	Infant Mortality: 1910 to 1934.			
	Live births.	Deaths[1] under 1 Year.		
		Number	Per 1,000 live births.	Per cent of total deaths.
1910	86,539	11,499	132.9	21.1
1911	88,327	10,543	119.4	19.9
1912	89,882	10,472	116.5	20.0
1913	91,644	10,086	110.1	18.9
1914	93,399	9,894	105.9	18.7
1915	93,155	9,490	101.9	17.9
1916	93,487	9,334	99.8	16.6
1917	95,731	9,325	97.4	16.5
1918	95,607	10,820	113.2	13.7
1919	87,827	7,769	88.5	14.8
1920	91,859	8,382	91.2	15.6
1921	92,245	7,005	75.9	14.7
1922	87,636	7,129	81.3	13.9
1923	89,210	6,968	78.1	13.3
1924	91,463	6,191	67.7	12.5
1925	86,014	6,294	73.1	12.1
1926	83,502	6,130	73.4	11.6
1927	82,273	5,320	64.7	10.7
1928	79,054	5,118	64.7	9.9
1929	74,122	4,592	62.0	8.8
1930	73,690	4,440	60.3	9.0
1931	69,385	3,803	54.8	7.8
1932	68,518	3,635	53.1	7.3
1933	63,457	3,294	51.9	6.5
1934	63,767	3,136	49.2	6.2

[1] Exclusive of stillbirths.

Table 23

Municipalities. (Grouped in order of population, 1930.)	Infant Deaths[1] per 1,000 Live Births in Municipalities having over 15,000 Inhabitants in 1930: 1927 to 1934.							
	1934.	1933.	1932.	1931.	1930.	1929.	1928.	1927.
The State.	49	52	53	54	60	62	65	65
Over 100,000.								
Boston	55	59	59	61	70	69	77	85
Worcester	62	55	53	50	63	60	62	58
Springfield	52	52	56	49	54	59	60	58
Fall River	42	63	53	60	66	66	69	77
Cambridge	47	48	57	50	47	57	55	54
New Bedford	61	56	57	83	55	66	79	66
Somerville	45	50	47	48	64	53	76	51
Lynn	33	49	43	45	57	56	69	67
Lowell	63	62	67	77	78	70	77	91
50,000 to 100,000.								
Lawrence	65	50	55	71	68	75	60	55
Quincy	50	57	53	40	47	48	59	58
Newton	31	21	40	49	31	46	42	45
Brockton	35	48	38	47	56	60	55	55
Medford	35	34	43	27	37	33	42	43
Malden	50	31	31	44	44	34	52	50
Holyoke	48	69	55	60	55	68	66	82
25,000 to 50,000.								
Pittsfield	43	52	47	52	40	74	55	56
Haverhill	52	48	42	37	47	44	59	62
Everett	33	59	50	33	46	51	50	65
Brookline (town)	45	34	57	14	39	73	85	83
Chelsea	39	47	58	41	49	39	53	35
Chicopee	71	73	75	61	48	94	88	81
Salem	83	57	63	92	87	97	57	85
Fitchburg	52	59	52	74	65	74	65	61
Waltham	34	40	32	46	51	44	43	58
Taunton	56	73	60	59	86	62	68	62
Arlington (town)	31	42	33	43	45	62	54	45
Revere	65	42	46	34	35	26	52	38
Watertown (town)	47	41	59	42	63	39	58	91
Beverly	17	30	39	35	33	43	64	57
15,000 to 25,000.								
Northampton	42	54	69	57	50	55	32	50
Gloucester	56	37	57	43	57	79	54	63
Melrose	41	49	35	28	53	42	46	44
Framingham (town)	31	57	56	48	34	34	56	48
Leominster	52	49	62	78	108	47	68	52
Attleboro	47	46	58	48	68	58	61	70
Belmont (town)	21	52	85	111	53	34	85	62
North Adams	49	47	43	71	78	69	69	69
Peabody	37	32	35	61	36	79	57	51
Methuen (town)	32	52	54	71	65	50	71	48
Weymouth (town)	38	43	45	26	36	27	41	44
Westfield	33	23	81	82	54	70	48	80
Woburn	37	35	26	49	43	56	45	58
Gardner	47	43	59	73	51	65	65	72
Winthrop (town)	40	23	20	24	44	17	42	31
West Springfield (town)	43	52	43	51	87	85	103	60
Milton (town)	52	48	–[2]	43	49	–	–	–
Wakefield (town)	44	56	61	20	48	47	36	26
Braintree (town)	40	33	99	43	38	–	–	–
Marlborough	39	38	44	41	36	29	30	33
Greenfield (town)	43	45	20	57	63	48	40	66
Dedham (town)	23	51	70	43	116	–	–	–
Newburyport	42	71	43	41	46	51	32	44
Norwood (town)	24	47	56	36	52	–	–	–

[1] Exclusive of stillbirths. [2] No deaths under 1 year of age.

Table 24

Municipalities. (Grouped in order of population, 1930.)	Birth Rates, Death Rates, Natural Increase, Infant Mortality Rates, and Survivorship, in Municipalities having over 15,000 Inhabitants in 1930: 1934.					
	Births[1] per 1,000 population.	Deaths[1] per 1,000 population.	Natural increase per 1,000 population.	Deaths[1] under 1 year per 1,000 births.[1]	Survivors at end of first year of life.	
					Number.	Per 1,000 births.[1]
The State.	14.7	11.7	3.0	49.2	60,631	951
Over 100,000						
Boston	20.2	14.5	5.7	55.0	14,954	945
Worcester	16.3	12.7	3.6	61.5	3,038	939
Springfield	15.5	11.0	4.5	52.2	2,304	948
Fall River	18.0	12.6	5.4	42.0	1,935	958
Cambridge	19.3	11.8	7.5	47.0	2,087	953
New Bedford	15.8	11.1	4.7	60.8	1,667	939
Somerville	11.4	8.3	3.1	44.6	1,178	955
Lynn	14.6	10.6	4.0	33.4	1,443	967
Lowell	17.4	13.4	4.0	63.2	1,630	937

[1] Exclusive of stillbirths.

Table 24

BIRTH RATES, DEATH RATES, NATURAL INCREASE, INFANT MORTALITY RATES, AND SURVIVORSHIP, IN MUNICIPALITIES HAVING OVER 15,000 INHABITANTS IN 1930: 1934.—*Con.*

MUNICIPALITIES. (Grouped in order of population, 1930.)	Births[1] per 1,000 population.	Deaths[1] per 1,000 population.	Natural increase per 1,000 population.	Deaths[1] under 1 year per 1,000 births.[1]	SURVIVORS AT END OF FIRST YEAR OF LIFE. Number.	Per 1,000 births.[1]
50,000 TO 100,000						
Lawrence	15.5	11.3	4.2	64.5	1,233	936
Quincy	12.7	7.9	4.8	50.0	995	950
Newton	11.4	8.5	2.9	31.1	839	939
Brockton	18.9	12.0	6.9	34.8	1,165	965
Medford	13.4	7.2	6.2	35.2	905	965
Malden	12.3	9.5	2.8	50.2	738	950
Holyoke	16.0	12.4	3.6	47.5	863	953
25,000 TO 50,000						
Pittsfield	18.3	11.5	6.8	43.1	910	957
Haverhill	15.8	12.3	3.5	51.8	731	948
Everett	14.2	6.6	7.6	32.7	739	967
Brookline (town)	3.4	10.3	6.9[2]	45.2	169	955
Chelsea	12.9	9.9	3.0	38.9	569	961
Chicopee	8.6	6.2	2.4	71.2	365	929
Salem	15.9	12.5	3.4	83.1	640	917
Fitchburg	16.6	10.8	5.8	51.7	642	948
Waltham	19.8	10.2	9.6	34.0	825	966
Taunton	14.4	16.0	1.6[2]	55.8	508	944
Arlington (town)	9.2	7.0	2.2	31.0	407	969
Revere	4.1	5.0	.9[2]	64.5	145	935
Watertown (town)	3.0	5.1	2.1[2]	47.0	122	953
Beverly	15.3	11.6	3.7	16.8	409	983
15,000 TO 25,000						
Northampton	19.5	21.5	2.0[2]	41.8	459	958
Gloucester	15.8	12.1	3.7	55.8	372	944
Melrose	16.0	10.4	5.6	41.4	394	959
Framingham (town)	19.5	9.8	9.7	31.0	437	969
Leominster	15.8	11.4	4.4	52.2	327	948
Attleboro	18.6	11.2	7.4	47.2	404	953
Belmont (town)	1.7	5.9	4.2[2]	21.3	46	979
North Adams	16.9	13.0	3.9	49.3	347	951
Peabody	16.8	8.7	8.1	37.0	365	963
Methuen (town)	11.5	8.9	2.6	32.4	239	968
Weymouth (town)	17.7	9.8	7.9	37.7	408	962
Westfield	14.8	10.6	4.2	33.4	289	967
Woburn	17.2	9.2	8.0	37.2	336	963
Gardner	18.0	13.7	4.3	47.2	343	953
Winthrop (town)	17.1	10.1	7.0	40.1	287	960
West Springfield (town)	3.9	6.6	2.7[2]	43.0	67	957
Milton (town)	4.9	7.6	2.7[2]	52.1	91	948
Wakefield (town)	8.2	7.0	1.2	43.5	132	957
Braintree (town)	4.3	8.0	3.7[2]	39.5	73	961
Marlborough	19.6	12.8	6.8	39.3	293	961
Greenfield (town)	19.1	12.3	6.8	43.3	287	957
Dedham (town)	5.5	6.1	.6[2]	22.5	87	978
Newburyport	17.3	12.8	4.5	42.1	250	958
Norwood (town)	26.4	11.8	14.6	24.0	408	976

[1] Exclusive of stillbirths. [2] Decrease.

Table 25

INFANT MORTALITY IN MASSACHUSETTS, BOSTON, AND THE REMAINDER OF THE STATE OUTSIDE OF BOSTON: 1918 TO 1934.

YEARS.	MASSACHUSETTS. Live births.	DEATHS UNDER 1 YEAR. Number.	Per 1,000 live births.	BOSTON. Live births.	DEATHS UNDER 1 YEAR. Number.	Per 1,000 live births.	REMAINDER OF STATE OUTSIDE BOSTON. Live births.	DEATHS UNDER 1 YEAR. Number.	Per 1,000 live births.
1918	95,607	10,820	113.2	20,092	2,304	114.7	75,515	8,516	112.8
1919	87,827	7,769	88.5	18,799	1,814	96.5	69,028	5,955	86.3
1920	91,859	8,382	91.2	19,573	1,962	100.2	72,286	6,420	88.8
1921	92,245	7,005	75.9	19,397	1,497	77.2	72,848	5,508	75.6
1922	87,636	7,129	81.3	18,536	1,711	92.3	69,100	5,418	78.4
1923	89,210	6,968	78.1	19,056	1,570	82.4	70,154	5,398	76.9
1924	91,463	6,191	67.7	19,776	1,468	74.2	71,687	4,723	65.9
1925	86,014	6,294	73.1	18,636	1,585	85.1	67,378	4,709	69.9
1926	83,502	6,130	73.4	18,731	1,572	83.9	64,771	4,558	70.4
1927	82,273	5,320	64.7	17,079	1,459	85.4	65,194	3,861	59.2
1928	79,054	5,118	64.7	18,781	1,445	76.9	60,273	3,673	60.9
1929	74,122	4,592	62.0	17,942	1,236	68.9	56,180	3,356	59.7
1930	73,690	4,440	60.3	18,057	1,257	69.6	55,633	3,183	57.2
1931	69,385	3,803	54.8	17,137	1,039	60.6	52,248	2,764	52.9
1932	68,518	3,635	53.1	17,271	1,025	59.3	51,247	2,610	50.9
1933	63,457	3,294	51.9	16,249	958	58.9	47,208	2,436	51.6
1934	63,767	3,136	49.2	15,825	871	55.0	47,942	2,265	47.2

Table 26

Years.	Survivors at End of First Year of Life: 1909 to 1934. Per 1,000 population.	Per 1,000 live births.	Years.	Survivors at End of First Year of Life: 1909 to 1934. Per 1,000 population.	Per 1,000 live births.
1909	22.2	873	1922	20.5	919
1910	22.2	867	1923	20.7	922
1911	22.6	881	1924	21.3	932
1912	22.6	883	1925	19.2	927
1913	22.8	890	1926	18.4	927
1914	22.9	894	1927	18.0	935
1915	22.7	898	1928	17.1	935
1916	22.3	900	1929	15.9	938
1917	22.5	903	1930	16.3	940
1918	21.7	887	1931	15.5	945
1919	20.9	911	1932	11.9	946
1920	21.7	909	1933	13.9	948
1921	21.9	924	1934	14.0	951

Table 27

Detailed Int. List No.	Causes.	Infant Deaths per 1,000 Live Births, by Causes: 1927 to 1934. 1934.	1933.	1932.	1931.	1930.	1929.	1928.	1927.
	All Causes.	49.2	51.9	53.1	54.8	60.3	62.0	64.7	64.7
	Developmental and wasting diseases*	23.2	24.1	23.3	24.8	25.5	26.9	26.3	27.5
159	Premat 1 birth*	16.0	15.8	15.6	16.1	15.7	17.5	16.8	17.2
157	Congenital malformations	6.5	6.9	6.8	7.3	7.8	7.1	7.3	7.3
158	Congenital debility, etc.*	.7	1.4	.9	1.4	2.0	2.3	2.2	3.0
119	Diarrhea and enteritis*	2.7	2.2	2.9	3.4	5.0	4.5	5.9	6.3
107*a*	Bronchopneumonia*	7.0	7.5	7.8	7.1	8.5	9.0	9.7	8.3
108	Lobar pneumonia*	1.1	1.3	1.3	1.6	1.6	1.6	1.9	1.4
86	Convulsions	.2	.3	.2	.2	.2	.5	.5	.4
106*a*, 106*b*, 106*c*	Bronchitis*	.2	.2	.2	.2	.4	.5	.6	.6
9	Whooping cough*	1.1	.9	.9	.7	1.3	.9	1.4	1.0
18, 79	Meningitis	.2	.3	.3	.4	.5	.4	.5	.7
24	Tuberculous meningitis	.1	.2	.3	.2	.2	.3	.4	.4
34	Syphilis	.2	.3	.3	.4	.4	.3	.4	.5
109	Pneumonia, undefined	–	.2	.2	.2	.2	.2	.1	.1
16	Acute anterior poliomyelitis	–	–	–	.1	–	–	–	.2
	All other causes	13.2	14.4	15.4	15.5	16.5	16.9	17.0	17.3

Table 28

Deaths under 2 Years of Age from Diarrhea and Enteritis (119)*, by Months: 1927 to 1934.

Months.	1934.	1933.	1932.	1931.	1930.	1929.	1928.	1927.
The Year.	194	161	229	275	410	394	520	582
January	7	12	13	10	30	42	24	38
February	10	13	16	13	25	17	24	24
March	20	17	21	18	34	31	30	32
April	12	11	18	15	35	21	39	27
May	15	14	14	26	30	24	51	22
June	16	10	17	12	23	28	32	31
July	18	12	19	35	28	30	55	56
August	38	11	24	35	38	45	49	92
September	23	24	29	48	66	54	86	94
October	23	13	22	33	53	48	55	80
November	6	12	18	17	26	25	38	45
December	6	12	18	13	22	29	37	41
	Per Cent Distribution.							
The Year.	100.0	100.0	100.0	100.0	100.0	100.0	100.0	100.0
January	3.6	7.5	5.6	3.6	7.3	10.7	4.6	6.5
February	5.1	8.0	7.0	4.7	6.1	4.3	4.6	4.1
March	10.3	10.6	9.2	6.5	8.3	7.9	5.8	5.5
April	6.2	6.8	7.9	5.5	8.5	5.3	7.5	4.6
May	7.7	8.7	6.1	9.5	7.3	6.0	9.8	3.8
June	8.2	6.2	7.4	4.4	5.6	7.1	6.2	5.3
July	9.3	7.5	8.3	12.7	6.8	7.6	10.6	9.6
August	19.6	6.8	10.5	12.7	9.3	11.5	9.4	15.8
September	11.9	14.9	12.6	17.5	16.1	13.7	16.5	16.2
October	11.9	8.0	9.6	12.0	12.9	12.2	10.6	13.8
November	3.1	7.5	7.9	6.2	6.4	6.3	7.3	7.8
December	3.1	7.5	7.9	4.7	5.4	7.4	7.1	7.0

Table 29

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1934.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	The State	T	3,136	964	217	183	229	1,593	139	111	92	1,935	204	189	349	254	205
		M	1,784	544	125	111	135	915	78	66	52	1,111	114	114	202	135	108
		F	1,352	420	92	72	94	678	61	45	40	824	90	75	147	119	97
7	Measles	M	16	–	–	–	–	–	–	–	–	–	–	–	2	2	12
		F	8	–	–	–	–	–	–	–	–	–	–	–	2	4	2
8	Scarlet fever	M	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	27	–	–	–	–	–	–	2	1	3	1	3	6	7	7
		F	46	–	–	–	–	–	–	–	–	–	7	3	6	18	12
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	10	–	–	–	–	–	–	–	–	–	–	3	3	1	3
		F	6	–	–	–	–	–	–	–	–	–	–	–	3	–	3
13	Dysentery	M	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	10	–	–	–	–	–	–	2	–	2	3	2	1	1	1
		F	6	–	–	–	–	–	–	–	1	1	1	1	–	1	2
18	Epidemic cerebro-spinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	3	–	–	–	–	–	–	–	–	–	–	–	–	1	2
		F	2	–	–	–	–	–	–	–	–	–	–	–	–	–	2
24	Tuberculosis of the meninges and central nervous system	M	3	–	–	–	–	–	–	–	–	–	–	1	1	1	–
		F	4	–	–	–	–	–	1	–	–	1	–	–	1	–	2
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
34	Syphilis	M	8	2	–	–	–	2	–	1	1	4	–	1	–	2	1
		F	4	1	–	–	–	1	–	–	–	1	–	1	2	–	–
86	Convulsions	M	12	–	–	1	–	1	1	–	2	4	2	–	4	1	1
		F	2	–	–	–	–	–	–	–	–	–	2	–	–	–	–
106	Bronchitis	M	10	–	–	–	1	1	–	–	1	2	–	1	3	2	2
		F	6	–	–	–	–	–	1	–	–	1	–	–	3	1	1
107	Bronchopneumonia	M	245	2	1	1	3	7	6	7	11	31	36	37	68	41	32
		F	202	1	1	3	4	9	3	5	12	29	30	22	53	35	33
108, 109	Pneumonia	M	35	1	1	–	–	2	3	1	–	6	4	3	8	9	5
		F	38	–	1	–	1	2	–	1	–	3	2	5	3	11	14
117, 118	Diseases of the stomach	M	3	–	–	–	–	–	–	–	–	–	2	–	1	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1
119	Diarrhea and enteritis	M	101	–	–	1	–	1	2	5	5	13	14	13	28	21	12
		F	71	–	–	–	2	2	2	4	1	9	9	8	19	17	9
122b	Intestinal obstruction	M	18	–	–	–	–	–	–	–	1	1	–	–	10	4	3
		F	6	–	–	–	–	–	1	–	1	2	–	–	2	1	1
157	Congenital malformations	M	210	41	20	16	31	108	15	17	6	146	19	14	17	7	7
		F	206	42	16	17	24	99	19	10	12	140	11	19	28	7	1
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	45	3	1	5	9	18	3	5	–	26	6	5	6	2	–
		F	24	1	1	1	6	9	2	1	–	12	4	2	3	3	–
159	Premature birth	M	574	360	61	45	40	506	25	10	11	552	10	7	2	3	–
		F	443	282	44	25	24	375	22	18	9	424	13	4	2	–	–
160	Injuries at birth	M	156	67	21	29	18	135	10	5	5	155	1	–	–	–	–
		F	86	37	15	15	16	83	1	–	1	85	–	–	1	–	–
161*a*, *d*	Other diseases of early infancy	M	131	61	18	11	24	114	7	2	4	127	–	1	2	1	–
		F	78	44	10	8	10	72	4	–	1	77	1	–	–	–	–
172–198, 201–214	External causes	M	28	1	2	–	1	4	2	–	1	7	–	7	9	4	1
		F	29	5	2	1	–	8	1	–	–	9	2	1	8	5	4
199, 200	Unknown or ill-defined diseases	M	8	1	–	–	2	3	–	–	–	3	1	–	1	3	–
		F	4	1	–	–	1	2	–	–	–	2	–	–	1	–	1
	All other causes	M	127	5	–	2	6	13	4	9	3	29	15	14	29	22	18
		F	77	6	2	2	6	16	4	6	2	28	8	9	9	15	8

[1] Exclusive of stillbirths.

Table 29a

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1934.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BOSTON.	T	871	236	62	42	51	391	32	38	30	491	69	65	106	77	63
		M	503	139	34	28	28	229	21	18	14	282	40	37	62	42	40
		F	368	97	28	14	23	162	11	20	16	209	29	28	44	35	23
7	Measles	M	4	–	–	–	–	–	–	–	–	–	–	–	1	1	2
		F	2	–	–	–	–	–	–	–	–	–	–	–	–	2	–
8	Scarlet fever	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	8	–	–	–	–	–	–	1	–	1	1	1	2	–	3
		F	15	–	–	–	–	–	–	–	–	–	1	3	–	5	6
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	4	–	–	–	–	–	–	–	–	–	–	–	1	1	2
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
13	Dysentery	M	2	–	–	–	–	–	–	–	–	–	–	2	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	4	–	–	–	–	–	–	1	–	1	2	–	1	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	3	–	–	–	–	–	–	–	–	–	–	–	–	1	2
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	3	1	–	–	–	1	–	–	–	1	–	–	–	2	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	2	–	–	–	–	–	–	–	–	–	–	1	–	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
107	Bronchopneumonia	M	86	2	–	1	1	4	2	3	7	16	13	12	20	12	13
		F	79	1	–	1	1	3	1	4	8	16	13	7	21	12	10
108, 109	Pneumonia	M	22	1	1	–	–	2	2	1	–	5	4	–	6	5	2
		F	9	–	–	–	1	1	–	–	–	1	–	1	–	3	4
117, 118	Diseases of the stomach	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	23	–	–	–	–	–	1	1	–	2	4	3	9	6	4
		F	13	–	–	–	1	1	1	1	–	3	2	3	2	3	–
122*b*	Intestinal obstruction	M	5	–	–	–	–	–	–	–	1	1	–	–	3	–	1
		F	4	–	–	–	–	–	–	–	1	1	–	–	2	1	–
157	Congenital malformations	M	53	9	8	3	7	27	3	2	1	33	6	5	4	2	3
		F	55	9	6	3	6	24	4	4	2	34	3	6	9	3	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	8	–	–	2	2	4	–	–	–	4	1	1	2	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	144	88	13	12	8	121	7	5	4	137	5	1	–	1	–
		F	121	66	16	4	6	92	4	10	5	111	7	3	–	–	–
160	Injuries at birth	M	44	19	9	5	6	39	3	1	1	44	–	–	–	–	–
		F	19	9	3	4	3	19	–	–	–	19	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	32	18	3	4	3	28	2	1	–	31	–	–	1	–	–
		F	14	7	2	2	3	14	–	–	–	14	–	–	–	–	–
172–198, 201–214	External causes	M	8	–	–	–	–	–	–	–	–	–	–	5	1	1	1
		F	5	3	–	–	–	3	–	–	–	3	–	–	2	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	41	1	–	1	1	3	1	2	–	6	3	6	10	10	6
		F	24	2	1	–	2	5	1	1	–	7	3	4	4	5	1

[1] Exclusive of stillbirths.

Table 29b

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930. 1934.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	BROCKTON.	T	42	19	5	3	–	27	2	–	1	30	2	–	6	1	3
		M	23	12	3	2	–	17	–	–	–	17	1	–	3	1	1
		F	19	7	2	1	–	10	2	–	1	13	1	–	3	–	2
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	3	–	–	–	–	–	–	–	–	–	1	–	1	–	1
		F	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–
108, 109	Pneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	1	–	–	–	1	–	–	1	2	1	–	1	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	13	11	1	1	–	13	–	–	–	13	–	–	–	–	–
		F	7	4	2	–	–	6	1	–	–	7	–	–	–	–	–
160	Injuries at birth	M	2	–	1	1	–	2	–	–	–	2	–	–	–	–	–
		F	3	2	–	1	–	3	–	–	–	3	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	2	1	1	–	–	2	–	–	–	2	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	2	–	–	–	–	–	1	–	–	1	–	–	–	–	1

[1] Exclusive of stillbirths.

Table 29c

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1934.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	CAMBRIDGE.	T	103	22	4	3	12	41	9	4	1	55	11	8	13	14	2
		M	60	9	3	1	8	21	6	3	1	31	6	5	10	7	1
		F	43	13	1	2	4	20	3	1	–	24	5	3	3	7	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	17	–	–	–	1	1	3	–	–	4	1	3	4	5	–
		F	13	–	–	–	2	2	1	–	–	3	3	1	2	3	1
108, 109	Pneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	3	–	–	–	–	–	–	1	–	1	2	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	6	–	–	–	2	2	1	–	–	3	–	1	2	–	–
		F	4	1	–	–	1	2	2	–	–	4	–	–	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	3	–	–	–	–	–	–	1	–	1	–	–	1	1	–
		F	4	–	1	–	–	1	–	–	–	1	–	1	–	2	–
159	Premature birth	M	15	7	3	–	2	12	1	–	1	14	–	–	1	–	–
		F	13	10	–	–	1	11	–	1	–	12	1	–	–	–	–
160	Injuries at birth	M	3	1	–	1	1	3	–	–	–	3	–	–	–	–	–
		F	2	1	–	1	–	2	–	–	–	2	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	4	1	–	–	2	3	1	–	–	4	–	–	–	–	–
		F	2	1	–	1	–	2	–	–	–	2	–	–	–	–	–
172–198, 201–214	External causes	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	4	–	–	–	–	–	–	1	–	1	2	–	1	–	–
		F	3	–	–	–	–	–	–	–	–	–	1	1	–	1	–

[1] Exclusive of stillbirths.

Table 29d

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1934.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12
	FALL RIVER.	T	87	34	6	3	8	51	6	–	–	57	7	5	12	5	1
		M	43	18	2	3	3	26	3	–	–	29	3	1	8	2	–
		F	44	16	4	–	5	25	3	–	–	28	4	4	4	3	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–	1	–	1	1	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	6	–	–	–	–	–	–	–	–	–	1	1	3	1	–
		F	2	–	–	–	–	–	–	–	–	–	1	–	1	–	–
108, 109	Pneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 113	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	5	–	–	–	–	–	–	–	–	–	2	–	2	1	–
		F	4	–	–	–	–	–	–	–	–	–	1	1	2	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	4	1	–	2	–	3	1	–	–	4	–	–	–	–	–
		F	8	1	2	–	2	5	1	–	–	6	–	2	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
		F	3	1	–	–	1	2	–	–	–	2	–	1	–	–	–
159	Premature birth	M	15	12	1	–	1	14	–	–	–	14	–	–	1	–	–
		F	11	10	–	–	–	10	1	–	–	11	–	–	–	–	–
160	Injuries at birth	M	8	5	–	1	–	6	2	–	–	8	–	–	–	–	–
		F	3	1	1	–	1	3	–	–	–	3	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	2	–	1	–	1	2	–	–	–	2	–	–	–	–	–
		F	6	3	1	–	1	5	1	–	–	6	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	2	–		–	–	–	–	–	–	–	–	–	2	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1

[1] Exclusive of stillbirths.

Table 29e

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1934.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	HOLYOKE.	T	43	17	2	-	6	25	2	-	-	27	2	4	5	2	3
		M	23	7	1	-	3	11	-	-	-	11	1	3	4	2	2
		F	20	10	1	-	3	14	2	-	-	16	1	1	1	-	1
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	3	-	-	-	-	-	-	-	-	-	-	-	2	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
108, 109	Pneumonia	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	2	-	-	-	1	1	-	-	-	1	-	1	-	-	-
		F	2	-	1	-	-	1	-	-	-	1	-	1	-	-	-
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	1	-	-	1	1	-	-	-	-
159	Premature birth	M	6	4	1	-	1	6	-	-	-	6	-	-	-	-	-
		F	9	7	-	-	1	8	1	-	-	9	-	-	-	-	-
160	Injuries at birth	M	2	1	-	-	-	1	-	-	-	1	1	-	-	-	-
		F	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	2	2	-	-	-	2	-	-	-	2	-	-	-	-	-
		F	3	1	-	-	2	3	-	-	-	3	-	-	-	-	-
172–198, 201–214	External causes	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	2	-	-	-	1	1	-	-	-	1	-	-	1	-	-
		F	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-

[1] Exclusive of stillbirths.

Table 29f

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1934.

Detailed Int. List No	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	LAWRENCE.	T	85	27	5	4	10	46	8	2	1	57	1	4	10	10	3
		M	49	17	2	3	5	27	6	1	1	35	1	2	4	7	-
		F	36	10	3	1	5	19	2	1	-	22	-	2	6	3	3
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
107	Bronchopneumonia	M	3	-	-	-	-	-	-	-	-	-	-	1	1	1	-
		F	3	-	-	-	-	-	-	-	-	-	-	1	1	-	1
108, 109	Pneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	4	-	-	-	-	-	-	-	-	-	-	1	1	2	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	11	2	-	2	1	5	2	-	1	8	-	-	2	1	-
		F	11	2	1	1	2	6	1	-	-	7	-	1	2	-	1
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	2	-	-	-	1	1	1	-	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	M	18	11	2	-	2	15	2	-	-	17	-	-	-	1	-
		F	8	4	1	-	2	7	-	-	-	7	-	-	1	-	-
160	Injuries at birth	M	4	3	-	-	-	3	1	-	-	4	-	-	-	-	-
		F	4	2	1	-	-	3	1	-	-	4	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	2	1	-	1	-	2	-	-	-	2	-	-	-	-	-
		F	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
172–198, 201–214	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	4	-	-	-	1	1	-	1	-	2	1	-	-	1	-
		F	2	-	-	-	1	1	-	1	-	2	-	-	-	-	-

[1] Exclusive of stillbirths.

Table 29g

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1934.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	LOWELL.	T	110	33	8	10	5	56	4	3	4	67	6	4	9	14	10
		M	73	22	7	5	3	37	4	3	3	47	2	3	7	8	6
		F	37	11	1	5	2	19	-	-	1	20	4	1	2	6	4
7	Measles	M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	2	-	-	-	-	-	-	1	-	1	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	2	-	-	-	-	-	-	-	1	1	1	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
107	Bronchopneumonia	M	6	-	-	-	-	-	-	-	-	-	-	-	2	2	2
		F	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1
108, 109	Pneumonia	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	10	-	-	1	-	1	1	-	-	2	-	2	2	2	2
		F	6	-	-	-	-	-	-	-	-	-	2	-	1	3	-
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	6	1	1	1	-	3	-	2	-	5	-	-	1	-	-
		F	4	-	-	1	2	3	-	-	1	4	-	-	-	-	-
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	4	-	-	-	-	-	-	-	-	-	1	-	2	1	-
		F	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-
159	Premature birth	M	22	8	5	3	1	17	3	-	1	21	-	1	-	-	-
		F	9	8	-	1	-	9	-	-	-	9	-	-	-	-	-
160	Injuries at birth	M	7	5	-	-	1	6	-	-	1	7	-	-	-	-	-
		F	2	1	-	1	-	2	-	-	-	2	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	9	7	1	-	1	9	-	-	-	9	-	-	-	-	-
		F	5	2	1	2	-	5	-	-	-	5	-	-	-	-	-
172–198, 201–214	External causes	M	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199, 200	Unknown or ill-defined diseases	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

[1] Exclusive of stillbirths.

Table 29h

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1934.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	LYNN.	T	50	22	4	3	4	33	–	–	–	33	1	3	7	3	3
		M	28	13	2	1	4	20	–	–	–	20	1	1	3	1	2
		F	22	9	2	2	–	13	–	–	–	13	–	2	4	2	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
108, 109	Pneumonia	M	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1
		F	3	–	–	–	–	–	–	–	–	–	–	–	2	1	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
122*b*	Intestinal obstruction	M	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	3	1	–	1	1	3	–	–	–	3	–	–	–	–	–
		F	2	–	–	1	–	1	–	–	–	1	–	–	1	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	13	9	2	–	2	13	–	–	–	13	–	–	–	–	–
		F	7	5	1	1	–	7	–	–	–	7	–	–	–	–	–
160	Injuries at birth	M	2	2	–	–	–	2	–	–	–	2	–	–	–	–	–
		F	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	2	1	–	–	1	2	–	–	–	2	–	–	–	–	–
		F	4	4	–	–	–	4	–	–	–	4	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Table 29i

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1934.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	MALDEN.	T	39	14	4	1	3	22	1	1	1	25	1	2	3	5	3
		M	22	7	2	1	–	10	1	1	1	13	1	1	3	3	1
		F	17	7	2	–	3	12	–	–	–	12	–	1	–	2	2
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	5	–	1	–	–	1	–	1	1	3	–	–	1	1	–
		F	3	–	–	–	–	–	–	–	–	–	–	1	–	1	1
108, 109	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
157	Congenital malformations	M	3	1	1	–	–	2	–	–	–	2	1	–	–	–	–
		F	3	1	1	–	1	3	–	–	–	3	–	–	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
159	Premature birth	M	8	6	–	1	–	7	1	–	–	8	–	–	–	–	–
		F	7	6	–	–	1	7	–	–	–	7	–	–	–	–	–
160	Injuries at birth	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	1	–	–	–	1	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	3	–	–	–	–	–	–	–	–	–	–	1	1	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Exclusive of stillbirths.

Table 29j

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1934.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	MEDFORD.	T	33	14	3	1	3	21	1	–	2	24	–	2	1	3	3
		M	17	7	2	–	1	10	–	–	1	11	–	2	–	2	2
		F	16	7	1	1	2	11	1	–	1	13	–	–	1	1	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	3	–	–	–	–	–	–	–	1	1	–	–	–	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	1	1	–	–	–	–	1
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
108, 109	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122b	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	2	1	–	–	1	2	–	–	–	2	–	–	–	–	–
		F	3	1	1	–	1	3	–	–	–	3	–	–	–	–	–
158, 161b,c	Congenital debility, icterus, sclerema	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	7	5	2	–	–	7	–	–	–	7	–	–	–	–	–
		F	5	4	–	–	1	5	–	–	–	5	–	–	–	–	–
160	Injuries at birth	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
161a,d	Other diseases of early infancy	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	4	2	–	1	–	3	1	–	–	4	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Table 29k

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1934.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	NEW BEDFORD.	T	108	34	9	7	8	58	5	6	2	71	4	6	10	8	9
		M	63	23	5	4	2	34	3	4	1	42	2	4	7	3	5
		F	45	11	4	3	6	24	2	2	1	29	2	2	3	5	4
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
25-32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	10	-	-	-	-	-	-	1	-	1	1	1	4	2	1
		F	5	-	-	-	-	-	-	-	-	-	1	-	1	2	1
108, 109	Pneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	3	-	-	-	-	-	-	-	-	-	1	1	-	-	1
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-
		F	3	-	-	-	1	1	-	1	-	2	-	-	-	1	-
122 *b*	Intestinal obstruction	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	6	1	1	-	1	3	-	2	-	5	-	-	1	-	-
		F	6	1	-	2	1	4	-	-	-	4	-	1	1	-	-
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	2	1	-	-	-	1	1	-	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	M	24	17	2	2	1	22	1	-	-	23	1	-	-	-	-
		F	12	6	3	1	-	10	2	-	-	12	-	-	-	-	-
160	Injuries at birth	M	3	1	1	1	-	3	-	-	-	3	-	-	-	-	-
		F	4	1	-	-	2	3	-	-	1	4	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	6	2	1	1	-	4	1	-	1	6	-	-	-	-	-
		F	5	3	1	-	1	5	-	-	-	5	-	-	-	-	-
172-198, 201-214	External causes	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199, 200	Unknown or ill-defined diseases	M	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-
		F	3	-	-	-	1	1	-	1	-	2	-	-	1	-	-

[1] Exclusive of stillbirths.

Table 291

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1934.

Detailed Int. List No.	CAUSE OF DEATH.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	NEWTON.	T	27	9	2	4	2	17	1	-	-	18	1	4	2	2	-
		M	15	5	1	3	1	10	-	-	-	10	-	3	1	1	-
		F	12	4	1	1	1	7	1	-	-	8	1	1	1	1	-
7	Measles	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
107	Bronchopneumonia	M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
108, 109	Pneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	3	-	-	-	1	1	-	-	-	1	-	2	-	-	-
		F	2	-	-	-	-	-	1	-	-	1	-	1	-	-	-
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	M	6	5	-	1	-	6	-	-	-	6	-	-	-	-	-
		F	4	3	-	1	-	4	-	-	-	4	-	-	-	-	-
160	Injuries at birth	M	3	-	1	2	-	3	-	-	-	3	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	1	-	-	1	2	-	-	-	2	-	-	-	-	-
172–198, 201–214	External causes	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	2	-	1	-	-	1	-	-	-	1	1	-	-	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-

[1] Exclusive of stillbirths.

Table 29m

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1934.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	QUINCY.	T	52	16	1	3	4	24	1	5	4	34	3	1	7	4	3
		M	29	7	1	2	3	13	–	3	2	18	3	–	5	1	2
		F	23	9	–	1	1	11	1	2	2	16	–	1	2	3	1
7	Measles	M	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
		F	4	–	–	–	–	–	–	1	2	3	–	–	–	1	–
108, 109	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	–	1
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	6	–	–	–	–	–	–	1	2	3	2	–	1	–	–
		F	1	–	–	–	–	–	–	1	–	1	–	–	–	–	–
122*b*	Intestinal obstruction	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	4	1	–	1	–	2	–	–	–	2	1	–	1	–	–
		F	6	2	–	–	1	3	1	–	–	4	–	1	1	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	2	–	–	–	1	1	–	1	–	2	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
159	Premature birth	M	4	4	–	–	–	4	–	–	–	4	–	–	–	–	–
		F	6	6	–	–	–	6	–	–	–	6	–	–	–	–	–
160	Injuries at birth	M	5	1	1	1	2	5	–	–	–	5	–	–	–	–	–
		F	2	1	–	1	–	2	–	–	–	2	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	2	–	–	–	–	–	–	1	–	1	–	–	–	–	1
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–

[1] Exclusive of stillbirths.

Table 29n

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1934.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	SOMERVILLE.	T	55	18	2	6	7	33	3	1	1	38	3	2	8	3	1
		M	34	12	1	3	4	20	1	–	1	22	2	1	6	3	–
		F	21	6	1	3	3	13	2	1	–	16	1	1	2	–	1
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
8	Scarlet fever	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
106	Bronchitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	3	–	–	–	–	–	–	–	–	–	1	1	1	–	–
		F	4	–	–	–	–	–	–	–	–	–	1	1	1	–	1
108, 109	Pneumonia	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	2	–	–	–	–	–	–	–	–	–	–	–	2	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
122*b*	Intestinal obstruction	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	3	1	–	–	1	2	–	–	–	2	–	–	–	1	–
		F	3	–	–	1	–	1	1	1	–	3	–	–	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	1	–	–	–	1	1	–	–	–	1	–	–	–	–	–
		F	2	–	–	–	2	2	–	–	–	2	–	–	–	–	–
159	Premature birth	M	14	8	1	2	–	11	1	–	1	13	1	–	–	–	–
		F	7	4	1	–	1	6	1	–	–	7	–	–	–	–	–
160	Injuries at birth	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	1	–	2	–	3	–	–	–	3	–	–	–	–	–
161*a*, *d*	Other diseases of early infancy	M	5	2	–	1	2	5	–	–	–	5	–	–	–	–	–
		F	1	1	–	–	–	1	–	–	–	1	–	–	–	–	–
172–198, 201–214	External causes	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	2	1	–	–	–	1	–	–	–	1	–	–	1	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Exclusive of stillbirths.

Table 29o

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1934.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	SPRINGFIELD.	T	127	55	13	8	9	85	6	-	4	96	4	4	11	6	6
		M	71	27	9	3	6	45	6	-	2	53	3	3	7	2	3
		F	56	28	4	5	3	40	1	-	2	43	1	1	4	4	3
7	Measles	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
		F	-	-		-	-	-	-	-	-	-	-	-	-	-	-
8	Scarlet fever	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
9	Whooping cough	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
10	Diphtheria	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
11	Influenza	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
13	Dysentery	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15	Erysipelas	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
18	Epidemic cerebrospinal meningitis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
22	Tetanus	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
23	Tuberculosis of the respiratory system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1
24	Tuberculosis of the meninges and central nervous system	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
25–32	Other forms of tuberculosis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
34	Syphilis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
86	Convulsions	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
106	Bronchitis	M	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-
107	Bronchopneumonia	M	4	-	-	-	-	-	-	-	-	-	2	1	1	-	-
		F	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1
108, 109	Pneumonia	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1
117, 118	Diseases of the stomach	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
119	Diarrhea and enteritis	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
122*b*	Intestinal obstruction	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
157	Congenital malformations	M	11	1	2	-	1	4	2	-	1	7	1	1	2	-	-
		F	9	1	-	2	1	4	1	-	2	7	-	-	2	-	-
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	2	1	1	-	-	2	-	-	-	2	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
159	Premature birth	M	29	20	5	1	1	27	1	-	-	28	-	1	-	-	-
		F	27	21	3	2	1	27	-	-	-	27	-	-	-	-	-
160	Injuries at birth	M	5	2	-	1	1	4	1	-	-	5	-	-	-	-	-
		F	3	3	-	-	-	3	-	-	-	3	-	-	-	-	-
161*a*, *d*	Other diseases of early infancy	M	6	2	1	-	1	4	1	-	1	6	-	-	-	-	-
		F	4	2	1	-	1	4	-	-	-	4	-	-	-	-	-
172–198, 201–214	External causes	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
199, 200	Unknown or ill-defined diseases	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	All other causes	M	10	1	-	1	1	3	1	-	-	4	-	-	3	1	2
		F	4	1	-	1	-	2	-	-	-	2	1	1	-	-	-

[1] Exclusive of stillbirths.

Table 29p

DEATHS[1] FROM IMPORTANT CAUSES FOR CERTAIN SUBDIVISIONS OF THE FIRST YEAR OF LIFE, FOR THE STATE AND FOR CITIES HAVING 50,000 INHABITANTS OR MORE IN 1930: 1934.

Detailed Int. List No.	Cause of Death.	Sex.	Total deaths under 1 year of age.	Less than 1 day.	1 day.	2 days.	3 days but less than 7.	Total less than 1 week.	1 week but less than 2.	2 weeks but less than 3.	3 weeks but less than 1 month.	Total less than 1 month.	1 month but less than 2.	2 months but less than 3.	3 months but less than 6.	6 months but less than 9.	9 months but less than 12.
	WORCESTER.	T	199	49	11	15	6	81	6	9	10	106	24	12	21	17	19
		M	104	21	6	11	4	42	1	5	7	55	13	7	9	12	8
		F	95	28	5	4	2	39	5	4	3	51	11	5	12	5	11
7	Measles	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	–	1	1
8	Scarlet fever	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
9	Whooping cough	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	3	–	–	–	–	–	–	–	–	–	–	–	2	–	1
10	Diphtheria	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
11	Influenza	M	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
13	Dysentery	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
15	Erysipelas	M	2	–	–	–	–	–	–	–	–	–	1	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
18	Epidemic cerebrospinal meningitis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
22	Tetanus	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
23	Tuberculosis of the respiratory system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	–	–	–	–	–	–	–	1
24	Tuberculosis of the meninges and central nervous system	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
25–32	Other forms of tuberculosis	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
34	Syphilis	M	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
86	Convulsions	M	1	–	–	–	–	–	–	–	–	–	–	–	1	–	–
		F	1	–	–	–	–	–	–	–	–	–	1	–	–	–	–
106	Bronchitis	M	1	–	–	–	–	–	–	–	1	1	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
107	Bronchopneumonia	M	23	–	–	–	1	1	–	1	2	4	5	1	4	5	4
		F	14	–	–	1	–	1	–	–	–	1	2	2	2	2	5
108, 109	Pneumonia	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	–	–	–	–	–	–	–	1	–	–	–	2
117, 118	Diseases of the stomach	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
119	Diarrhea and enteritis	M	7	–	–	–	–	–	–	1	1	2	1	1	1	1	1
		F	12	–	–	–	–	–	–	–	–	–	3	2	5	1	1
122*b*	Intestinal obstruction	M	1	–	–	–	–	–	–	–	–	–	–	–	–	1	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
157	Congenital malformations	M	6	–	–	1	–	1	–	–	–	1	2	1	1	1	–
		F	6	2	–	–	–	2	–	1	–	3	3	–	–	–	–
158, 161*b*, *c*	Congenital debility, icterus, sclerema	M	7	–	–	–	–	–	–	2	–	2	2	3	–	–	–
		F	2	–	–	–	–	–	–	1	–	1	1	–	–	–	–
159	Premature birth	M	28	16	5	3	2	26	1	–	1	28	–	–	–	–	–
		F	36	21	3	2	1	27	5	2	2	36	–	–	–	–	–
160	Injuries at birth	M	10	3	1	5	–	9	–	–	1	10	–	–	–	–	–
		F	6	2	1	1	1	5	–	–	–	5	–	–	1	–	–
161*a*, *d*	Other diseases of early infancy	M	7	2	–	2	1	5	–	1	–	6	–	–	–	1	–
		F	3	2	–	–	–	2	–	–	1	3	–	–	–	–	–
172–198, 201–214	External causes	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	2	–	–	–	–	–	–	–	–	–	–	–	1	1	–
199, 200	Unknown or ill-defined diseases	M	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	All other causes	M	7	–	–	–	–	–	–	–	–	–	2	1	2	1	1
		F	4	1	1	–	–	2	–	–	–	2	–	1	1	–	–

[1] Exclusive of stillbirths.

Maternal Mortality.

Table 30

Deaths and Death Rates per 100,000 Population from Diseases caused by Pregnancy and Confinement*: 1910 to 1934.

Years.	Deaths.			Death rates — per 100,000 population.			Death rates — per 100,000 female population.		
	Total. 140-150.	Puerperal septicemia. 140, 145.	All others. 141-144, 146-150.	Total.	Puerperal septicemia.	All others.	Total.	Puerperal septicemia.	All others.
1910	402	104	298	11.9	3.1	8.8	23.4	6.1	17.3
1911	506	143	363	14.7	4.2	10.6	29.0	6.0	23.0
1912	435	97	338	12.4	2.8	9.6	24.5	5.5	19.0
1913	467	101	366	13.1	2.8	10.2	25.9	5.6	20.3
1914	538	104	434	14.8	2.9	11.9	29.4	5.7	23.7
1915	462	106	356	12.5	2.9	9.6	24.9	5.7	19.2
1916	525	159	366	13.9	4.2	9.7	27.3	8.3	19.0
1917	616	194	422	16.0	5.0	11.0	31.5	9.9	21.6
1918	804	159	645	20.6	4.1	16.5	40.4	8.0	32.4
1919	622	163	459	16.2	4.2	12.0	31.8	8.3	23.5
1920	698	195	503	18.1	5.1	13.0	35.6	10.0	25.6
1921	580	178	402	14.9	4.6	10.3	29.3	9.0	20.3
1922	559	159	400	14.2	4.0	10.2	27.9	7.9	20.0
1923	498	128	370	12.5	3.2	9.3	24.6	6.3	18.3
1924	544	161	383	13.6	4.0	9.6	26.7	7.9	18.8
1925	501	140	361	12.1	3.4	8.7	24.1	6.7	17.4
1926	501	150	351	11.9	3.6	8.3	23.9	7.2	16.7
1927	486	141	345	11.4	3.3	8.1	22.9	6.6	16.3
1928	456	123	333	10.5	2.8	7.7	21.3	5.7	15.6
1929	453	147	306	10.4	3.4	7.0	21.0	6.8	14.2
1930	438	141	297	10.3	3.3	7.0	20.1	6.5	13.6
1931	408	119	289	9.5	2.8	6.7	18.5	5.4	13.1
1932	369	96	273	8.6	2.2	6.4	16.6	4.3	12 3
1933	389	103	286	9.0	2.4	6.6	17.3	4.6	12.7
1934	317	93	224	7.3	2.1	5 2	14.0	4.1	9.9

Table 31

Death Rates per 10,000 Confinements and per 10,000 Births[1] from Diseases caused by Pregnancy and Confinement (140-150)*: 1910 to 1934.

Years.	Per 10,000 confinements.[1]			Per 10,000 births.[2]			Per 10,000 live births.			Per 10,000 confinements.[1] 140-150.	
	Total. 140-150.	Puerperal septicemia. 140, 145.	All others. 141-144,146-150.	Total. 140-150.	Puerperal septicemia. 140, 145.	All others. 141-144,146-150.	Total. 140-150.	Puerperal septicemia. 140, 145.	All Others. 141-144,146-150.	Three-year averages.	Five-year averages.
1910	45	12	33	45	12	33	46	12	34		
1911	56	16	40	55	16	39	57	16	41	49	
1912	47	11	36	47	10	37	48	11	37		
1913	50	11	39	49	11	38	51	11	40		51
1914	56	11	45	56	11	45	58	11	47	51	
1915	48	11	37	48	11	37	48	11	37		
1916	55	17	39	54	16	38	56	17	39		
1917	63	20	43	62	19	43	64	20	44	67	
1918	82	16	66	81	16	65	84	17	67		69
1919	69	18	51	68	18	50	71	19	52		
1920	74	21	53	73	20	53	76	21	55	68	
1921	61	19	42	60	18	42	63	19	44		
1922	62	18	44	61	17	44	64	18	46		
1923	54	14	40	54	14	40	56	14	41	58	58
1924	58	17	41	57	17	40	59	17	42		
1925	57	16	41	56	16	40	58	16	42		
1926	59	18	41	58	17	41	60	18	42	58	
1927	58	17	41	57	17	40	59	17	42		
1928	56	15	41	56	15	41	58	16	42		59
1929	62	20	42	59	19	40	61	20	41	59	
1930	58	19	39	57	18	39	59	19	40		
1931	57	17	40	57	17	40	59	17	42		
1932	53	14	39	52	14	38	54	14	40		
1933	60	16	44	59	16	43	61	16	45	57	
1934	49	14	35	48	14	34	50	15	35		

[1] Inclusive of stillbirths and making proper deductions for plural births.
[2] Inclusive of stillbirths.

Deaths Investigated by Medical Examiners.

Table 32

Deaths (inclusive of Stillbirths) investigated by Medical Examiners, by Cause of Death, in Each County: 1934.

Line No.	Cause of Death.	The State. Number.	The State. Per Cent. Distribution.	Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.
1	**All Causes.**	**9,145**	**100.0**	**70**	**227**	**754**	**9**	**886**	**84**	**864**	**179**	**1,951**	**12**	**694**	**367**	**2,004**	**1,044**
2	Violence.	3,472	38.0	36	100	269	3	396	42	278	72	642	6	215	140	816	457
3	*Suicide.*	610	6.7	3	20	48	1	83	7	47	16	100	1	45	38	129	72
4	Poisons (163)	68	.8	1	1	8	–	4	1	4	1	9	–	5	2	27	5
5	Asphyxia by poisonous gas (164)	138	1.5	2	8	21	1	21	2	11	3	21	1	9	10	14	14
6	Hanging (165)	164	1.8	–	3	6	–	24	1	11	3	34	–	20	11	30	21
7	Drowning (166)	56	.6	–	3	4	–	9	1	4	1	11	–	3	3	14	3
8	Firearms (167)	115	1.3	–	4	7	–	18	2	12	6	19	–	6	10	17	14
9	Cutting or piercing instruments (168)	40	.4	–	1	1	–	6	–	4	1	5	–	1	1	10	10
10	Other means	29	.3	–	–	1	–	1	–	1	1	1	–	1	1	17	5
11	*Homicide.*	93	1.0	1	–	6	–	7	1	6	4	17	–	6	–	35	10
12	Infanticide (172)	10	.1	–	–	–	–	3	–	1	2	2	–	1	–	1	–
13	Firearms (173)	29	.3	1	–	2	–	1	1	1	1	7	–	3	–	11	1
14	Cutting (174)	7	.1	–	–	–	–	–	–	1	–	2	–	1	–	2	1
15	Other means (175)	47	.5	–	–	4	–	3	–	3	1	6	–	1	–	21	8
16	*Accident or Negligence.*	2,769	30.3	32	80	215	2	306	34	225	52	525	5	164	102	652	375
17	Asphyxia, other than drowning (178, 182)	119	1.3	1	8	14	–	20	–	2	1	19	–	5	4	34	11
18	Poisons (179)	39	.4	–	–	1	–	3	1	6	–	4	–	5	1	14	4
19	Burns and scalds (180, 181)	164	1.8	2	–	10	–	18	3	14	4	31	–	9	11	39	23
20	Drowning (183)	206	2.3	4	6	20	1	23	2	18	4	27	1	6	7	57	30
21	Firearms and other weapons (184)	24	.3	–	3	2	–	3	2	1	1	2	–	3	–	4	3
22	Falls, blows and falling bodies (186, 194b)	900	9.9	6	17	73	–	91	2	76	20	180	–	50	20	242	123
23	Weather agencies (190–192)	41	.4	–	–	2	–	4	1	2	–	7	–	3	1	13	8
24	Machinery (202–205)	25	.3	1	1	2	–	3	1	–	–	3	–	–	–	9	5
25	Public travel (railroads, vehicles, etc.) (206–214)	1,174	12.8	18	43	87	1	131	20	103	18	238	4	78	58	220	155
26	Other accidental causes	77	.8	–	2	4	–	10	2	3	4	14	–	5	–	20	13
27	Causes Not Due to Violence.	4,694	51.3	31	127	463	6	469	39	407	93	1,039	6	398	222	814	580
28	Natural causes	4,356	47.6	28	126	440	6	457	36	397	90	1,003	5	383	213	607	565
29	Alcoholism	280	3.1	1	1	13	–	11	2	5	–	29	1	7	4	195	11
30	Unknown or ill-defined causes	58	.6	2	–	10	–	1	1	5	3	7	–	8	5	12	4
31	Cremations	925	10.1	3	–	17	–	21	3	169	13	248	–	75	3	368	5
32	Stillbirths.	54	.6	–	–	5	–	–	–	10	1	22	–	6	2	6	2
33	**Autopsies.**																
34	Number	787	–	2	6	71	–	40	3	38	4	96	6	28	5	357	131

Table 33

Deaths Due to Violence and Other and Months, and by

Detailed Int. List No.	Cause of Death.	Sex.	All deaths investigated.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
				MONTHS.											
	All Causes.	T	8,220[1]	–	–	–	–	–	–	–	–	–	–	–	–
		M	5,556	521	504	499	422	435	416	459	415	415	480	456	534
		F	2,664	247	238	221	241	190	204	234	244	187	227	198	233
	All Causes (exclusive of stillbirths).	T	8,166	–	–	–	–	–	–	–	–	–	–	–	–
		M	5,531	521	504	495	420	432	413	457	413	412	478	454	532
		F	2,635	246	235	215	239	186	202	232	243	184	225	197	231
	Violence.	T	3,472	–	–	–	–	–	–	–	–	–	–	–	–
		M	2,520	208	189	203	185	202	210	244	195	210	223	219	232
		F	952	88	76	86	83	64	77	88	98	66	79	81	66
	Suicide.	T	610	–	–	–	–	–	–	–	–	–	–	–	–
		M	478	41	32	49	48	35	35	41	34	48	42	38	35
		F	132	7	13	10	15	15	6	20	14	10	9	9	4
163	Suicide by solid or liquid poisons or by absorption of corrosive substances	T	68	–	–	–	–	–	–	–	–	–	–	–	–
		M	38	5	–	5	8	–	2	4	1	3	2	5	3
		F	30	4	3	1	4	3	–	5	3	3	2	1	1
163*a*	Arsenic	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	8	1	–	1	–	–	–	1	–	1	1	2	1
		F	2	–	1	–	–	–	–	–	1	–	–	–	–
163*b*	Hydrocyanic	T	12	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	–	1	5	–	–	1	–	1	–	1	1
		F	2	–	–	–	2	–	–	–	–	–	–	–	–
163*c*	Opium, morphine, laudanum	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	1	–	–	1	–	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
163*d*	Strychnine	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	1	–	–	–	1	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
163*e*	Corrosive sublimate	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	1	–	1	–	–	–	–	–	–	–	–	–
		F	5	2	–	–	1	–	–	1	–	1	–	–	–
163*f*	Carbolic acid	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
163*g*	Lysol	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	1	1	–	–	1	–	–	–	1	–
		F	5	–	–	1	1	1	–	1	–	–	–	–	1
163*h*	Others	T	23	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	3	–	–	1	–	1	1	–	–	1	1	1
		F	14	2	1	–	–	2	–	2	2	2	2	1	–
164	Suicide by poisonous gas	T	138	–	–	–	–	–	–	–	–	–	–	–	–
		M	105	11	10	11	10	8	7	8	5	13	7	9	6
		F	33	1	4	3	5	1	3	7	3	1	2	1	2
165	Suicide by hanging or strangulation	T	164	–	–	–	–	–	–	–	–	–	–	–	–
		M	139	7	9	14	16	12	12	14	15	8	9	14	9
		F	25	1	3	3	2	5	1	3	2	1	1	3	–
166	Suicide by drowning	T	56	–	–	–	–	–	–	–	–	–	–	–	–
		M	30	1	1	2	4	3	3	2	3	6	3	1	1
		F	26	–	1	2	2	6	1	3	4	2	3	2	–
167	Suicide by firearms	T	115	–	–	–	–	–	–	–	–	–	–	–	–
		M	113	8	9	12	4	8	8	8	8	14	17	4	13
		F	2	–	–	–	1	–	–	1	–	–	–	–	–
168	Suicide by cutting or piercing instruments	T	40	–	–	–	–	–	–	–	–	–	–	–	–
		M	37	7	3	4	1	3	2	5	2	3	1	4	2
		F	3	–	1	–	1	–	–	1	–	–	–	–	–
169	Suicide by jumping from high places	T	22	–	–	–	–	–	–	–	–	–	–	–	–
		M	13	2	–	1	4	1	1	–	–	–	3	–	1
		F	9	1	–	1	–	–	1	–	2	1	–	2	1
170	Suicide by crushing	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	–	–	–	–	–	–	–	–	1	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
171	Suicide by other means	T	6	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	–	–	–	1	–
		F	4	–	1	–	–	–	–	–	–	2	1	–	–
	Homicide.	T	93	–	–	–	–	–	–	–	–	–	–	–	–
		M	58	4	5	1	4	4	5	5	10	6	5	7	2
		F	35	2	4	7	3	2	3	3	2	3	2	2	2
172	Infanticide (murder of infants less than 1 year of age)	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	1	–	–	–	–
		F	8	–	–	3	1	1	1	–	1	–	1	–	–
172*a*	Immediately after birth	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	2	–	–	–	1	–	–	–	1	–	–	–	–
		F	5	–	–	2	1	1	–	–	1	–	–	–	–
172*b*	Others under 1 year	T	3	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	3	–	–	1	–	–	1	–	–	–	1	–	–
173	Homicide by firearms	T	29	–	–	–	–	–	–	–	–	–	–	–	–
		M	22	2	2	–	2	–	2	3	4	1	2	3	1
		F	7	2	–	–	–	–	1	2	1	–	–	–	1

[1] Not including 925 views for cremation.

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1934.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	65	96	93	124	126	144	350	452	805	1,067	1,190	767	277	-
	50	77	74	62	37	43	145	160	232	368	547	525	344	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	40	96	93	124	126	144	350	452	805	1,067	1,190	767	277	-
	21	77	74	62	37	43	145	160	232	368	547	525	344	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	4	22	62	110	108	128	289	295	381	392	426	217	86	-
	5	21	47	52	30	27	88	62	76	95	137	178	134	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	8	42	74	88	117	96	49	4	-
	-	-	-	-	-	2	16	13	31	32	27	8	3	-
163	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	5	8	7	10	4	3	1	-
	-	-	-	-	-	-	6	3	13	5	1	1	1	-
163a	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	1	1	2	2	-	1	-
	-	-	-	-	-	-	-	-	1	1	-	-	-	-
163b	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	2	1	4	-	1	-	-
	-	-	-	-	-	-	1	-	1	-	-	-	-	-
163c	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	1	-	1	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	1	-
163d	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
163e	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	-	-	-	-	-	-	1	1	1	2	-	-	-	-
163f	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-
163g	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	-	-	-	-	-	-	2	-	3	-	-	-	-	-
163h	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	2	1	1	2	2	1	-	-
	-	-	-	-	-	-	2	2	6	2	1	1	-	-
164	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	7	14	21	29	23	10	-	-
	-	-	-	-	-	1	3	1	6	9	11	1	1	-
165	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	9	21	30	35	31	9	2	-
	-	-	-	-	-	-	1	4	5	8	5	2	-	-
166	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	4	6	5	5	3	7	-	-
	-	-	-	-	-	-	3	-	4	8	8	3	-	-
167	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	5	16	19	13	22	22	16	-	-
	-	-	-	-	-	-	-	-	-	2	-	-	-	-
168	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	3	4	14	11	4	1	-
	-	-	-	-	-	-	-	2	-	-	1	-	-	-
169	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	3	6	2	2	-	-	-
	-	-	-	-	-	1	3	1	2	-	-	1	1	-
170	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	-	-	-	-	-	-	-	2	1	-	1	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	1	-	-	-	3	12	14	11	5	7	3	-	-
	5	4	1	-	1	3	11	2	3	2	1	2	-	-
172	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	3	-	-	-	-	-	-	-	-	-	-	-	-
172a	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	5	-	-	-	-	-	-	-	-	-	-	-	-	-
172b	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	3	-	-	-	-	-	-	-	-	-	-	-	-
173	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	1	7	9	2	1	2	-	-	-
	-	1	-	-	-	1	3	-	-	1	1	-	-	-

Table 33

Deaths Due to Violence and Other and Months, and by

Detailed Int. List No.	Cause of Death.	Sex.	All deaths investigated.	Months. January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
174	Homicide by cutting or piercing instruments	T	7	–	–	–	–	–	–	–	–	–	–	–	–
		M	3	–	–	–	–	1	1	–	–	–	–	1	–
		F	4	–	–	1	–	–	–	–	–	2	–	1	–
175	Homicide by other means	T	47	–	–	–	–	–	–	–	–	–	–	–	–
		M	31	2	3	1	1	3	2	2	5	5	3	3	1
		F	16	–	4	3	2	1	1	1	–	1	1	1	1
	Accidental.	T	2,769	–	–	–	–	–	–	–	–	–	–	–	–
		M	1,984	163	152	133	133	163	170	198	151	156	176	174	195
		F	785	79	59	69	65	47	68	65	82	53	68	70	60
176	Attack by venomous animals	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
177	Poisoning by food	T	1	–	–	–	–	–	–	–	–	–	–	–	–
		M	1	1	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
178	Accidental absorption of poisonous gas	T	67	–	–	–	–	–	–	–	–	–	–	–	–
		M	51	4	13	4	7	2	2	3	–	1	4	3	8
		F	16	2	2	1	3	1	1	–	–	–	1	2	3
179	Other acute accidental poisonings (gas excepted)	T	39	–	–	–	–	–	–	–	–	–	–	–	–
		M	27	3	1	5	–	3	4	2	3	2	2	2	–
		F	12	1	–	5	–	–	2	2	1	–	1	–	–
180	Conflagration	T	34	–	–	–	–	–	–	–	–	–	–	–	–
		M	26	2	3	8	2	2	–	1	1	–	1	5	1
		F	8	4	–	1	–	–	–	1	–	–	–	–	2
181	Accidental burns (conflagration excepted)	T	130	–	–	–	–	–	–	–	–	–	–	–	–
		M	68	13	5	3	8	8	2	3	5	7	3	4	7
		F	62	5	10	3	6	3	6	6	8	8	2	3	2
182	Accidental mechanical suffocation	T	52	–	–	–	–	–	–	–	–	–	–	–	–
		M	36	7	4	3	4	3	–	2	–	3	5	1	4
		F	16	1	2	2	–	2	–	–	1	2	3	2	1
183	Accidental drowning	T	206	–	–	–	–	–	–	–	–	–	–	–	–
		M	183	4	6	8	5	29	29	51	17	15	7	4	8
		F	23	3	–	1	–	–	5	5	5	2	1	1	–
184	Accidental traumatism by firearms (wounds of war excepted)	T	24	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	2	1	3	–	2	–	2	1	1	3	4	1
		F	4	–	–	–	1	–	–	1	1	–	1	–	–
185	Accidental traumatism by cutting or piercing instruments (wounds of war excepted)	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	9	–	1	1	1	2	–	1	–	1	–	–	2
		F	1	–	1	–	–	–	–	–	–	–	–	–	–
186	Accidental traumatism by fall, crushing, landslide	T	755	–	–	–	–	–	–	–	–	–	–	–	–
		M	421	28	40	40	33	36	38	31	31	31	38	31	44
		F	334	37	29	37	31	25	21	20	34	20	26	23	31
186*a*	Fall	T	745	–	–	–	–	–	–	–	–	–	–	–	–
		M	411	28	39	38	33	35	36	31	30	31	37	29	44
		F	334	37	29	37	31	25	21	20	4	20	26	23	31
186*b*	Crushing, landslide	T	10	–	–	–	–	–	–	–	–	–	–	–	–
		M	10	–	1	2	–	1	2	–	1	–	1	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
187	Cataclysm	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
188	Injuries by animals	T	15	–	–	–	–	–	–	–	–	–	–	–	–
		M	11	1	–	–	–	2	1	1	1	3	1	1	–
		F	4	1	–	1	–	–	–	–	–	1	–	1	–
189	Hunger or thirst	T	–	–	–	–	–	–	–	–	–	–	–	–	–
		M	–	–	–	–	–	–	–	–	–	–	–	–	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
190	Excessive cold	T	27	–	–	–	–	–	–	–	–	–	–	–	–
		M	20	6	9	2	–	1	–	–	–	–	2	–	–
		F	7	3	4	–	–	–	–	–	–	–	–	–	–
191	Excessive heat	T	9	–	–	–	–	–	–	–	–	–	–	–	–
		M	7	–	–	–	–	–	3	4	–	–	–	–	–
		F	2	–	–	–	–	–	–	2	–	–	–	–	–
192	Lightning	T	5	–	–	–	–	–	–	–	–	–	–	–	–
		M	4	–	–	–	–	–	3	1	–	–	–	–	–
		F	1	–	–	–	–	–	–	1	–	–	–	–	–
193	Accidents due to electric currents	T	17	–	–	–	–	–	–	–	–	–	–	–	–
		M	17	1	–	–	2	–	3	3	4	2	–	2	–
		F	–	–	–	–	–	–	–	–	–	–	–	–	–
194	Other accidents	T	175	–	–	–	–	–	–	–	–	–	–	–	–
		M	133	11	10	15	11	9	15	9	9	6	13	10	15
		F	42	2	–	4	4	6	6	2	6	1	4	3	4
194*a*	Foreign bodies	T	30	–	–	–	–	–	–	–	–	–	–	–	–
		M	24	2	4	4	–	1	2	–	3	1	3	3	1
		F	6	–	–	–	–	1	2	–	–	–	2	–	1
194*b*	Others	T	145	–	–	–	–	–	–	–	–	–	–	–	–
		M	109	9	6	11	11	8	13	9	6	5	10	7	14
		F	36	2	–	4	4	5	4	2	6	1	2	3	3

Causes, Investigated by Medical Examiners by Causes, Sex, Causes, Sex and Age: 1934.

Detailed Int. List No.	AGE PERIODS. Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
174	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	–	–	–	–	1	–	1	–	–	–	–	–
	–	–	1	–	–	1	1	–	1	–	–	–	–	–
175	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	4	5	8	4	5	3	–	–
	–	–	–	–	1	1	7	2	2	1	–	2	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	2	21	62	110	108	117	235	207	282	270	323	165	82	–
	–	17	46	52	29	22	61	47	42	61	109	168	131	–
176	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
177	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	1	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
178	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	4	7	10	11	10	5	4	–
	–	1	1	–	–	–	2	4	–	–	–	4	4	–
179	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	3	–	–	–	1	9	6	3	4	1	–	–
	–	1	3	–	–	2	1	4	–	–	1	–	–	–
180	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	3	3	–	–	2	–	3	6	3	2	3	–
	–	–	–	–	–	–	–	1	–	2	2	1	2	–
181	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	10	3	2	4	4	9	4	8	13	11	–	–
	–	–	15	14	1	3	6	–	3	5	6	3	6	–
182	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	13	–	–	2	–	3	1	4	4	5	3	–	–
	–	11	–	–	–	1	–	–	–	2	–	2	–	–
183	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	6	32	26	18	25	18	19	22	14	2	1	–
	–	–	5	5	6	2	3	–	1	–	1	–	–	–
184	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	6	5	4	3	–	2	–	–	–	–
	–	–	2	–	–	1	–	1	–	–	–	–	–	–
185	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	2	–	1	2	1	2	1	–	–
	–	–	–	–	–	–	–	1	–	–	–	–	–	–
186	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	8	9	9	11	15	41	56	75	83	61	52	–
	–	–	1	1	4	2	–	4	15	23	60	113	111	–
186a	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	1	8	9	8	11	15	38	53	73	82	61	52	–
	–	–	1	1	4	2	–	4	15	23	60	113	111	–
186b	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	–	3	3	2	1	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
187	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
188	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	1	–	–	–	2	1	2	2	1	1	–
	–	–	1	–	–	–	2	–	–	–	1	–	–	–
189	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
190	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	–	–	3	3	4	2	6	1	–
	–	–	–	–	–	–	–	–	–	–	2	3	2	–
191	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	–	1	–	2	–	2	–	1	–
	–	2	–	–	–	–	–	–	–	–	–	–	–	–
192	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	–	–	1	1	–	–	2	–	–	–	–	–
	–	–	–	–	–	–	–	–	–	1	–	–	–	–
193	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	–	1	–	–	2	5	4	2	1	2	–	–	–
	–	–	–	–	–	–	–	–	–	–	–	–	–	–
194	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	4	5	4	2	7	16	19	31	16	19	7	2	–
	–	1	2	–	–	2	13	11	4	3	3	2	1	–
194a	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	–	2	3	–	–	1	1	5	6	2	4	–	–	–
	–	1	2	–	–	–	1	–	–	1	1	–	–	–
194b	–	–	–	–	–	–	–	–	–	–	–	–	–	–
	1	2	2	4	2	6	15	14	25	14	15	7	2	–
	–	–	–	–	–	2	12	11	4	2	2	2	1	–

Table 33

Detailed Int. List No.	Cause of Death.	Sex.	Deaths Due to Violence and Other and Months, and by												
			All deaths investigated.	Months.											
				January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
195	Violent deaths of which the nature (accident, suicide, homicide) is unknown	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
196	Wounds of war	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
197	Executions of civilians by belligerent armies	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
198	Legal executions	T	4	-	-	-	-	-	-	-	-	-	-	-	-
		M	4	1	3	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
201	Accidental traumatism in mines and quarries	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
202	Accidents from agricultural machinery	T	1	-	-	-	-	-	-	-	-	-	-	-	-
		M	1	-	-	-	-	-	-	-	-	1	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
203	Elevator accidents	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	2	-	1	1	-	-	-	1	-	1	1	-
		F	2	-	-	-	-	-	1	-	-	-	-	-	1
204	Accidents from machinery used for recreation	T	-	-	-	-	-	-	-	-	-	-	-	-	-
		M	-	-	-	-	-	-	-	-	-	-	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
205	Other machinery accidents	T	15	-	-	-	-	-	-	-	-	-	-	-	-
		M	14	1	2	1	1	-	2	1	2	1	-	1	2
		F	1	-	-	-	-	-	-	-	-	-	-	-	1
206	Railroad and automobile collisions	T	22	-	-	-	-	-	-	-	-	-	-	-	-
		M	12	1	1	-	2	-	1	-	1	1	-	3	2
		F	10	-	-	-	2	-	4	2	2	-	-	-	-
207	Other railroad accidents	T	74	-	-	-	-	-	-	-	-	-	-	-	-
		M	68	4	7	7	5	6	6	4	6	3	9	9	2
		F	6	-	-	-	-	-	1	2	-	2	1	-	-
208	Street car and automobile collisions	T	3	-	-	-	-	-	-	-	-	-	-	-	-
		M	3	-	-	-	1	-	-	-	-	-	1	-	1
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
209	Other street car accidents	T	23	-	-	-	-	-	-	-	-	-	-	-	-
		M	7	3	-	-	-	-	-	-	-	2	1	-	1
		F	16	-	1	4	4	2	1	1	1	1	-	1	-
210	Automobile accidents	T	969	-	-	-	-	-	-	-	-	-	-	-	-
		M	749	65	40	46	45	50	50	62	58	70	82	86	95
		F	220	20	11	10	16	7	20	22	24	16	27	33	14
211	Motorcycle accidents	T	9	-	-	-	-	-	-	-	-	-	-	-	-
		M	9	-	-	-	-	-	1	2	2	4	-	-	-
		F	-	-	-	-	-	-	-	-	-	-	-	-	-
212	Other land transportation accidents	T	25	-	-	-	-	-	-	-	-	-	-	-	-
		M	22	1	5	1	-	2	1	3	3	1	2	2	1
		F	3	-	-	-	1	-	-	-	-	-	1	-	1
213	Water transportation accidents	T	43	-	-	-	-	-	-	-	-	-	-	-	-
		M	38	2	-	2	2	4	7	9	6	1	1	3	1
		F	5	-	-	3	-	1	1	-	-	-	-	-	-
214	Air transportation accidents	T	6	-	-	-	-	-	-	-	-	-	-	-	-
		M	5	-	-	-	-	-	3	-	-	-	-	2	-
		F	1	-	-	-	-	-	-	-	-	-	-	1	-
	Causes not due to Violence	T	4,694	-	-	-	-	-	-	-	-	-	-	-	-
		M	3,011	313	315	292	235	230	203	213	213	202	255	235	300
		F	1,683	158	159	129	156	122	125	134	145	118	146	116	175
	Stillbirths	T	54	-	-	-	-	-	-	-	-	-	-	-	-
		M	25	-	-	4	2	3	3	2	2	3	2	2	2
		F	29	1	3	6	2	4	2	2	1	3	2	1	2

CAUSES, INVESTIGATED BY MEDICAL EXAMINERS BY CAUSES, SEX, CAUSES, SEX AND AGE: 1934.

Detailed Int. List No.	AGE PERIODS.													
	Under 1 week.	1 week but under 1 year.	1 to 4 years.	5 to 9 years.	10 to 14 years.	15 to 19 years.	20 to 29 years.	30 to 39 years.	40 to 49 years.	50 to 59 years.	60 to 69 years.	70 to 79 years.	80 years and over.	Unknown.
195	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
196	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
197	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
198	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	3	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
201	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
202	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
203	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	1	-	1	-	1	-	4	-	-	-
	-	-	-	-	-	-	-	1	-	-	1	-	-	-
204	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
205	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	2	3	2	2	4	1	-	-	-
	-	-	-	-	-	1	-	-	-	-	-	-	-	-
206	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	-	1	-	4	-	1	3	1	1	-	-
	-	-	3	1	3	-	2	1	-	-	-	-	-	-
207	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	1	1	10	2	7	4	18	8	13	4	-	-
	-	-	-	1	1	-	1	-	2	-	-	1	-	-
208	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
209	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	1	1	2	1	1	1	-
	-	-	-	1	-	-	-	1	1	1	7	4	1	-
210	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	22	52	41	51	115	73	102	95	127	56	15	-
	-	1	13	27	14	7	28	16	17	24	26	38	9	-
211	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	3	5	1	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
212	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	1	3	3	4	-	5	-	5	1	-	-
	-	-	-	1	-	-	-	2	-	-	-	-	-	-
213	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	3	3	5	10	6	4	2	5	-	-	-
	-	-	-	1	-	1	2	-	-	1	-	-	-	-
214	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	-	-	-	-	-	-	1	1	3	-	-	-	-	-
	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	36	74	31	14	18	16	61	157	424	675	764	550	191	-
	16	56	27	10	7	16	57	98	156	273	410	347	210	-
	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	25	-	-	-	-	-	-	-	-	-	-	-	-	-
	29	-	-	-	-	-	-	-	-	-	-	-	-	-

Table 34

Deaths (inclusive of Stillbirths) investigated and Autopsies made by Medical Examiners in Each County: 1925 to 1934.

Line No.	Counties.	10 years, 1925 to 1934.			1934.		1933.		1932.		1931.	
		Views.	Autopsies. Number.	Autopsies. Per cent.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
1	**The State.**	81,043	6,109	7.5	9,145	787	8,587	688	8,377	605	8,028	578
2	Barnstable .	802	15	1.9	70	2	103	–	72	2	88	2
3	Berkshire .	1,787	40	2.2	227	6	171	2	184	3	158	3
4	Bristol .	6,705	482	7.2	754	71	733	72	757	66	694	53
5	Dukes . .	113	9	8.0	9	–	12	2	13	1	8	–
6	Essex . .	7,776	265	3.4	886	40	802	39	806	20	790	31
7	Franklin .	775	16	2.1	84	3	74	2	80	3	81	1
8	Hampden .	7,418	169	2.3	864	38	793	15	785	17	755	11
9	Hampshire .	1,389	30	2.2	179	4	152	1	130	1	140	3
10	Middlesex .	16,855	577	3.4	1,951	96	1,816	83	1,859	66	1,736	56
11	Nantucket .	84	14	16.7	12	6	8	1	10	2	13	–
12	Norfolk .	5,771	181	3.1	694	28	665	19	660	13	567	11
13	Plymouth .	3,125	109	3.5	367	5	327	10	332	9	351	14
14	Suffolk .	19,736	3,470	17.6	2,004	357	1,933	330	1,871	320	1,910	336
15	Worcester .	8,707	732	8.4	1,044	131	998	112	818	82	737	57

Deaths (inclusive of Stillbirths) investigated and Autopsies made by Medical Examiners in Each County: 1925 to 1934.

Line No.	1930.		1929.		1928.		1927.		1926.		1925.	
	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.	Views.	Autopsies.
1	7,982	551	8,097	585	8,021	639	7,469	534	7,648	565	7,689	577
2	79	2	77	2	87	3	80	–	70	1	76	1
3	183	6	189	4	197	5	151	6	157	–	170	5
4	630	46	637	45	637	50	574	24	660	29	629	26
5	10	1	15	–	14	2	11	1	12	2	9	–
6	821	29	787	22	773	12	672	19	716	24	723	29
7	63	1	94	3	83	1	76	–	66	–	74	2
8	787	17	742	15	682	11	654	9	690	19	666	17
9	147	–	141	2	128	6	131	–	124	5	117	8
10	1,622	57	1,610	39	1,581	46	1,547	34	1,565	47	1,568	53
11	12	1	4	1	11	–	5	1	5	2	4	–
12	567	23	604	25	570	16	483	13	491	14	470	19
13	333	12	303	10	307	16	260	8	271	7	274	18
14	1,817	280	2,047	357	2,078	421	1,969	355	1,998	358	2,109	356
15	911	76	847	60	873	50	856	64	823	57	800	43

PART II. A.

BIRTH STATISTICS

	PAGE
Introduction	144-146
Birth registration	144,145
Live births	145
Birth rates	145
Changes in birth rate	145
Stillbirths	145
Birth rates, highest	146
Sex proportion at birth	146
Nativity of parents	146
Plural births	146
Natural increase	146
Statistical tables	147-154

INTRODUCTION.

Birth Registration. — Birth registration has been compulsory in Massachusetts since Colonial times. It was one of the first States to be included in the registration area of the United States Census Bureau. The making of authentic birth records presents greater difficulties than that of either marriages or deaths, and probably no State claims 100 per cent birth registration; but the results in Massachusetts on the whole are considered to be far above the average and efforts are continually being made for its improvement.

The physician* in attendance at the birth of a child is required, within forty-eight hours, to give notice and make a complete return within fifteen days of the facts required for record to the clerk. Parents, within forty days, are required to give notice to the registration official of every child born to them.

In addition to the above, persons in charge of a hospital, almshouse, or other institution, public or private, are required to give, on or before the fifth day of each month, notice to the town clerk of every birth occurring among the persons in such institution during the preceding month. The law also provides that the clerk of each town may annually in January ascertain the facts required for record of all children born in his town during the preceding year and resident therein.

Returns are made in the first instance to the local registrars of the city or town in which the birth occurred, who are the city and town clerks, with the exception of Boston where the City Registrar is the official in charge.

The records on file in the Division of Vital Statistics are attested copies of the originals filed with local officials. The law has required the filing at this central record office since 1841. During this time 5,277,220 births have been registered and the annual registration report issued. Since the establishment of the office of State Registrar of Vital Statistics in 1918, a systematic campaign has been carried on to obtain prompt and complete compliance with the birth registration laws. People are generally beginning to realize the importance of birth records, so complete registration should soon be an accomplished fact.

There is hardly a relation of life, social, legal, or economic, in which the evidence furnished by an accurate registration of births may not prove to be of the greatest value, not only to the individual, but also to the public at large. It is not only an act of civilization to register Birth Certificates, but also good business, for they are frequently used in many practical ways:

1. As evidence to prove the age and legitimacy of heirs;
2. As proof of age to determine the validity of a contract entered into by an alleged minor;
3. As evidence to establish age and proof of citizenship and descent; in order to vote;
4. As evidence to establish the right of admission to the professions and to many public offices;
5. As evidence of legal age to marry;
6. As evidence to prove the pension claims of widows and orphans;

* Midwives are not recognized in Massachusetts. It has been held that the practice of midwifery is the practice of medicine, and as there is no provision under the law for licensing midwives, any one who practices midwifery is violating the medical registration laws.

7. As evidence to determine the liability of parents for the debts of a minor;

8. As evidence in the administration of estates, the settlement of insurance and pensions;

9. As evidence to prove the irresponsibility of children under age for crime and misdemeanor, and various other matters in the criminal statute;

10. As evidence in the enforcement of laws relating to education and to child labor;

11. As evidence to determine the relations of guardians and wards;

12. As proof of citizenship in order to obtain a passport;

13. As evidence in the claim for exemption from or the right to jury and militia service.

Copies of records of births occurring during the preceding year are required to be forwarded to the Division of Vital Statistics on or before March 1st, April 1st and May 1st of the year following; the time depending upon the population of the city or town making the return.

After the statutory period has elapsed for filing copies of the records with the Department of the Secretary of the Commonwealth, no delayed returns or corrections are accepted unless by a deposition made by the parents, supported by written evidence at the time of birth, or by deposition of the attending physician at the time of birth, or at the discretion of the town clerk the depositions of responsible persons with knowledge of the facts, or based upon a writing made at the time by a person since deceased charged with making the return in the first instance. As the evidential value of a record depends for its authenticity upon the fact that it is made contemporaneously with the happening of the event recorded, the registrars are urged to exercise considerable care by requiring written evidence before accepting delayed returns, particularly if it is some years after the birth occurred. This holds true of corrections which can only be made in accordance with the facts as they actually existed at the time the birth occurred, with the exception of an illegitimate child who is legitimatized through the subsequent marriage of its parents; in these cases the record may be corrected in accordance with Chapter 281 of the Acts of 1925, so that the child will appear on the record as the legitimate offspring of its parents. Chapter 169, Acts of 1930 and Chapter 258, Acts of 1931 provide for correction of birth records of illegitimate children who have acquired new names by judicial decree.

As a means of eliminating errors from physicians' returns of births, many local registrars are sending a supplemental report of the physician's return to the parents for their approval; and when the certificate is returned properly signed by a parent, it is filed with the physician's certificate. Many cities and towns have already adopted this follow-up system, and an attempt is being made to institute this method throughout Massachusetts.

Live Births. — In the Commonwealth in 1934 there were 63,767 live births, an increase of 310, or .5 per cent as compared with the number registered in 1933. There was an increase in 1934 of 1,444, or 3.6 per cent in the number of infants born to native parents; a decrease of 1,070, or 9.9 per cent, to foreign-born parents; and also a decrease of 63, or .5 per cent, to mixed parents, namely, one parent native, the other foreign-born, as compared with 1933.

Birth Rate. — In proportion to the total population, the total live births were equivalent to a rate of 14.7 per 1,000 population, the same rate as in 1933 and the lowest rate ever recorded in the Commonwealth. This was 1.2 per 1,000 lower than that recorded in 1932, and 1.6 per 1,000 below the average for the five years 1929 to 1933.

Changes in Birth Rate. — The birth rate for the Commonwealth attained the highest point on record, 30.2 in the year 1857. Since then the rate, although fluctuating considerably, has shown a considerable decline, and a steady decline since 1924, notwithstanding an improvement in the registration. Although the birth rate has been smaller in recent years, the infant death rate has also declined, the infant mortality rate for 1934 being the lowest ever recorded, so that the number of babies who survive the dangers of infancy is becoming steadily greater. This fact is strikingly shown in the infant mortality tables.

Stillbirths. — Stillbirths registered in 1934 number 1,997, a decrease of 176, or 8.1 per cent, as compared with 1933. The rate per 1,000 live births was 31.3 in 1934; 34.2 in 1933; 34.3 in 1932; 35.2 in 1931 and 1930; and 34.3 in 1929.

Birth Rates, Highest. — The six municipalities having 15,000 inhabitants or more showing the highest birth rates in 1934 are: Norwood, 26.4; Boston, 20.2; Waltham, 19.8; Marlborough, 19.6; Northampton and Framingham, 19.5.

The city of Boston has the highest birth rate (20.2) of any place in the State of over 100,000 population. High birth rates, however, do not necessarily indicate satisfactory increases in population, since high rates of infant and childhood mortality may nullify the effect of high birth rates.

Variations in the birth rates of different communities may be partially accounted for by differences in the proportions of married women of child-bearing age residing therein, and by the presence of hospitals to which expectant mothers go from neighboring cities and towns in order to take advantage of the best medical advice and obstetrical care during pregnancy and childbirth.

Sex Proportion at Birth. — It has never been determined whether the higher proportion of masculine than of feminine births is the result of definite causes or not. The fact remains that this phenomenon is invariably true. Births of males in 1934 numbered 32,815 and those of females 30,952, corresponding to a ratio of 1,060 male births to 1,000 female births.

Nativity of Parents. — The number of births where both parents were native (41,351) exceeded the number of births where both parents were foreign-born (9,748) by 31,603, or 324.2 per cent in 1934. Children born of mixed parents (one parent native and one parent foreign-born) numbered 12,653 in 1934, as compared with 12,716 in 1933.

The proportion of children born of native parents declined from 1890 until about 1910, since then, the proportion has steadily increased. In 1934 the proportion was 64.8 per cent.

The proportion of children born of parents one of whom was native and the other foreign-born was 19.8 in 1934 as compared with 20.0 in 1933. The number of children born of parents whose nativity was not reported on the birth certificate was 15 in 1934.

Plural Births. — In 1934 there were 642 plural births, 635 pairs of twins, 7 cases of triplets, or 10.0 pairs of twins per 1,000 live births, and .1 case of triplets per 1,000 live births.

Natural Increase. — The excess of the birth rate over the death rate shows the ratio at which the community is reproducing itself by natural increases. In every year since the compilation of birth statistics was started the birth rate has been higher than the death rate.

The rate of natural increase for 1934 was 3.0 per 1,000 population, and averaged 4.6 for the five years 1929 to 1933.

Notwithstanding the decline in the birth rate in recent years, the number of births is greatly in excess of the number of deaths; and this fact, coupled with the steady decrease in infant mortality, has resulted in a net gain in the natural increase in population. The excess of births over deaths amounts to 25.6 in 1934, as compared with 24.8 in 1933, 38.3 in 1932, 42.3 in 1931, 48.9 in 1930 and 42.1 in 1929.

For comparisons previous to 1900 relative to the natural increase from 1851, and for figures from that date up to and including 1919, reference may be made to the Annual Report of Vital Statistics of Massachusetts for the year ending December 31, 1919, Public Document No. 1.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1934.

COUNTIES AND MUNICIPALITIES.[1]	Total number.	SEX. Male.	SEX. Female.	SEX. Unknown.	PARENT NATIVITY. Native.	PARENT NATIVITY. Foreign.	PARENT NATIVITY. Mixed.	PARENT NATIVITY. Unknown.	Birth rate per 1,000 population
The State.	**63,767**	**32,815**	**30,952**	–	**41,351**	**9,748**	**12,653**	**15**	**14.7**
COUNTIES.									
Barnstable	504	257	247	–	378	37	89	–	14.6
Berkshire	1,792	926	866	–	1,407	152	231	2	14.8
Bristol	5,631	2,910	2,721	–	3,506	830	1,295	–	15.4
Dukes	102	59	43	–	81	1	20	–	20.3
Essex	6,986	3,566	3,420	–	4,590	948	1,446	2	14.0
Franklin	705	348	357	–	590	38	77	–	14.2
Hampden	4,517	2,371	2,146	–	3,092	596	829	–	13.2
Hampshire	931	448	483	–	736	80	115	–	12.8
Middlesex	13,398	6,897	6,501	–	8,431	2,251	2,714	2	13.4
Nantucket	59	32	27	–	37	8	14	–	14.3
Norfolk	3,023	1,554	1,469	–	1,991	400	632	–	9.1
Plymouth	2,072	1,085	987	–	1,524	180	367	1	12.8
Suffolk	16,871	8,676	8,195	–	10,197	3,241	3,426	7	19.1
Worcester	7,176	3,686	3,490	–	4,791	986	1,398	1	14.6
MUNICIPALITIES.									
Abington	30	17	13	–	22	2	6	–	–
Acton	10	3	7	–	6	–	4	–	–
Acushnet	117	63	54	–	77	10	30	–	–
Adams	184	93	91	–	138	24	22	–	14.5
Agawam	33	19	14	–	16	6	11	–	–
Alford	–	–	–	–	–	–	–	–	–
Amesbury	179	88	91	–	121	25	33	–	14.4
Amherst	26	15	11	–	23	2	1	–	–
Andover	65	33	32	–	33	17	15	–	–
Arlington	420	215	205	–	278	68	74	–	9.2
Ashburnham	13	9	4	–	10	1	2	–	–
Ashby	2	1	1	–	1	–	1	–	–
Ashfield	2	–	2	–	2	–	–	–	–
Ashland	4	2	2	–	3	–	1	–	–
Athol	182	88	94	–	124	22	36	–	15.7
ATTLEBORO	424	235	189	–	306	33	85	–	18.6
Auburn	32	15	17	–	21	4	7	–	–
Avon	28	14	14	–	24	2	2	–	–
Ayer	68	40	28	–	52	2	14	–	–
Barnstable	232	111	121	–	187	10	35	–	–
Barre	26	11	15	–	14	6	6	–	–
Becket	11	4	7	–	10	–	1	–	–
Bedford	8	6	2	–	4	1	3	–	–
Belchertown	15	4	11	–	9	3	3	–	–
Bellingham	37	18	19	–	20	6	11	–	–
Belmont	47	28	19	–	20	15	12	–	1.7
Berkley	14	11	3	–	11	1	2	–	–
Berlin	–	–	–	–	–	–	–	–	–
Bernardston	5	–	5	–	5	–	–	–	–
BEVERLY	416	219	197	–	295	43	78	–	15.3
Billerica	49	27	22	–	31	6	12	–	–
Blackstone	58	24	34	–	32	8	18	–	–
Blandford	2	1	1	–	2	–	–	–	–
Bolton	2	1	1	–	1	1	–	–	–
BOSTON	15,825	8,145	7,680	–	9,623	3,014	3,181	7	20.2
Bourne	34	17	17	–	20	3	11	–	–
Boxborough	2	2	–	–	2	–	–	–	–
Boxford	7	4	3	–	5	1	1	–	–
Boylston	5	1	4	–	3	1	1	–	–
Braintree	76	41	35	–	49	11	16	–	4.3
Brewster	3	3	–	–	3	–	–	–	–
Bridgewater	32	23	9	–	20	6	5	1	–
Brimfield	2	–	2	–	–	1	1	–	–
BROCKTON	1,207	639	568	–	925	101	181	–	18.9
Brookfield	4	2	2	–	3	–	1	–	–
Brookline	177	91	86	–	102	43	32	–	3.4
Buckland	20	7	13	–	18	–	2	–	–
Burlington	15	6	9	–	9	2	4	–	–
CAMBRIDGE	2,190	1,108	1,082	–	1,312	428	449	1	19.3
Canton	33	16	17	–	22	6	5	–	–
Carlisle	2	2	–	–	1	1	–	–	–
Carver	20	14	6	–	9	2	9	–	–
Charlemont	12	9	3	–	11	1	–	–	–
Charlton	22	9	13	–	18	1	3	–	–
Chatham	7	4	3	–	5	1	1	–	–
Chelmsford	55	29	26	–	36	5	14	–	–
CHELSEA	592	298	294	–	284	155	153	–	12.9
Cheshire	4	–	4	–	4	–	–	–	–
Chester	8	4	4	–	7	–	1	–	–
Chesterfield	1	1	–	–	1	–	–	–	–
CHICOPEE	393	210	183	–	204	87	102	–	8.6

[1] Cities are printed in small capitals.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1934.

MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Chilmark	–	–	–	–	–	–	–	–	–
Clarksburg	8	5	3	–	8	–	–	–	–
Clinton	241	123	118	–	169	28	44	–	18.8
Cohasset	71	42	29	–	53	8	10	–	–
Colrain	16	8	8	–	15	–	1	–	–
Concord	162	79	83	–	113	20	29	–	–
Conway	8	3	5	–	6	1	1	–	–
Cummington	1	–	1	–	1	–	–	–	–
Dalton	10	6	4	–	6	1	3	–	–
Dana	1	1	–	–	1	–	–	–	–
Danvers	123	61	62	–	101	9	13	–	8.8
Dartmouth	78	37	41	–	38	20	20	–	–
Dedham	89	45	44	–	49	19	21	–	5.5
Deerfield	15	7	8	–	9	3	3	–	–
Dennis	24	12	12	–	20	1	3	–	–
Dighton	116	46	70	–	76	16	24	–	–
Douglas	21	9	12	–	14	3	4	–	–
Dover	–	–	–	–	–	–	–	–	–
Dracut	66	28	38	–	42	9	15	–	–
Dudley	58	31	27	–	44	9	5	–	–
Dunstable	1	1	–	–	1	–	–	–	–
Duxbury	13	8	5	–	10	2	1	–	–
East Bridgewater	15	4	11	–	13	1	1	–	–
East Brookfield	11	5	6	–	10	–	1	–	–
East Longmeadow	17	8	9	–	11	4	2	–	–
Eastham	11	7	4	–	9	1	1	–	–
Easthampton	91	41	50	–	57	15	19	–	8.0
Easton	47	29	18	–	26	11	10	–	–
Edgartown	–	–	–	–	–	–	–	–	–
Egremont	–	–	–	–	–	–	–	–	–
Enfield	1	–	1	–	1	–	–	–	–
Erving	11	5	6	–	11	–	–	–	–
Essex	8	6	2	–	7	–	1	–	–
EVERETT	764	409	355	–	395	193	176	–	14.2
Fairhaven	84	48	36	–	49	13	22	–	7.6
FALL RIVER	2,072	1,050	1,022	–	1,368	274	430	–	18.0
Falmouth	72	42	30	–	40	15	17	–	–
FITCHBURG	677	363	314	–	424	90	163	–	16.6
Florida	6	2	4	–	5	–	1	–	–
Foxborough	28	17	11	–	21	2	5	–	–
Framingham	451	224	227	–	311	57	83	–	19.5
Franklin	77	37	40	–	48	6	23	–	–
Freetown	10	4	6	–	9	1	–	–	–
GARDNER	360	190	170	–	233	53	74	–	18.0
Gay Head	3	2	1	–	3	–	–	–	–
Georgetown	16	6	10	–	14	1	1	–	–
Gill	6	2	4	–	3	1	2	–	–
GLOUCESTER	394	202	192	–	260	50	84	–	15.8
Goshen	3	2	1	–	3	–	–	–	–
Gosnold	–	–	–	–	–	–	–	–	–
Grafton	42	21	21	–	25	6	11	–	–
Granby	2	1	1	–	2	–	–	–	–
Granville	5	2	3	–	5	–	–	–	–
Great Barrington	121	66	55	–	98	7	16	–	–
Greenfield	300	155	145	–	264	10	26	–	19.1
Greenwich	–	–	–	–	–	–	–	–	–
Groton	45	19	26	–	38	4	3	–	–
Groveland	20	10	10	–	15	1	4	–	–
Hadley	24	9	15	–	15	6	3	–	–
Halifax	7	5	2	–	5	1	1	–	–
Hamilton	3	3	–	–	3	–	–	–	–
Hampden	–	–	–	–	–	–	–	–	–
Hancock	6	3	3	–	5	1	–	–	–
Hanover	20	13	7	–	12	5	3	–	–
Hanson	19	10	9	–	13	1	5	–	–
Hardwick	17	13	4	–	13	2	2	–	–
Harvard	–	–	–	–	–	–	–	–	–
Harwich	24	10	14	–	15	1	8	–	–
Hatfield	11	8	3	–	6	2	3	–	–
HAVERHILL	771	396	375	–	579	56	136	–	15.8
Hawley	4	2	2	–	4	–	–	–	–
Heath	6	5	1	–	5	–	1	–	–
Hingham	44	19	25	–	32	2	10	–	–
Hinsdale	8	3	5	–	8	–	–	–	–
Holbrook	20	9	11	–	17	1	2	–	–
Holden	99	47	52	–	73	8	18	–	–
Holland	2	1	1	–	1	–	1	–	–
Holliston	13	9	4	–	9	–	4	–	–

[1] See footnote on page 147.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES. 1934.

MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
HOLYOKE	906	471	435	–	627	113	166	–	16.0
Hopedale	7	5	2	–	6	1	–	–	–
Hopkinton	7	4	3	–	4	2	1	–	–
Hubbardston	1	1	–	–	1	–	–	–	–
Hudson	33	15	18	–	18	8	7	–	–
Hull	10	4	6	–	7	–	3	–	–
Huntington	12	7	5	–	12	–	–	–	–
Ipswich	102	51	51	–	63	11	28	–	–
Kingston	20	8	12	–	11	7	2	–	–
Lakeville	15	7	8	–	14	1	–	–	–
Lancaster	9	5	4	–	6	1	2	–	–
Lanesborough	3	3	–	–	2	–	1	–	–
LAWRENCE	1,318	671	647	–	752	231	335	–	15.5
Lee	24	13	11	–	18	3	3	–	–
Leicester	32	10	22	–	22	1	9	–	–
Lenox	3	1	2	–	3	–	–	–	–
LEOMINSTER	345	165	180	–	218	52	75	–	15.8
Leverett	7	3	4	–	7	–	–	–	–
Lexington	35	15	20	–	23	7	5	–	3.2
Leyden	2	1	1	–	2	–	–	–	–
Lincoln	2	1	1	–	1	–	1	–	–
Littleton	6	5	1	–	4	–	2	–	–
Longmeadow	4	4	–	–	1	2	1	–	–
LOWELL	1,740	911	829	–	1,265	159	316	–	17.4
Ludlow	142	80	62	–	84	36	22	–	–
Lunenburg	8	6	2	–	7	1	–	–	–
LYNN	1,493	737	756	–	915	250	326	2	14.6
Lynnfield	8	2	6	–	7	–	1	–	–
MALDEN	777	387	390	–	452	136	189	–	12.3
Manchester	7	6	1	–	3	1	3	–	–
Mansfield	46	24	22	–	23	10	13	–	–
Marblehead	91	52	39	–	77	3	11	–	–
Marion	15	7	8	–	11	1	3	–	–
MARLBOROUGH	305	153	152	–	222	21	62	–	19.6
Marshfield	4	2	2	–	3	1	–	–	–
Mashpee	9	7	2	–	7	–	2	–	–
Mattapoisett	14	7	7	–	10	1	3	–	–
Maynard	30	13	17	–	13	10	7	–	–
Medfield	8	3	5	–	4	2	2	–	–
MEDFORD	938	494	444	–	625	130	183	–	13.4
Medway	14	7	7	–	12	–	2	–	–
MELROSE	411	202	209	–	303	41	67	–	16.0
Mendon	11	7	4	–	5	2	4	–	–
Merrimac	12	10	2	–	9	1	2	–	–
Methuen	247	124	123	–	150	34	63	–	11.5
Middleborough	152	74	78	–	119	5	28	–	–
Middlefield	2	1	1	–	2	–	–	–	–
Middleton	7	5	2	–	2	1	4	–	–
Milford	389	207	182	–	240	69	80	–	26.4
Millbury	55	23	32	–	39	13	3	–	–
Millis	25	10	15	–	18	3	4	–	–
Millville	11	5	6	–	4	2	5	–	–
Milton	96	50	46	–	76	9	11	–	4.9
Monroe	–	–	–	–	–	–	–	–	–
Monson	14	7	7	–	12	1	1	–	–
Montague	157	82	75	–	121	8	28	–	–
Monterey	1	1	–	–	–	–	1	–	–
Montgomery	–	–	–	–	–	–	–	–	–
Mount Washington	–	–	–	–	–	–	–	–	–
Nahant	–	–	–	–	–	–	–	–	–
Nantucket	59	32	27	–	37	8	14	–	–
Natick	223	103	120	–	143	34	46	–	15.7
Needham	76	35	41	–	38	10	28	–	6.1
New Ashford	–	–	–	–	–	–	–	–	–
NEW BEDFORD	1,775	921	854	–	976	323	476	–	15.8
New Braintree	–	–	–	–	–	–	–	–	–
New Marlborough	7	5	2	–	7	–	–	–	–
New Salem	3	2	1	–	3	–	–	–	–
Newbury	10	5	5	–	9	–	1	–	–
NEWBURYPORT	261	138	123	–	227	14	20	–	17.3
NEWTON	866	455	411	–	574	120	172	–	11.4
Norfolk	8	2	6	–	6	1	1	–	–
NORTH ADAMS	365	198	167	–	286	24	55	–	16.9
North Andover	51	26	25	–	28	7	16	–	–
North Attleborough	64	32	32	–	41	7	16	–	6.1
North Brookfield	24	19	5	–	15	4	5	–	–
North Reading	14	9	5	–	13	–	1	–	–
NORTHAMPTON	479	239	240	–	392	33	54	–	19.5

[1] See footnote on page 147.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1934.

MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Northborough	12	4	8	–	11	–	1	–	–
Northbridge	180	98	82	–	102	45	33	–	–
Northfield	34	15	19	–	33	–	1	–	–
Norton	20	11	9	–	14	4	2	–	–
Norwell	19	9	10	–	17	–	2	–	–
Norwood	418	204	214	–	270	53	95	–	26.4
Oak Bluffs	90	50	40	–	72	–	18	–	–
Oakham	2	1	1	–	1	1	–	–	–
Orange	64	28	36	–	49	7	8	–	–
Orleans	7	1	6	–	6	–	1	–	–
Otis	12	4	8	–	12	–	–	–	–
Oxford	39	16	23	–	26	2	11	–	–
Palmer	156	86	70	–	114	19	23	–	–
Paxton	3	2	1	–	1	–	2	–	–
PEABODY	379	188	191	–	208	86	85	–	16.8
Pelham	2	–	2	–	1	–	1	–	–
Pembroke	8	4	4	–	5	–	3	–	–
Pepperell	30	18	12	–	26	1	3	–	–
Peru	1	1	–	–	1	–	–	–	–
Petersham	4	1	3	–	4	–	–	–	–
Phillipston	4	1	3	–	3	1	–	–	–
PITTSFIELD	951	482	469	–	741	90	118	2	18.3
Plainfield	–	–	–	–	–	–	–	–	–
Plainville	7	3	4	–	5	–	2	–	–
Plymouth	230	121	109	–	152	19	59	–	17.6
Plympton	5	3	2	–	4	–	1	–	–
Prescott	–	–	–	–	–	–	–	–	–
Princeton	1	–	1	–	1	–	–	–	–
Provincetown	45	25	20	–	36	3	6	–	–
QUINCY	1,047	549	498	–	674	141	232	–	12.7
Randolph	51	25	26	–	38	5	8	–	–
Raynham	19	11	8	–	10	4	5	–	–
Reading	51	30	21	–	34	8	9	–	4.8
Rehoboth	25	12	13	–	12	7	6	–	–
REVERE	155	83	72	–	78	47	30	–	4.1
Richmond	1	–	1	–	1	–	–	–	–
Rochester	9	3	6	–	6	2	1	–	–
Rockland	39	20	19	–	28	5	6	–	–
Rockport	32	18	14	–	26	4	2	–	–
Rowe	1	1	–	–	1	–	–	–	–
Rowley	6	3	3	–	5	–	1	–	–
Royalston	9	6	3	–	8	–	1	–	–
Russell	10	7	3	–	8	2	–	–	–
Rutland	7	2	5	–	5	1	1	–	–
SALEM	698	370	328	–	489	74	135	–	15.9
Salisbury	18	9	9	–	15	1	2	–	–
Sandisfield	1	1	–	–	1	–	–	–	–
Sandwich	5	4	1	–	5	–	–	–	–
Saugus	102	50	52	–	68	13	21	–	6.2
Savoy	1	1	–	–	1	–	–	–	–
Scituate	15	5	10	–	7	3	5	–	–
Seekonk	43	19	24	–	27	7	9	–	–
Sharon	16	9	7	–	10	3	3	–	–
Sheffield	13	6	7	–	12	–	1	–	–
Shelburne	9	4	5	–	7	2	–	–	–
Sherborn	1	–	1	–	1	–	–	–	–
Shirley	34	15	19	–	21	6	7	–	–
Shrewsbury	24	11	13	–	14	3	7	–	–
Shutesbury	1	1	–	–	1	–	–	–	–
Somerset	65	32	33	–	42	10	13	–	–
SOMERVILLE	1,233	637	596	–	627	322	283	1	11.4
South Hadley	21	10	11	–	9	6	6	–	–
Southampton	5	2	3	–	2	1	2	–	–
Southborough	–	–	–	–	–	–	–	–	–
Southbridge	223	117	106	–	148	29	46	–	15.6
Southwick	6	2	4	–	4	1	1	–	–
Spencer	87	52	35	–	69	4	14	–	–
SPRINGFIELD	2,431	1,270	1,161	–	1,710	280	441	–	15.5
Sterling	8	4	4	–	4	2	2	–	–
Stockbridge	8	5	3	–	7	1	–	–	–
Stoneham	286	154	132	–	200	27	59	–	26.3
Stoughton	97	49	48	–	61	19	17	–	–
Stow	3	–	3	–	2	–	1	–	–
Sturbridge	14	6	8	–	11	1	2	–	–
Sudbury	3	2	1	–	2	1	–	–	–
Sunderland	7	2	5	–	2	3	2	–	–
Sutton	22	10	12	–	18	1	3	–	–
Swampscott	132	64	68	–	97	14	21	–	11.4

[1] See footnote on page 147.

Table 35

LIVE BIRTHS, BY SEX AND PARENT NATIVITY, IN EACH COUNTY AND MUNICIPALITY; AND BIRTH RATES: 1934.

MUNICIPALITIES.[1]	Total number.	SEX.			PARENT NATIVITY.				Birth rate per 1,000 population.
		Male.	Female.	Unknown.	Native.	Foreign.	Mixed.	Unknown.	
Swansea	35	20	15	–	29	4	2	–	–
TAUNTON	538	284	254	–	351	66	121	–	14.4
Templeton	35	23	12	–	22	1	12	–	–
Tewksbury	20	8	12	–	13	3	4	–	–
State Infirmary	156	85	71	–	132	14	10	–	–
Tisbury	8	6	2	–	6	–	2	–	–
Tolland	1	1	–	–	1	–	–	–	–
Topsfield	1	1	–	–	1	–	–	–	–
Townsend	13	5	8	–	11	1	1	–	–
Truro	7	4	3	–	7	–	–	–	–
Tyngsborough	21	10	11	–	15	–	6	–	–
Tyringham	–	–	–	–	–	–	–	–	–
Upton	15	8	7	–	10	1	4	–	–
Uxbridge	73	37	36	–	44	8	21	–	–
Wakefield	138	71	67	–	58	40	40	–	8.2
Wales	3	3	–	–	3	–	–	–	–
Walpole	56	25	31	–	27	21	8	–	–
WALTHAM	854	448	406	–	463	205	186	–	19.8
Ware	219	102	117	–	187	12	20	–	–
Wareham	60	31	29	–	31	8	21	–	–
Warren	16	8	8	–	13	2	1	–	–
Warwick	5	2	3	–	2	1	2	–	–
Washington	3	3	–	–	3	–	–	–	–
Watertown	128	60	68	–	52	48	28	–	3.0
Wayland	20	10	10	–	17	–	3	–	–
Webster	235	126	109	–	184	16	35	–	18.1
Wellesley	16	6	10	–	9	2	5	–	1.2
Wellfleet	6	3	3	–	5	–	1	–	–
Wendell	6	–	6	–	6	–	–	–	–
Wenham	1	1	–	–	–	–	1	–	–
West Boylston	3	2	1	–	2	–	1	–	–
West Bridgewater	18	10	8	–	14	2	2	–	–
West Brookfield	6	3	3	–	4	–	2	–	–
West Newbury	8	7	1	–	6	–	2	–	–
West Springfield	70	40	30	–	40	11	19	–	3.9
West Stockbridge	8	5	3	–	5	1	2	–	–
West Tisbury	1	1	–	–	–	1	–	–	–
Westborough	18	10	8	–	13	2	3	–	–
WESTFIELD	299	149	150	–	235	28	36	–	14.8
Westford	26	10	16	–	7	11	8	–	–
Westhampton	–	–	–	–	–	–	–	–	–
Westminster	1	–	1	–	–	1	–	–	–
Weston	3	1	2	–	2	–	1	–	–
Westport	39	21	18	–	21	9	9	–	–
Westwood	8	3	5	–	7	1	–	–	–
Weymouth	424	234	190	–	314	25	85	–	17.7
Whately	4	4	–	–	3	1	–	–	–
Whitman	32	18	14	–	24	2	6	–	–
Wilbraham	13	6	7	–	7	5	1	–	–
Williamsburg	11	3	8	–	8	–	3	–	–
Williamstown	30	15	15	–	23	–	7	–	–
Wilmington	38	19	19	–	23	3	12	–	–
Winchendon	135	75	60	–	102	10	23	–	–
Winchester	230	122	108	–	163	28	39	–	16.8
Windsor	2	–	2	–	2	–	–	–	–
Winthrop	299	150	149	–	212	25	62	–	17.1
WOBURN	349	187	162	–	238	54	57	–	17.2
WORCESTER	3,237	1,647	1,590	–	2,176	466	594	1	16.3
Worthington	5	3	2	–	5	–	–	–	–
Wrentham	20	10	10	–	17	1	2	–	–
Yarmouth	18	7	11	–	13	2	3	–	–

[1] See footnote on page 147.

Table 36

LIVE BIRTHS, BY MONTH OF BIRTH, IN COUNTIES AND IN CITIES HAVING OVER 50,000 INHABITANTS: 1934.

COUNTIES AND CITIES HAVING OVER 50,000 INHABITANTS IN 1930. (Grouped in order of population.)	The Year.	January.	February.	March.	April.	May.	June.	July.	August.	September.	October.	November.	December.
The State.	63,767	5,207	4,804	5,374	5,129	5,515	5,348	5,671	5,705	5,436	5,243	4,975	5,360
Average daily number of births	175	168	172	173	171	178	178	183	184	181	169	166	173
COUNTIES.													
Middlesex	13,398	1,087	1,013	1,135	1,067	1,176	1,139	1,166	1,178	1,170	1,159	1,024	1,084
Suffolk	16,871	1,414	1,273	1,469	1,363	1,471	1,392	1,494	1,452	1,391	1,412	1,308	1,432
Essex	6,986	557	520	594	519	621	622	639	622	646	545	540	561
Worcester	7,176	582	521	590	619	549	585	690	691	592	579	574	604
Bristol	5,631	453	428	454	433	481	519	478	526	471	476	431	481
Hampden	4,517	381	329	374	363	370	358	403	423	385	363	358	410
Norfolk	3,023	236	240	238	246	265	270	250	267	255	242	249	265
Plymouth	2,072	165	176	171	187	189	157	185	180	161	155	163	183
Berkshire	1,792	151	141	157	151	167	148	150	157	166	128	129	147
Hampshire	931	76	73	78	81	95	64	82	85	84	71	75	67
Franklin	705	54	44	53	51	69	48	64	63	61	66	70	62
Barnstable	504	42	28	53	36	45	35	51	44	41	38	43	48
Dukes	102	5	9	3	7	10	9	11	10	11	6	7	14
Nantucket	59	4	9	5	6	7	2	8	7	2	3	4	2
CITIES OVER 100,000													
Boston	15,825	1,315	1,196	1,375	1,271	1,376	1,311	1,402	1,367	1,309	1,334	1,230	1,339
Worcester	3,237	253	236	275	262	261	270	312	321	265	263	247	272
Springfield	2,431	208	160	211	199	182	182	223	232	200	204	207	223
Fall River	2,072	177	160	174	147	179	198	186	206	172	165	142	166
Cambridge	2,190	177	168	168	189	197	167	172	209	199	195	161	188
New Bedford	1,775	122	147	135	147	130	146	167	171	139	164	150	157
Somerville	1,233	99	92	124	98	81	103	129	117	95	108	102	85
Lynn	1,493	121	113	133	127	140	134	135	140	111	112	108	119
Lowell	1,740	131	127	138	130	162	159	158	139	159	144	145	148
CITIES 50,000 TO 100,000													
Lawrence	1,318	107	87	109	100	121	121	111	127	125	98	105	107
Quincy	1,047	75	86	89	75	102	92	65	94	94	102	83	90
Newton	866	63	63	69	67	81	85	71	73	67	79	71	77
Brockton	1,207	93	102	93	115	113	89	103	105	90	95	97	112
Medford	938	92	68	71	70	65	81	79	100	82	92	76	62
Malden	777	67	55	61	64	60	66	62	68	74	61	58	81
Holyoke	906	76	89	70	82	81	78	76	86	74	63	50	81

Table 37

PLURAL BIRTHS, BY SEX, AND STILLBIRTHS, IN COUNTIES AND IN CITIES HAVING OVER 50,000 INHABITANTS: 1934.

COUNTIES AND CITIES HAVING OVER 50,000 INHABITANTS IN 1930. (Grouped in order of population.)	PLURAL BIRTHS.						STILLBIRTHS.
	TWINS.			TRIPLETS.			
	Total.	Males.	Females	Total.	Males.	Females.	
The State.	1,270	644	626	21	10	11	1,997
COUNTIES.							
Middlesex	278	133	145	6	3	3	421
Suffolk	352	193	159	–	–	–	437
Essex	116	62	54	–	–	–	235
Worcester	152	71	81	3	2	1	228
Bristol	96	49	47	3	1	2	193
Hampden	84	39	45	3	3	–	158
Norfolk	64	38	26	3	–	3	80
Plymouth	48	27	21	–	–	–	66
Berkshire	30	14	16	–	–	–	85
Hampshire	26	12	14	–	–	–	45
Franklin	14	4	10	–	–	–	26
Barnstable	8	1	7	–	–	–	20
Dukes	2	1	1	–	–	–	2
Nantucket	–	–	–	3	1	2	1
CITIES OVER 100,000.							
Boston	324	179	145	–	–	–	404
Worcester	66	28	38	–	–	–	92
Springfield	54	24	30	3	3	–	79
Fall River	40	17	23	–	–	–	68
Cambridge	36	22	14	–	–	–	64
New Bedford	22	11	11	3	1	2	77
Somerville	42	19	23	–	–	–	46
Lynn	28	12	16	–	–	–	41
Lowell	48	25	23	3	2	1	60
CITIES 50,000 TO 100,000.							
Lawrence	22	18	4	–	–	–	57
Quincy	16	11	5	–	–	–	24
Newton	16	6	10	–	–	–	31
Brockton	32	18	14	–	–	–	42
Medford	18	9	9	–	–	–	37
Malden	18	7	11	3	1	2	25
Holyoke	16	9	7	–	–	–	34

Table 38 — Live Births and Birth Rates for the State and Cities having over 100,000 Inhabitants in 1930: **1910 to 1934.**

Years.	The State.	Cities having over 100,000 Inhabitants in 1930.								
		Boston.	Worcester.	Springfield.	Fall River.	Cambridge.	New Bedford.	Somerville.	Lynn.	Lowell.
	Live Births									
1910. .	86,539	17,672	3,923	2,445	4,591	2,436	3,863	–	2,212	2,632
1911. .	88,327	17,844	4,122	2,512	4,617	2,621	4,160	–	2,136	2,580
1912. .	89,882	18,745	4,167	2,779	4,714	2,605	3,594	–	2,111	2,748
1913. .	91,644	19,109	4,520	2,866	4,664	2,713	3,647	–	2,087	2,794
1914. .	93,399	19,467	4,667	2,986	4,703	2,745	3,574	–	2,083	2,914
1915. .	93,155	19,713	4,504	3,099	3,910	2,610	3,533	–	2,108	2,944
1916. .	93,487	19,604	4,941	3,281	3,690	2,691	3,497	–	2,205	3,289
1917. .	95,731	19,950	5,276	3,614	3,807	2,764	3,664	–	2,176	3,289
1918. .	95,607	20,092	5,239	3,770	3,645	2,672	3,920	–	2,143	3,279
1919. .	87,827	18,799	4,596	3,268	3,421	2,757	3,386	–	1,935	3,064
1920. .	91,859	19,573	4,812	3,419	3,537	2,862	3,507	–	2,024	3,154
1921. .	92,207	19,397	4,838	3,392	3,710	3,048	3,649	–	2,064	3,157
1922. .	87,636	18,536	4,357	3,089	3,537	3,007	3,344	–	2,057	2,923
1923. .	89,210	19,056	4,517	3,358	3,645	3,033	3,295	–	1,964	2,902
1924. .	91,463	19,776	4,551	3,520	3,594	3,144	3,170	–	2,077	3,011
1925. .	86,014	18,636	4,340	3,385	3,324	2,932	3,009	–	1,972	2,705
1926. .	83,502	18,731	4,312	3,298	3,050	2,933	2,762	–	1,887	2,466
1927. .	82,273	19,079	4,310	3,158	2,872	2,902	2,432	–	1,903	2,404
1928. .	79,054	18,781	3,997	2,991	2,707	2,724	2,394	–	1,912	2,177
1929. .	74,122	17,942	3,759	3,040	2,255	2,597	2,033	–	1,866	1,968
1930. .	73,690	18,057	3,638	3,106	2,201	2,524	1,988	1,677	1,813	1,999
1931. .	69,385	17,137	3,611	2,939	2,083	2,477	1,861	1,428	1,588	1,812
1932. .	68,518	17,271	3,435	2,643	2,099	2,462	1,728	1,342	1,559	1,932
1933. .	63,457	16,249	3,101	2,414	1,977	2,169	1,666	1,220	1,477	1,734
1934. .	63,767	15,825	3,237	2,431	2,072	2,190	1,775	1,233	1,493	1,740
	Birth Rates per 1,000 Population: Census Years **1910 to 1930.**									
1910. .	25.6	26.4	26.9	27.5	38.5	23.2	40.0	–	24.8	24.8
1915. .	25.2	26.4	27.7	30.1	31.3	24.0	32.2	–	22.0	27.3
1920. .	23.8	26.2	26.8	26.4	29.4	26.1	28.9	–	20.4	28.0
1925. .	20.8	23.9	22.8	23.8	25.8	24.5	25.2	–	19.1	24.5
1930. .	17.3	23.1	18.6	20.7	19.1	22.2	17.7	16.1	17.7	19.9

Table 39 — Live Births by Sex and Parent Nativity: **1910 to 1934.**

Years.	Population.	Sex.					Parent Nativity.			
		Total number.	Males.	Females.	Unknown.	Males to 1,000 females.	Native.	Foreign.	Mixed.	Unknown.
1910 .	3,380,151	86,539	44,243	42,276	20	1,047	26,749	44,398	15,260	132
1911 .	3,446,079	88,327	45,352	42,961	14	1,056	27,390	45,741	15,054	142
1912 .	3,512,007	89,882	46,436	43,440	6	1,069	28,424	45,861	15,497	100
1913 .	3,577,935	91,644	47,099	44,541	4	1,057	29,387	46,737	15,430	90
1914 .	3,643,863	93,399	47,671	45,725	3	1,043	30,127	47,824	15,378	70
1915 .	3,709,792	93,155	47,786	45,363	6	1,053	31,325	46,347	15,401	82
1916 .	3,775,720	93,487	48,256	45,227	4	1,067	31,971	45,920	15,525	71
1917 .	3,841,648	95,731	49,017	46,714	–	1,049	34,129	45,753	15,786	63
1918 .	3,907,576	95,607	49,138	46,465	4	1,058	35,913	43,419	16,222	53
1919 .	3,835,614	87,827	44,713	43,113	1	1,037	33,295	39,194	15,302	36
1920 .	3,852,356	91,859	47,288	44,569	2	1,061	38,395	37,236	16,207	21
1921 .	3,885,836	92,207	47,414	44,791	2	1,059	39,254	36,553	16,378	22
1922 .	3,936,056	87,636	45,035	42,595	6	1,057	38,355	33,701	15,551	29
1923 .	3,969,536	89,210	45,631	43,572	7	1,047	40,035	33,049	16,106	20
1924 .	4,003,016	91,463	46,957	44,500	6	1,055	42,393	32,380	16,653	37
1925 .	4,144,205	86,014	44,082	41,930	2	1,051	40,905	28,968	16,112	29
1926 .	4,170,560 [1]	83,502	42,681	40,821	–	1,046	40,898	26,229	16,345	30
1927 .	4,191,644 [1]	82,273	42,270	40,003	–	1,057	41,722	24,294	16,214	43
1928 .	4,212,728 [1]	79,054	40,518	38,536	–	1,051	41,552	21,818	15,657	27
1929 .	4,233,812 [1]	74,122	38,125	35,994	–	1,059	39,783	19,299	15,026	14
1930 .	4,249,614	73,690	37,687	36,002	1	1,047	41,140	17,621	14,913	16
1931 .	4,275,969	69,385	35,534	33,850	1	1,050	40,384	14,946	14,051	4
1932 .	4,297,053	68,518	35,080	33,437	–	1,049	41,292	13,180	14,039	7
1933 .	4,318,137	63,457	32,462	30,995	–	1,047	39,907	10,818	12,716	16
1934 .	4,339,221	63,767	32,815	30,952	–	1,060	41,351	9,748	12,653	15

[1] Revised figures.

Table 40

Years.	Live Births: 1910 to 1934.					Stillbirths: 1910 to 1934.					
	Birth rate per 1,000 population.	Excess of births over deaths.[1]	Excess of births over deaths per 1,000 population.	Cases of plural births.[2]		Total number.	Per 1,000 live births.	Sex.			
				Twins.	Triplets.			Males.	Females.	Unknown.	Males. to 1,000 females.
1910 . .	25.6	32,132	9.5	940	17	3,158	36	1,829	1,263	66	1,448
1911 . .	25.6	35,265	10.2	915	14	3,280		1,825	1,408	47	1,296
1912 . .	25.6	37,482	10.7	996	8	3,188		1,871	1,263	29	1,456
1913 . .	25.6	38,242	10.7	996	13	3,175		1,872	1,275	28	1,468
1914 . .	25.6	40,426	11.1	1,008	15	3,349	35	1,936	1,369	44	1,414
1915 . .	25.2	40,045	10.8	952	9	3,161		1,815	1,312	34	1,383
1916 . .	24.8	37,121	9.9	942	13	3,300		1,916	1,334	50	1,436
1917 . .	24.9	39,103	10.2	1,065	7	3,324		1,937	1,330	57	1,456
1918 . .	24.5	16,765	4.3	1,054	10	3,779		2,173	1,570	36	1,384
1919 . .	22.9	35,482	9.3	986	7	3,092	36	1,750	1,332	10	1,314
1920 . .	23.8	38,227	9.9	1,006	6	3,336		1,948	1,374	14	1,418
1921 . .	23.7	44,427	11.4	1,059	13	3,428		1,983	1,429	16	1,388
1922 . .	22.3	36,521	9.3	916	11	3,268		1,886	1,373	9	1,374
1923 . .	22.5	36,830	9.3	976	8	3,332		1,891	1,413	28	1,338
1924 . .	22.8	41,997	10.4	1,003	13	3,548	37	1,965	1,490	93	1,319
1925 . .	20.8	34,124	8.3	869	17	3,141		1,807	1,317	17	1,372
1926 . .	20.0[3]	30,614	7.3[3]	898	10	2,997		1,675	1,313	9	1,276
1927 . .	19.6[3]	32,949	7.8[3]	894	10	2,969		1,606	1,356	7	1,184
1928 . .	18.8[3]	27,612	6.6[3]	857	9	2,821		1,605	1,207	9	1,330
1929 . .	17.5[3]	21,951	5.2[3]	804	4	2,540	35	1,414	1,123	3	1,259
1930 . .	17.3	24,187	5.7	783	15	2,597		1,442	1,148	7	1,256
1931 . .	16.2	20,642	4.8	731	13	2,440		1,350	1,079	11	1,251
1932 . .	15.9	18,987	4.4	735	6	2,350		1,317	1,025	8	1,285
1933 . .	14.7	12,625	2.9	645	4	2,173		1,206	959	8	1,257
1934 . .	14.7	13,007	3.0	635	7	1,997		1,108	889	–	1,246

[1] Exclusive of stillbirths. [2] There was one case of quadruplets in 1926. [3] Revised rate.

PART II. B.
MARRIAGE STATISTICS

	PAGE
Introduction	155, 156
Marriage registration	155
Accuracy	155
Source of data	155
Purpose, marriage requirements	156
Statistical tables	157–167

INTRODUCTION.

Marriage Registration. — The public registration of marriages has been required for many years in Massachusetts. Records of marriage are made in the first instance in the cities and towns of the State where the contracting parties dwell and if the ceremony is solemnized in a town other than where the parties reside, in the town where the ceremony is performed.

Since 1841 it has been required that copies of these records be forwarded annually to the Secretary of the Commonwealth and from 1841 to 1934, inclusive, there have been 4,896,176 marriages reported, recorded and tabulated in this department.

Source of Data. — The marriage statistics in this report are compiled from attested copies of the records of marriages recorded in every city and town. Persons intending to be joined in marriage in Massachusetts must file a notice of intention in the town in which they respectively dwell, and this notice of intention must contain the facts required for record and be sworn to by each of the parties to the marriage. If a marriage is performed in a town other than the town issuing the license, a copy of the license must be made and forwarded by the clergyman or magistrate to the clerk of the municipality in which the ceremony was performed. Five days after the notice of intention is filed the marriage license may be issued with all the facts set forth in the notice of intention which are required for record. This certificate is presented to the clergyman or magistrate before whom the marriage is performed, and the facts as to the ceremony are certified by that person. Between the first and tenth days of the month following the ceremony the license or licenses must be returned to the office or offices issuing the same.

Solemnization. — A marriage may be solemnized in any place within the Commonwealth by a minister of the gospel who resides in the Commonwealth, or, who if a nonresident is the pastor of a church or denomination duly established in the Commonwealth and who is recognized by his church or denomination as duly ordained and in good and regular standing as a minister of such church or denomination; by a rabbi of the Israelitish faith, duly licensed by a congregation of said faith established in the Commonwealth, who has filed with the clerk or registrar of the city or town where such congregation is established a certificate of the establishment of the synagogue therein, the date of his appointment thereto, and of the term of his engagement; by a justice of the peace if he is also clerk or assistant clerk of a city or town, or a registrar or assistant registrar, in the city or town where he holds such office, or, if he is also clerk or assistant clerk of a court, in the city or town where the court is authorized to be held, or, if he has been designated as a justice of the peace to solemnize marriages in the city or town where he resides; and it may be solemnized among Friends or Quakers according to the usage of their societies; and a specified marriage may be performed by a nonresident clergyman commissioned by the Governor in accordance with the provisions of Chap. 102 of the Acts of 1926; but no person shall solemnize a marriage in the Commonwealth unless he can read and write the English language.

Accuracy. — The registration of marriages presents fewer difficulties than the registration of birth and death records and the statistics should be nearly 100 per cent perfect.

Every precaution has been taken to see that the statutes pertaining to the solemnization of marriage are strictly enforced, but as there is no public registration of ministers of the gospel in Massachusetts, it is not always possible to get in touch with the persons responsible for making returns of marriages solemnized by them. To guard against the possibility of marriages being performed on one license where two are required, on an out-of-state license, or on a license that has become invalid

because of lapse of time, a circular setting forth the requirements before and after solemnizing a marriage has been prepared, together with a copy of the marriage laws and these are forwarded, upon request, to all persons interested, and are sent to the city and town clerks, together with posters setting forth the legal impediments to marriage, which are required to be posted in their offices.

The errors in solemnizing and returning a record of marriage, if any, are due to the lack of information as to the requirements of the statute rather than to any wilful attempt to evade the requirements of the law.

Marriage licenses issued to residents are valid throughout the Commonwealth, regardless of the residence of either party and many marriages are performed in cities and towns other than the place where either party lived. Persons who do not reside in the Commonwealth must file their intention with the clerk of the city or town where they propose to have the marriage solemnized and the marriage must be solemnized in that particular municipality.

The principal source of error in the records of marriage comes about through the carelessness or ignorance of one of the parties in filing the notice of intention as to the facts concerning the other party. Therefore, it sometimes happens that records for the same marriage coming from different towns do not contain the same information. Names and other facts will be at variance. These certificates are compared in the Division of Vital Statistics and every effort is made to have the certificates agree, but considerable confusion and delay follow from this situation.

Purpose. — The practical purposes of marriage records are:

1. As evidence to establish dower and curtesy rights of husband and wife.
2. To prove legality as to claims of inheritance.
3. As evidence upon which to base subsequent records concerning the parties.
4. For Governmental pension purposes.
5. For pensions under Employees Pension Laws.
6. For insurance, pension and retirement purposes.
7. To establish legal settlement for public aid and the settlement of dependent children of parents.
8. For naturalization and passport purposes.
9. To prove legitimacy of children.

The following tables contain the number of marriages solemnized:

Table 41

Counties and Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in each County and Municipality: 1934. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, classified by Residence of Bride and Groom, in each County and Municipality: 1934. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
The State.	**30,241**	**22,373**	**2,214**	**2,330**	**3,324**	**15,647**	**1,782**	**7,375**	**5,437**
COUNTIES.									
Barnstable	264	212	6	17	29	84	32	43	105
Berkshire	678	565	20	32	61	357	30	198	93
Bristol	3,220	2,437	204	203	376	1,826	132	611	651
Dukes	45	37	2	1	5	17	3	7	18
Essex	3,249	2,423	201	275	350	1,705	199	841	504
Franklin	324	283	3	14	24	112	23	92	97
Hampden	2,079	1,597	116	131	235	1,139	106	564	270
Hampshire	458	383	16	25	34	173	24	167	94
Middlesex	6,176	4,520	474	534	648	2,588	426	1,966	1,196
Nantucket	35	28	1	3	3	19	4	5	7
Norfolk	2,213	1,619	187	179	228	698	159	669	687
Plymouth	1,103	902	36	62	103	519	91	266	227
Suffolk	6,921	4,654	764	652	851	4,406	365	1,172	978
Worcester	3,476	2,713	184	202	377	2,004	188	774	510
MUNICIPALITIES.[1]									
Abington	30	28	–	1	1	10	3	11	6
Acton	10	5	1	2	2	4	1	3	2
Acushnet	30	25	1	1	3	8	–	18	4
Adams	102	93	1	1	7	63	–	35	4
Agawam	29	22	–	3	4	10	–	8	11
Alford	–	–	–	–	–	–	–	–	–
Amesbury	78	58	8	9	3	39	6	18	15
Amherst	30	28	1	1	–	6	1	11	12
Andover	64	40	5	7	12	19	6	28	11
Arlington	186	144	15	9	18	67	6	89	24
Ashburnham	20	16	1	1	2	7	1	5	7
Ashby	3	3	–	–	–	–	–	–	3
Ashfield	3	3	–	–	–	2	–	1	–
Ashland	26	19	–	2	5	4	2	8	12
Athol	90	71	4	4	11	60	5	14	11
ATTLEBORO	196	159	11	9	17	73	13	53	57
Auburn	58	50	–	1	7	16	7	19	16
Avon	9	8	–	–	1	2	2	4	1
Ayer	25	19	1	3	2	10	4	6	5
Barnstable	62	50	1	4	7	23	8	9	22
Barre	20	14	–	3	3	9	2	5	4
Becket	7	6	–	1	–	1	3	1	2
Bedford	16	13	–	1	2	2	3	–	11
Belchertown	17	15	–	1	1	2	2	4	9
Bellingham	22	16	–	1	5	3	2	13	4
Belmont	114	75	21	8	10	17	6	50	41
Berkley	1	–	1	–	–	–	–	–	1
Berlin	4	1	1	1	1	1	–	–	3
Bernardston	9	9	–	–	–	–	–	–	9
BEVERLY	123	104	1	13	5	50	7	41	25
Billerica	30	24	–	2	4	10	1	10	9
Blackstone	33	26	2	2	3	8	1	18	6
Blandford	4	4	–	–	–	1	–	–	3
Bolton	6	6	–	–	–	4	1	–	1
BOSTON	6,288	4,219	707	592	770	4,100	339	987	862
Bourne	29	23	–	4	2	8	4	4	13
Boxborough	–	–	–	–	–	–	–	–	–
Boxford	6	5	–	1	–	1	–	–	5
Boylston	3	3	–	–	–	2	–	–	1
Braintree	86	74	2	5	5	31	8	27	20
Brewster	7	7	–	–	–	1	–	–	6
Bridgewater	45	38	–	2	5	16	2	17	10
Brimfield	6	6	–	–	–	1	2	1	2
BROCKTON	429	353	17	30	29	269	27	81	52
Brookfield	7	5	1	–	1	–	–	2	5
Brookline	603	390	84	56	73	95	39	170	299
Buckland	15	15	–	–	–	–	1	3	11
Burlington	1	1	–	–	–	–	–	–	1
CAMBRIDGE	958	633	112	100	113	404	68	276	210
Canton	24	19	1	2	2	10	2	11	1
Carlisle	–	–	–	–	–	–	–	–	–
Carver	10	7	1	–	2	5	1	2	2
Charlemont	1	1	–	–	–	1	–	–	–
Charlton	11	10	–	1	–	4	1	6	–
Chatham	10	8	–	1	1	3	1	2	4
Chelmsford	42	37	1	2	2	14	–	14	14
CHELSEA	288	176	37	35	40	149	14	86	39
Cheshire	6	4	–	–	2	1	–	4	1
Chester	8	7	–	1	–	3	1	3	1
Chesterfield	3	3	–	–	–	1	–	1	1
CHICOPEE	319	246	16	21	36	185	8	114	12
Chilmark	1	1	–	–	–	–	–	–	1

[1] Cities are printed in small capitals.

Table 41

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1934. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1934. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Clarksburg	–	–	–	–	–	–	–	–	–
Clinton	91	76	1	2	12	33	4	37	17
Cohasset	26	17	5	2	2	5	2	7	12
Colrain	13	13	–	–	–	3	–	4	6
Concord	53	40	3	3	7	14	2	13	24
Conway	1	1	–	–	–	–	–	1	–
Cummington	4	4	–	–	–	2	–	–	2
Dalton	19	19	–	–	–	8	1	7	3
Dana	3	3	–	–	–	–	1	–	2
Danvers	67	56	3	3	5	17	7	30	13
Dartmouth	36	25	4	5	2	14	3	6	13
Dedham	95	72	10	6	7	21	3	42	29
Deerfield	47	42	–	3	2	11	5	6	25
Dennis	4	4	–	–	–	1	–	2	1
Dighton	32	26	1	3	2	9	4	8	11
Douglas	11	8	1	–	2	5	–	3	3
Dover	3	3	–	–	–	–	–	–	3
Dracut	31	24	–	1	6	6	3	18	4
Dudley	5	5	–	–	–	1	–	1	3
Dunstable	8	8	–	–	–	–	1	2	5
Duxbury	17	15	1	–	1	5	3	2	7
East Bridgewater	16	14	–	–	2	6	1	5	4
East Brookfield	4	4	–	–	–	2	–	–	2
East Longmeadow	16	16	–	–	–	4	1	8	3
Eastham	3	2	–	1	–	1	–	1	1
Easthampton	86	74	1	5	6	39	2	38	7
Easton	28	22	1	1	4	10	3	9	6
Edgartown	2	2	–	–	–	1	–	1	–
Egremont	6	6	–	–	–	2	–	–	4
Enfield	–	–	–	–	–	–	–	–	–
Erving	3	2	–	–	1	–	–	1	2
Essex	1	1	–	–	–	–	–	1	–
EVERETT	320	216	34	28	42	146	18	111	45
Fairhaven	59	45	2	6	6	17	2	26	14
FALL RIVER	1,085	866	50	59	110	794	23	181	87
Falmouth	47	30	3	2	12	20	6	13	8
FITCHBURG	312	235	17	23	37	186	13	76	37
Florida	2	2	–	–	–	1	–	1	–
Foxborough	26	20	2	3	1	7	3	4	12
Framingham	174	136	5	14	19	84	17	52	21
Franklin	52	37	4	2	9	15	6	20	11
Freetown	11	10	–	–	1	3	1	–	7
GARDNER	130	86	12	12	20	91	3	25	11
Gay Head	1	1	–	–	–	–	–	–	1
Georgetown	8	7	1	–	–	2	–	4	2
Gill	–	–	–	–	–	–	–	–	–
GLOUCESTER	133	108	5	9	11	88	6	26	13
Goshen	5	5	–	–	–	–	1	2	2
Gosnold	–	–	–	–	–	–	–	–	–
Grafton	58	48	3	2	5	18	4	22	14
Granby	7	6	–	–	1	2	–	2	3
Granville	3	3	–	–	–	2	–	1	–
Great Barrington	40	33	–	1	6	17	1	13	9
Greenfield	120	106	1	6	7	52	10	33	25
Greenwich	–	–	–	–	–	–	–	–	–
Groton	14	10	1	1	2	6	1	3	4
Groveland	8	6	–	1	1	3	–	3	2
Hadley	18	15	–	2	1	6	1	9	2
Halifax	7	6	–	–	1	–	–	2	5
Hamilton	12	11	–	–	1	4	1	–	7
Hampden	2	2	–	–	–	–	–	–	2
Hancock	–	–	–	–	–	–	–	–	–
Hanover	13	9	–	1	3	3	1	4	5
Hanson	13	12	–	–	1	3	2	1	7
Hardwick	14	11	–	–	3	2	1	8	3
Harvard	3	2	–	–	1	1	–	–	2
Harwich	19	15	–	–	4	4	2	2	11
Hatfield	19	16	2	–	1	6	3	10	–
HAVERHILL	274	207	13	16	38	179	12	59	24
Hawley	–	–	–	–	–	–	–	–	–
Heath	–	–	–	–	–	–	–	–	–
Hingham	31	23	1	2	5	6	4	16	5
Hinsdale	8	8	–	–	–	2	–	2	4
Holbrook	26	21	1	–	4	9	3	10	4
Holden	26	21	–	–	5	8	3	7	8
Holland	1	1	–	–	–	–	–	–	1
Holliston	25	21	1	2	1	3	–	8	14
HOLYOKE	356	259	29	19	49	200	14	118	24

[1] Cities are printed in small capitals.

Table 41

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in each County and Municipality: 1934. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, classified by Residence of Bride and Groom, in each County and Municipality: 1934. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Hopedale	12	11	1	–	–	3	4	2	3
Hopkinton	12	10	1	1	–	7	1	4	–
Hubbardston	6	6	–	–	–	–	–	2	4
Hudson	51	35	4	6	6	23	2	21	5
Hull	20	16	–	1	3	4	1	7	8
Huntington	8	8	–	–	–	1	–	3	4
Ipswich	45	34	3	4	4	15	5	16	9
Kingston	21	18	–	1	2	1	3	7	10
Lakeville	5	5	–	–	–	1	–	4	–
Lancaster	9	8	–	–	1	3	–	3	3
Lanesborough	2	2	–	–	–	–	–	1	1
LAWRENCE	663	464	55	60	84	390	47	140	86
Lee	27	21	2	1	3	10	1	10	6
Leicester	30	25	–	3	2	10	4	12	4
Lenox	14	11	–	2	1	1	3	6	4
LEOMINSTER	135	102	6	12	15	76	5	45	9
Leverett	1	1	–	–	–	1	–	–	–
Lexington	57	50	1	1	5	19	5	18	15
Leyden	–	–	–	–	–	–	–	–	–
Lincoln	5	5	–	–	–	1	–	1	3
Littleton	13	12	–	–	1	4	1	3	5
Longmeadow	20	17	1	–	2	4	–	9	7
LOWELL	739	577	28	56	78	466	39	150	84
Ludlow	38	29	3	2	4	21	1	11	5
Lunenburg	14	13	1	–	–	–	2	4	8
LYNN	729	508	63	71	87	475	35	157	62
Lynnfield	8	7	–	1	–	2	1	1	4
MALDEN	385	275	35	35	40	175	29	109	72
Manchester	15	10	–	4	1	4	3	3	5
Mansfield	41	27	3	4	7	11	3	13	14
Marblehead	46	37	2	2	5	18	2	19	7
Marion	16	14	–	–	2	4	1	5	6
MARLBOROUGH	79	65	1	3	10	40	6	28	5
Marshfield	10	8	–	–	2	5	1	1	3
Mashpee	2	2	–	–	–	–	–	1	1
Mattapoisett	7	6	–	–	1	2	–	3	2
Maynard	45	37	2	4	2	21	5	13	6
Medfield	11	9	–	1	1	7	–	3	1
MEDFORD	335	258	17	28	32	125	22	118	70
Medway	45	34	1	5	5	9	4	8	24
MELROSE	137	110	8	7	12	53	11	48	25
Mendon	4	2	2	–	–	2	–	1	1
Merrimac	12	11	1	–	–	1	–	3	8
Methuen	114	89	3	9	13	36	2	41	35
Middleborough	68	57	2	3	6	30	4	18	16
Middlefield	1	1	–	–	–	–	–	–	1
Middleton	3	3	–	–	–	2	–	–	1
Milford	116	95	3	5	13	55	10	30	21
Millbury	50	42	–	4	4	20	2	15	13
Millis	22	12	5	3	2	3	–	3	16
Millville	8	7	1	–	–	1	–	5	2
Milton	93	73	9	5	6	18	7	44	24
Monroe	–	–	–	–	–	–	–	–	–
Monson	28	26	–	1	1	10	3	4	11
Montague	57	41	1	5	10	23	2	23	9
Monterey	3	3	–	–	–	–	1	2	–
Montgomery	–	–	–	–	–	–	–	–	–
Mount Washington	1	1	–	–	–	–	–	–	1
Nahant	9	8	–	–	1	1	1	3	4
Nantucket	35	28	1	3	3	19	4	5	7
Natick	76	62	5	7	2	27	11	25	13
Needham	51	38	2	5	6	17	5	12	17
New Ashford	–	–	–	–	–	–	–	–	–
NEW BEDFORD	912	596	107	71	138	642	40	147	83
New Braintree	1	1	–	–	–	–	–	–	1
New Marlborough	2	2	–	–	–	–	–	2	–
New Salem	1	1	–	–	–	–	–	–	1
Newbury	9	8	–	–	1	1	1	2	5
NEWBURYPORT	75	58	2	7	8	28	3	24	20
NEWTON	465	347	37	41	40	121	32	209	103
Norfolk	7	5	–	–	2	2	1	1	3
NORTH ADAMS	148	121	4	12	11	102	8	28	10
North Andover	31	24	–	4	3	6	2	17	6
North Attleborough	105	86	3	5	11	23	5	36	41
North Brookfield	18	18	–	–	–	5	1	5	7
North Reading	10	8	–	–	2	4	1	3	2
NORTHAMPTON	147	115	7	12	13	75	7	47	18
Northborough	11	11	–	–	–	3	–	6	2

[1] Cities are printed in small capitals.

Table 41

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in each County and Municipality: 1934. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, classified by Residence of Bride and Groom, in each County and Municipality: 1934. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
Northbridge	74	43	12	6	13	43	7	15	9
Northfield	10	8	–	–	2	4	2	2	2
Norton	47	39	–	5	3	12	1	7	27
Norwell	7	5	–	–	2	1	–	3	3
Norwood	79	54	7	6	12	31	4	26	18
Oak Bluffs	22	19	1	–	2	10	2	3	7
Oakham	–	–	–	–	–	–	–	–	–
Orange	28	26	1	–	1	10	3	11	4
Orleans	13	13	–	–	–	1	2	3	7
Otis	3	3	–	–	–	–	–	2	1
Oxford	29	25	–	1	3	15	–	10	4
Palmer	71	63	1	–	7	27	4	22	18
Paxton	1	–	1	–	–	1	–	–	–
PEABODY	121	94	8	7	12	62	9	33	17
Pelham	–	–	–	–	–	–	–	–	–
Pembroke	7	6	–	1	–	2	–	2	3
Pepperell	38	33	1	3	1	15	5	7	11
Peru	1	1	–	–	–	1	–	–	–
Petersham	5	5	–	–	–	–	1	1	3
Phillipston	1	1	–	–	–	1	–	–	–
PITTSFIELD	230	180	12	12	26	138	7	64	21
Plainfield	2	2	–	–	–	–	–	1	1
Plainville	10	8	–	–	2	3	1	2	4
Plymouth	120	96	6	3	15	59	14	25	22
Plympton	–	–	–	–	–	–	–	–	–
Prescott	–	–	–	–	–	–	–	–	–
Princeton	2	2	–	–	–	–	–	1	1
Provincetown	21	18	–	2	1	13	1	3	4
QUINCY	470	347	33	45	45	261	29	133	47
Randolph	35	30	2	1	2	16	2	11	6
Raynham	14	12	–	1	1	3	–	7	4
Reading	60	49	1	4		20	4	19	17
Rehoboth	9	9	–	–	–	2	1	2	4
REVERE	262	194	16	19	33	114	8	72	68
Richmond	4	2	1	–	1	–	–	2	2
Rochester	3	2	–	1	–	2	–	1	–
Rockland	55	41	3	6	5	27	6	11	11
Rockport	24	13	3	3	5	12	3	3	6
Rowe	1	1	–	–	–	1	–	–	–
Rowley	6	6	–	–	–	2	1	–	3
Royalston	2	2	–	–	–	1	1	–	–
Russell	4	4	–	–	–	1	–	1	2
Rutland	7	7	–	–	–	3	1	1	2
SALEM	384	295	17	34	38	209	26	100	49
Salisbury	15	13	1	–	1	3	3	2	7
Sandisfield	–	–	–	–	–	–	–	–	–
Sandwich	20	17	1	1	1	5	4	1	10
Saugus	83	71	1	5	6	26	6	33	18
Savoy	–	–	–	–	–	–	–	–	–
Scituate	28	19	–	3	6	14	5	3	6
Seekonk	198	164	4	14	16	11	7	9	171
Sharon	57	39	2	4	12	7	1	11	38
Sheffield	7	5	–	–	2	1	1	3	2
Shelburne	7	7	–	–	–	2	–	4	1
Sherborn	2	2	–	–	–	–	1	1	–
Shirley	21	19	–	2	–	8	1	8	4
Shrewsbury	37	35	–	1	1	13	4	11	9
Shutesbury	1	1	–	–	–	–	–	1	–
Somerset	40	32	2	–	6	8	5	13	14
SOMERVILLE	621	419	64	67	71	315	41	185	80
South Hadley	46	41	2	1	2	11	3	19	13
Southampton	4	3	–	–	1	–	2	1	1
Southborough	17	11	–	4	2	4	1	9	3
Southbridge	159	128	7	12	12	107	5	32	15
Southwick	1	1	–	–	–	–	–	–	1
Spencer	56	45	–	2	9	39	2	11	4
SPRINGFIELD	991	738	58	81	114	584	64	197	146
Sterling	4	3	–	–	1	1	1	–	2
Stockbridge	12	10	–	–	2	3	–	3	6
Stoneham	56	45	4	3	4	15	3	22	16
Stoughton	54	47	3	1	3	21	1	26	6
Stow	7	7	–	–	–	1	2	1	3
Sturbridge	11	8	–	1	2	5	1	1	4
Sudbury	7	3	–	3	1	–	2	3	2
Sunderland	3	3	–	–	–	1	–	2	–
Sutton	17	14	–	–	3	3	5	3	6
Swampscott	62	48	5	4	5	6	4	28	24
Swansea	57	50	1	1	5	11	6	20	20

[1] Cities are printed in small capitals.

Table 41

Municipalities.[1]	Marriages, classified by Nativity of Bride and Groom, in Each County and Municipality: 1934. Nativity. Total couples.	Bride and groom both— Native.	Bride and groom both— Foreign.	Native groom and foreign bride.	Foreign groom and native bride.	Marriages, classified by Residence of Bride and Groom, in Each County and Municipality: 1934. Groom and bride residents.	Groom a resident.	Bride a resident.	Groom and bride non-residents.
TAUNTON	293	222	13	17	41	165	12	52	64
Templeton	48	38	3	1	6	13	7	11	17
Tewksbury	14	11	–	2	1	4	–	5	5
Tisbury	18	13	1	1	3	6	1	3	8
Tolland	–	–	–	–	–	–	–	–	–
Topsfield	6	5	1	–	–	1	–	4	1
Townsend	12	10	–	2	–	2	–	1	9
Truro	4	4	–	–	–	1	1	–	2
Tyngsborough	17	15	–	1	1	–	1	2	14
Tyringham	–	–	–	–	–	–	–	–	–
Upton	12	10	1	–	1	2	1	5	4
Uxbridge	64	51	3	4	6	34	1	21	8
Wakefield	106	82	2	9	13	44	11	37	14
Wales	3	3	–	–	–	–	–	–	3
Walpole	45	35	1	3	6	16	4	8	17
WALTHAM	278	179	28	32	39	132	22	83	41
Ware	52	39	3	2	8	18	2	18	14
Wareham	58	44	5	3	6	30	7	6	15
Warren	20	18	–	2	–	8	–	6	6
Warwick	1	–	–	–	1	–	–	–	1
Washington	–	–	–	–	–	–	–	–	–
Watertown	188	131	21	19	17	48	19	71	50
Wayland	28	20	1	3	4	15	2	6	5
Webster	151	139	5	2	5	62	10	43	36
Wellesley	75	59	3	9	4	24	7	29	15
Wellfleet	11	10	–	–	1	3	2	1	5
Wendell	–	–	–	–	–	–	–	–	–
Wenham	7	6	–	1	–	1	–	–	6
West Boylston	13	10	–	2	1	1	1	3	8
West Bridgewater	7	7	–	–	–	1	–	4	2
West Brookfield	10	7	–	2	1	2	1	3	4
West Newbury	8	8	–	–	–	2	–	2	4
West Springfield	72	59	3	2	8	28	3	34	7
West Stockbridge	5	5	–	–	–	–	1	2	2
West Tisbury	1	1	–	–	–	–	–	–	1
Westborough	23	20	2	1	–	14	–	6	3
WESTFIELD	101	85	5	1	10	53	5	32	11
Westford	26	18	3	2	3	13	1	7	5
Westhampton	1	1	–	–	–	1	–	–	–
Westminster	8	8	–	–	–	1	2	3	2
Weston	24	18	2	4	–	6	–	11	7
Westport	26	22	–	1	3	10	3	4	9
Westwood	12	10	1	–	1	3	2	2	5
Weymouth	144	116	7	12	9	58	19	36	31
Whately	2	2	–	–	–	1	–	–	1
Whitman	60	53	–	4	3	13	5	25	17
Wilbraham	6	6	–	–	–	5	–	1	–
Williamsburg	6	5	–	1	–	2	–	1	3
Williamstown	27	25	–	2	–	4	3	10	10
Wilmington	32	29	–	–	3	11	1	8	12
Winchendon	64	54	1	5	4	24	7	21	12
Winchester	88	69	8	4	7	19	3	39	27
Windsor	2	2	–	–	–	2	–	–	–
Winthrop	83	65	4	6	8	43	4	27	9
WOBURN	106	82	5	7	12	43	9	37	17
WORCESTER	1,318	987	92	80	159	971	54	179	114
Worthington	2	2	–	–	–	1	–	–	1
Wrentham	31	26	2	2	1	4	2	6	19
Yarmouth	12	9	1	2	–	–	1	1	10

[1] Cities are printed in small capitals.

Table 42

Age at Marriage	Marriages, by Sex, Age, and Marital Condition: 1934. Both sexes.	Males. Total	Males. Single.	Males. Widowed.	Males. Divorced.	Females. Total.	Females. Single.	Females. Widowed.	Females. Divorced.
The State									
13 Years and Over.	60,482	30,241	27,128	1,951	1,162	30,241	27,726	1,248	1,267
Under 20 years	6,033	813	813	–	–	5,220	5,210	5	5
20 to 29 years	40,331	20,493	20,173	119	201	19,838	19,222	138	478
30 to 39 years	9,805	6,209	5,227	460	522	3,596	2,738	333	525
40 to 49 years	2,574	1,576	742	535	299	998	442	356	200
50 to 59 years	1,164	733	140	478	115	431	100	283	48
60 to 69 years	469	326	30	276	20	143	14	118	11
70 to 79 years	99	84	3	77	4	15	–	15	–
80 years and over	7	7	–	6	1	–	–	–	–

Table 43

MARRIAGES, BY MONTHS IN COUNTIES

Line No.	Months	THE STATE: Total number.	THE STATE: Average daily number.	COUNTIES: Barnstable.	Berkshire.	Bristol.	Dukes.	Essex.	Franklin.	Hampden.	Hampshire.	Middlesex.
1	**The Year**	**30,241**	**83**	**264**	**678**	**3,220**	**45**	**3,249**	**324**	**2,079**	**458**	**6,176**
2	January	1,575	51	15	30	188	2	165	14	101	28	323
3	February	1,655	59	9	31	181	–	163	17	103	25	316
4	March	1,034	33	9	17	106	1	95	8	40	8	202
5	April	2,890	96	20	67	302	5	322	21	190	49	574
6	May	2,067	67	13	36	251	–	197	23	176	42	397
7	June	4,717	157	35	121	495	3	528	42	278	64	995
8	July	2,417	78	42	46	293	3	250	30	165	38	479
9	August	2,408	78	30	59	228	5	274	25	158	42	475
10	September	3,742	125	31	100	434	10	384	40	311	50	742
11	October	3,173	102	31	68	265	7	375	42	237	46	669
12	November	2,801	93	20	70	316	4	300	39	230	47	601
13	December	1,762	57	9	33	161	5	196	23	90	19	403

Table 44

MARRIAGES IN EACH COUNTY

Line No.	Counties and Sex.	All ages.	13 years.	14 years.	15 years.	16 years.	17 years.	18 years.	19 years.	20 to 24 years.
	The State.									
1	**Grooms**	**30,241**	–	–	–	**7**	**49**	**218**	**539**	**10,599**
2	**Brides**	**30,241**	**2**	**12**	**86**	**367**	**761**	**1,792**	**2,200**	**12,637**
	Barnstable:									
3	Grooms	264	–	–	–	–	–	3	10	91
4	Brides	264	–	–	3	6	6	20	22	107
	Berkshire:									
5	Grooms	678	–	–	–	–	–	3	11	242
6	Brides	678	–	1	1	9	16	44	53	281
	Bristol:									
7	Grooms	3,220	–	–	–	–	9	28	74	1,310
8	Brides	3,220	1	–	15	46	84	234	293	1,426
	Dukes:									
9	Grooms	45	–	–	–	–	1	–	1	16
10	Brides	45	–	–	–	1	2	3	3	20
	Essex:									
11	Grooms	3,249	–	–	–	–	11	27	56	1,222
12	Brides	3,249	–	–	11	40	100	195	260	1,363
	Franklin:									
13	Grooms	324	–	–	–	–	–	2	8	147
14	Brides	324	–	–	–	12	16	26	30	151
	Hampden:									
15	Grooms	2,079	–	–	–	–	3	11	39	717
16	Brides	2,079	–	1	4	30	46	132	167	902
	Hampshire									
17	Grooms	458	–	–	–	–	1	5	16	176
18	Brides	458	–	2	2	7	28	27	36	182
	Middlesex									
19	Grooms	6,176	–	–	–	2	8	28	93	2,026
20	Brides	6,176	1	4	14	63	140	336	394	2,432
	Nantucket:									
21	Grooms	35	–	–	–	–	–	–	–	14
22	Brides	35	–	–	–	2	1	3	7	11
	Norfolk:									
23	Grooms	2,213	–	–	–	2	1	6	19	660
24	Brides	2,213	–	–	1	15	32	90	111	937
	Plymouth:									
25	Grooms	1,103	–	–	–	1	–	11	26	406
26	Brides	1,103	–	–	9	17	31	63	89	463
	Suffolk:									
27	Grooms	6,921	–	–	–	2	9	58	100	2,208
28	Brides	6,921	–	1	11	53	152	343	457	2,898
	Worcester:									
29	Grooms	3,476	–	–	–	–	6	36	86	1,364
30	Brides	3,476	–	3	15	66	107	276	278	1,464

AND IN CITIES HAVING OVER 100,000 INHABITANTS: 1934.

Line No.	Counties — Con.					Cities having over 100,000 inhabitants.								
	Nantucket.	Norfolk.	Plymouth.	Suffolk.	Worcester.	Boston.	Worcester.	Springfield.	Fall River.	Cambridge.	New Bedford.	Somerville.	Lynn.	Lowell.
1	35	2,213	1,103	6,921	3,476	6,288	1,318	991	1,085	958	912	621	729	739
2	1	99	51	392	166	356	75	47	55	49	61	44	40	30
3	1	128	57	454	170	417	69	53	64	54	57	36	48	46
4	–	83	44	320	101	285	39	26	29	36	28	23	30	19
5	2	200	85	673	380	616	152	85	100	94	108	48	78	77
6	3	134	74	442	279	394	104	85	95	49	61	37	42	63
7	2	391	156	1,071	536	971	224	135	173	143	137	101	95	129
8	4	173	96	509	289	451	105	79	100	80	89	46	50	45
9	8	170	103	545	286	485	106	62	82	79	47	49	63	53
10	4	262	149	801	424	743	150	138	166	110	118	70	81	77
11	8	248	115	714	348	661	140	115	76	87	69	65	84	71
12	1	180	97	579	317	527	111	111	99	106	92	56	66	84
13	1	145	76	421	180	382	43	55	46	71	45	46	52	45

Line No.	BY SEX AND AGE: 1934.											
	25 to 29 years.	30 to 34 years.	35 to 39 years.	40 to 44 years.	45 to 49 years.	50 to 54 years.	55 to 59 years.	60 to 64 years.	65 to 69 years.	70 to 74 years.	75 to 79 years.	80 yrs. and over.
1	9,894	4,245	1,964	989	587	449	284	209	117	66	18	7
2	7,201	2,481	1,115	599	399	271	160	88	55	12	3	–
3	72	29	18	11	5	11	6	1	1	4	1	1
4	45	21	10	4	6	5	5	2	1	1	–	–
5	236	87	36	23	13	14	6	2	2	2	1	–
6	174	42	24	10	11	3	4	3	2	–	–	–
7	985	400	161	82	53	45	31	18	12	11	1	–
8	638	231	107	44	36	33	17	6	5	4	–	–
9	12	5	2	2	2	2	–	–	–	1	–	1
10	6	4	3	–	1	2	–	–	–	–	–	–
11	1,003	444	204	105	61	43	36	13	18	4	1	1
12	742	249	115	67	40	36	10	13	6	1	1	–
13	85	37	17	8	8	4	1	3	1	3	–	–
14	47	15	5	6	7	2	2	2	1	2	–	–
15	741	283	130	49	33	35	19	10	5	3	–	1
16	462	166	74	31	29	14	14	3	2	1	1	–
17	137	56	27	12	6	9	5	4	2	1	1	–
18	96	36	16	8	6	8	2	1	1	–	–	–
19	2,091	913	434	220	108	90	68	54	19	16	4	2
20	1,638	563	251	126	92	55	34	18	14	–	1	–
21	11	3	–	3	–	2	–	2	–	–	–	–
22	4	2	–	2	1	2	–	–	–	–	–	–
23	825	352	163	61	41	34	15	19	12	2	1	–
24	633	205	84	49	26	15	10	3	1	1	–	–
25	341	130	70	37	24	21	13	15	5	2	1	–
26	228	85	38	32	16	12	13	5	1	1	–	–
27	2,251	1,076	529	272	167	103	58	46	26	11	4	1
28	1,736	618	269	169	94	53	29	25	12	1	–	–
29	1,104	430	173	104	66	36	26	22	14	6	3	–
30	752	244	119	51	34	31	20	7	9	–	–	–

Table 45 — MARRIAGES, BY SEX AND AGE: 1934.

Age of Grooms.	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
	AGE OF BRIDES.														
All Ages.	36,241	5,220	12,637	7,201	2,481	1,115	599	399	271	160	88	55	12	3	–
Under 20 .	813	588	210	13	2	–	–	–	–	–	–	–	–	–	–
20 to 24 . .	10,599	3,411	6,175	929	72	8	3	–	1	–	–	–	–	–	–
25 to 29 . .	9,894	955	4,739	3,611	530	52	5	2	–	–	–	–	–	–	–
30 to 34 . .	4,245	197	1,116	1,761	932	195	36	7	1	–	–	–	–	–	–
35 to 39 . .	1,964	45	277	628	538	355	91	26	3	1	–	–	–	–	–
40 to 44 . .	989	16	81	181	236	237	161	50	25	1	1	–	–	–	–
45 to 49 . .	587	2	25	53	101	148	128	86	32	5	6	1	–	–	–
50 to 54 . .	449	4	11	20	48	81	98	95	72	15	2	3	–	–	–
55 to 59 . .	284	2	1	2	16	28	44	71	55	50	12	2	–	1	–
60 to 64 . .	209	–	–	3	5	11	23	39	44	42	30	12	–	–	–
65 to 69 . .	117	–	2	–	1	–	9	14	21	32	17	18	3	–	–
70 to 74 . .	66	–	–	–	–	–	1	7	11	10	14	14	7	2	–
75 to 79 . .	18	–	–	–	–	–	–	1	3	4	4	4	2	–	–
80 and over .	7	–	–	–	–	–	–	1	3	–	2	1	–	–	–

Table 46 — FIRST MARRIAGES, BY SEX AND AGE: 1934.

Age of Grooms (Bachelors).	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
	AGE OF BRIDES (MAIDS).														
All Ages.	25,920	5,104	12,009	6,349	1,746	466	156	54	27	7	2	–	–	–	–
Under 20 .	812	588	209	13	2	–	–	–	–	–	–	–	–	–	–
20 to 24 . .	10,391	3,389	6,077	871	50	2	2	–	–	–	–	–	–	–	–
25 to 29 . .	9,338	925	4,553	3,389	440	30	–	1	–	–	–	–	–	–	–
30 to 34 . .	3,520	164	943	1,525	757	119	9	3	–	–	–	–	–	–	–
35 to 39 . .	1,235	31	185	441	353	180	38	6	1	–	–	–	–	–	–
40 to 44 . .	392	5	32	89	102	88	63	11	2	–	–	–	–	–	–
45 to 49 . .	129	–	6	19	33	29	21	17	4	–	–	–	–	–	–
50 to 54 . .	67	1	4	1	8	14	16	10	12	1	–	–	–	–	–
55 to 59 . .	18	1	–	–	1	4	5	2	2	3	–	–	–	–	–
60 to 64 . .	14	–	–	1	–	–	2	3	6	1	1	–	–	–	–
65 to 69 . .	2	–	–	–	–	–	–	–	–	2	–	–	–	–	–
70 to 74 . .	2	–	–	–	–	–	–	1	–	–	1	–	–	–	–
75 to 79 . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
80 and over .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

Table 47 — FIRST MARRIAGES OF GROOMS AND REMARRIAGES OF BRIDES, BY AGE: 1934.

Age of Grooms (Bachelors).	All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
	AGE OF BRIDES (WIDOWS).[1]														
All Ages.	1,208	9	167	305	269	218	115	60	39	14	6	5	–	1	–
Under 20 .	1	–	1	–	–	–	–	–	–	–	–	–	–	–	–
20 to 24 . .	160	8	69	54	21	6	1	–	1	–	–	–	–	–	–
25 to 29 . .	284	1	55	134	70	19	4	1	–	–	–	–	–	–	–
30 to 34 . .	267	–	33	68	88	57	19	1	1	–	–	–	–	–	–
35 to 39 . .	205	–	7	36	54	68	27	12	1	–	–	–	–	–	–
40 to 44 . .	135	–	2	9	17	44	35	15	11	1	1	–	–	–	–
45 to 49 . .	86	–	–	4	13	16	21	20	9	2	1	–	–	–	–
50 to 54 . .	37	–	–	–	6	8	6	7	6	3	–	1	–	–	–
55 to 59 . .	18	–	–	–	–	–	2	3	8	4	–	–	–	1	–
60 to 64 . .	9	–	–	–	–	–	–	1	2	3	2	1	–	–	–
65 to 69 . .	5	–	–	–	–	–	–	–	–	1	2	2	–	–	–
70 to 74 . .	1	–	–	–	–	–	–	–	–	–	–	1	–	–	–
75 to 79 . .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
80 and over .	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–

[1] Includes divorced.

Table 48 — REMARRIAGES OF GROOMS AND FIRST MARRIAGES OF BRIDES, BY AGE: 1934.

Age of Grooms (Widowers).[1]	Age of brides (maids). All ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	1,806	106	431	433	311	215	136	96	45	21	9	3	–	–	–
Under 20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20 to 24	46	14	28	4	–	–	–	–	–	–	–	–	–	–	–
25 to 29	228	28	117	64	16	2	1	–	–	–	–	–	–	–	–
30 to 34	367	33	135	140	52	4	3	–	–	–	–	–	–	–	–
35 to 39	383	14	83	127	86	62	11	–	–	–	–	–	–	–	–
40 to 44	260	11	41	62	76	44	22	4	–	–	–	–	–	–	–
45 to 49	180	2	17	20	36	53	35	16	1	–	–	–	–	–	–
50 to 54	163	3	7	13	29	34	34	29	12	2	–	–	–	–	–
55 to 59	79	1	1	1	12	8	13	22	11	8	1	1	–	–	–
60 to 64	51	–	–	2	3	8	11	12	11	3	1	–	–	–	–
65 to 69	34	–	2	–	1	–	6	9	6	6	3	1	–	–	–
70 to 74	10	–	–	–	–	–	–	4	2	2	2	–	–	–	–
75 to 79	3	–	–	–	–	–	–	–	1	–	1	1	–	–	–
80 and over	2	–	–	–	–	–	–	–	1	–	1	–	–	–	–

[1] Includes divorced.

Table 49 — REMARRIAGES OF BOTH PARTIES, BY AGE: 1934.

Age of Grooms (Widowers).[1]	Age of brides (widows).[1] All Ages.	Under 20.	20 to 24.	25 to 29.	30 to 34.	35 to 39.	40 to 44.	45 to 49.	50 to 54.	55 to 59.	60 to 64.	65 to 69.	70 to 74.	75 to 79.	80 and over.
All Ages.	1,307	1	30	114	155	216	192	189	160	118	71	47	12	2	–
Under 20	–	–	–	–	–	–	–	–	–	–	–	–	–	–	–
20 to 24	2	–	1	–	1	–	–	–	–	–	–	–	–	–	–
25 to 29	44	1	14	24	4	1	–	–	–	–	–	–	–	–	–
30 to 34	91	–	5	28	35	15	5	3	–	–	–	–	–	–	–
35 to 39	141	–	2	24	45	45	15	8	1	1	–	–	–	–	–
40 to 44	202	–	6	21	41	61	41	20	12	–	–	–	–	–	–
45 to 49	192	–	2	10	19	50	51	33	18	3	5	1	–	–	–
50 to 54	182	–	–	6	5	25	42	49	42	9	2	2	–	–	–
55 to 59	169	–	–	1	3	16	24	44	34	35	11	1	–	–	–
60 to 64	135	–	–	–	2	3	10	23	25	35	26	11	–	–	–
65 to 69	76	–	–	–	–	–	3	5	15	23	12	15	3	–	–
70 to 74	53	–	–	–	–	–	1	2	9	8	11	13	7	2	–
75 to 79	15	–	–	–	–	–	–	1	2	4	3	3	2	–	–
80 and over	5	–	–	–	–	–	–	1	2	–	1	1	–	–	–

[1] Includes divorced.

Table 50 — FIRST MARRIAGES AND REMARRIAGES: 1934.

Grooms.	Brides: Total number of marriages	First marriage	Second marriage	Third marriage	Fourth marriage	Fifth marriage
Total Number	30,241	27,726	2,332	175	8	–
First marriage	27,128	25,920	1,160	47	1	–
Second marriage	2,906	1,730	1,069	102	5	–
Third marriage	194	74	93	25	2	–
Fourth marriage	13	2	10	1	–	–
Fifth marriage	–	–	–	–	–	–

Table 51

MARRIAGES, MARRIAGE RATES, AND NATIVITY OF PERSONS MARRIED: 1910 TO 1934.

YEARS.	Total Number.	RATES — PERSONS MARRIED PER 1,000 POPULATION.		NATIVITY — PERCENTAGES.			
		Annual.	Five-year averages.	BRIDE AND GROOM — BOTH —		Native groom and foreign bride.	Foreign groom and native bride.
				Native.	Foreign.		
1910	30,710	18.2		43.2	35.8	10.6	10.5
1911	32,051	18.6	18.3	44.5	35.1	9.8	10.6
1912	30,898	17.6		43.5	36.2	9.6	10.6
1913	31,403	17.6		43.4	36.4	9.6	10.6
1914	32,588	17.9		44.4	36.4	9.2	10.0
1915	31,301	17.0		45.3	35.0	9.1	10.6
1916	34,386	18.2	17.7	47.0	33.3	9.3	10.3
1917	37,945	19.8		50.8	28.6	9.8	10.8
1918	29,163	14.9		52.3	26.6	9.8	11.3
1919	34,329	17.9		54.8	23.9	9.9	11.6
1920	38,048	19.7		56.8	21.7	9.8	11.7
1921	33,590	17.3	18.1	55.5	24.0	9.1	11.4
1922	32,683	16.6		57.3	21.5	9.3	11.9
1923	35,200	17.7		57.2	20.7	9.8	12.3
1924	32,080	16.0		57.4	20.0	9.6	13.0
1925	31,238	15.1		58.0	19.0	9.7	13.3
1926	30,584	14.5	16.5	59.2	17.6	9.8	13.4
1927	30,408	14.2		60.7	16.6	9.2	13.5
1928	29,082	13.4		62.3	14.7	9.2	13.8
1929	30,568	14.0		63.3	13.9	9.6	13.2
1930	27,431	12.9		65.4	12.6	9.0	13.0
1931	26,296	12.3	13.8	67.2	11.3	9.0	12.5
1932	22,817	10.6		68.8	10.1	8.6	12.5
1933	25,949	12.0		71.4	8.5	8.1	12.0
1934	30,241	13.9		74.0	7.3	7.7	11.0

Table 52

PROPORTIONS OF FIRST MARRIAGES AND REMARRIAGES PER 1,000 MARRIAGES: 1910 TO 1934.

YEARS.	MALES.		FEMALES.		BACHELORS WHO MARRIED —		WIDOWERS[1] WHO MARRIED —	
	Bachelors.	Widowers.[1]	Maids.	Widows.[1]	Maids.	Widows.[1]	Maids.	Widows.[1]
1910	88.3	11.7	90.4	9.6	83.5	4.9	7.0	4.7
1911	89.0	11.0	90.5	9.5	84.0	5.0	6.5	4.5
1912	89.7	10.3	91.8	8.2	85.4	4.2	6.4	4.0
1913	89.5	10.5	91.7	8.3	85.4	4.1	6.3	4.2
1914	89.6	10.4	91.7	8.3	85.3	4.2	6.4	4.1
1915	89.6	10.4	91.7	8.3	85.3	4.2	6.4	4.1
1916	89.8	10.2	91.3	8.7	85.3	4.6	6.1	4.1
1917	89.8	10.2	90.9	9.1	84.9	4.9	6.0	4.2
1918	86.7	13.3	88.0	12.0	80.6	6.1	7.4	5.9
1919	85.9	14.1	88.0	12.0	80.2	5.7	7.9	6.2
1920	86.1	13.9	88.0	12.0	80.3	5.9	7.7	6.1
1921	85.2	14.8	87.3	12.7	79.2	6.0	8.1	6.7
1922	86.4	13.6	88.0	12.0	80.5	5.9	7.5	6.1
1923	86.9	13.1	88.4	11.6	81.2	5.7	7.2	5.9
1924	86.9	13.1	88.3	11.7	81.3	5.6	7.1	6.0
1925	87.4	12.6	88.8	11.2	82.1	5.4	6.7	5.8
1926	87.5	12.5	89.0	11.0	82.3	5.2	6.8	5.7
1927	87.6	12.4	89.1	10.9	82.5	5.1	6.6	5.8
1928	87.9	12.1	89.2	10.8	83.0	5.0	6.2	5.8
1929	87.8	12.2	89.8	10.2	83.2	4.5	6.6	5.7
1930	87.8	12.2	89.7	10.3	83.3	4.6	6.4	5.7
1931	87.6	12.4	89.5	10.5	82.7	4.8	6.8	5.7
1932	87.8	12.2	89.7	10.3	83.0	4.8	6.8	5.4
1933	88.6	11.4	90.7	9.3	84.3	4.3	6.4	5.0
1934	89.7	10.3	91.7	8.3	85.7	4.0	6.0	4.3

[1] Includes divorced.

Table 53

MARRIAGES AND MARRIAGE RATES IN THE STATE AND IN CITIES HAVING OVER 100,000 INHABITANTS IN 1930: **1910 TO 1934.**

YEARS.	The State.	CITIES HAVING OVER 100,000 INHABITANTS IN 1930.								
		Boston.	Worcester.	Springfield.	Fall River.	Cambridge.	New Bedford.	Somerville.	Lynn.	Lowell
1910 . .	30,710	7,596	1,395	904	1,092	1,241	999	–	890	934
1911 . .	32,051	8,110	1,457	986	1,193	1,230	955	–	983	983
1912 . .	30,898	7,896	1,404	732	1,056	1,146	997	–	966	1,003
1913 . .	31,403	8,130	1,495	887	1,166	1,126	1,023	–	959	1,016
1914 . .	32,588	8,522	1,411	871	1,229	1,141	1,017	–	856	1,058
1915 . .	31,301	8,141	1,408	828	1,118	1,121	1,035	–	832	986
1916 . .	34,386	8,552	1,687	1,062	1,207	1,163	1,166	–	1,043	1,113
1917 . .	37,945	9,191	1,836	1,265	1,451	1,297	1,280	–	1,044	1,243
1918 . .	29,163	7,396	1,325	1,081	1,102	973	1,091	–	837	1,111
1919 . .	34,329	8,122	1,569	1,257	1,248	1,296	1,206	–	1,036	1,132
1920 . .	38,048	8,545	1,811	1,403	1,565	1,372	1,238	–	1,092	1,271
1921 . .	33,590	8,241	1,466	1,136	1,211	1,221	996	–	954	1,051
1922 . .	32,683	7,816	1,414	1,104	1,176	1,350	895	–	897	1,070
1923 . .	35,200	8,243	1,505	1,181	1,255	1,340	1,004	–	1,001	1,164
1924 . .	32,080	7,688	1,375	1,148	978	1,114	880	–	894	1,093
1925 . .	31,238	7,263	1,420	1,080	1,052	1,015	1,028	–	808	843
1926 . .	30,584	7,151	1,287	1,024	1,027	1,062	912	–	879	795
1927 . .	30,408	6,944	1,240	904	1,106	963	842	–	848	771
1928 . .	29,082	6,691	1,195	1,012	848	986	659	–	827	737
1929 . .	30,568	6,828	1,378	1,044	925	1,039	860	–	878	767
1930 . .	27,431	6,238	1,122	983	831	1,008	698	666	747	648
1931 . .	26,296	5,863	1,027	787	937	948	660	638	606	625
1932 . .	22,817	5,193	840	659	769	769	528	492	558	582
1933 . .	25,949	5,366	989	769	961	823	740	539	638	678
1934 . .	30,241	6,288	1,318	991	1,085	958	912	621	729	739
	MARRIAGE RATES — PERSONS MARRIED PER 1,000 POPULATION, CENSUS YEARS **1905 TO 1930.**									
1905 . .	18.1	22.8	18.5	17.8	21.7	22.0	19.7	–	22.0	17.1
1910 . .	18.2	22.1	19.1	20.3	22.6	20.8	18.8	–	19.9	17.8
1915 . .	17.0	21.8	17.3	16.1	20.4	18.0	19.2	–	17.4	18.1
1920 . .	19.8	22.8	20.1	21.7	25.8	22.8	21.9	–	22.0	23.2
1925 . .	15.1	18.6	14.9	15.2	16.3	17.0	17.2	–	15.7	15.3
1930 . .	12.9	16.0	11.5	13.1	14.4	17.7	12.4	12.8	14.6	12.9

PART II. C.
DIVORCE STATISTICS

	PAGE
Introduction	168, 169
Causes for divorce	168
Source of data	168
Applications for divorce	168
Contested cases	168
Number of divorces	168
Divorce rates	168, 169
Party to which granted	169
Divorces classified by causes	169
Annulment classified as divorce	169
Duration of marriages	169
Statistical tables	170–188

INTRODUCTION.

Causes for Divorce. — Causes for which divorce from the bonds of matrimony may be granted in Massachusetts under the provisions of chapter 208, Sections 1 and 2 of the General Laws, are as follows: —

1. Adultery.
2. Impotency.
3. Desertion for three consecutive years next prior to the filing of the libel.
4. Gross and confirmed habits of intoxication caused by the voluntary and excessive use of intoxicating liquor, opium or other drugs.
5. Cruel and abusive treatment.
6. Neglect to provide.
7. Sentence to imprisonment at hard labor for five years or more.

A marriage may be declared void in consequence of violation of the provisions of the laws concerning marriage; that is, a separation may be granted because of the demonstration of conditions obtaining at the time of, or previous to, the alleged marriage, which show that there never was a legal marriage.

Source of Data. — The statistics of divorce presented in this report are compiled from returns made to the Secretary of the Commonwealth annually by the clerks of courts and registers of probate for the several counties.

In Massachusetts there is no central record office for divorces, the statistics only being returned as stated above. The records remain with the clerks or registers.

Previous to 1922 the superior court only had jurisdiction in such matters. Under the provisions of General Laws, Tercentenary Edition, Chapter 208, the probate court now has concurrent jurisdiction with the superior court to hear libels for divorce and to determine the same in a similar manner.

Applications for Divorce. — The courts granted over 4 petitions out of every 5 filed. This proportion fluctuated considerably during the twenty-five years from 1910 to 1934, the highest proportion of applications being granted in 1924 (89.5 per cent), and the lowest proportion in 1929 (71.1 per cent). During this entire period 82.8 per cent of all applications were granted, .6 per cent were refused, and 16.6 per cent were dismissed.

Contested Cases. — Of the total number of applications for divorces during the twenty-five years from 1910 to 1934, only 18.0 per cent were contested. In 1934 of the 4,238 applications for divorce, only 1,237, or 29.2 per cent, were contested, and of the 3,645 divorces granted, 921, or 25.3 per cent, were contested. The proportion of contested cases is larger for divorces granted to the wife (26.2 per cent) than for those granted to the husband (22.1 per cent).

Number of Divorces. — Divorces granted in 1934 numbered 3,645, an increase of 435, or 10.4 per cent more than the number granted in 1933, and 147 more than the average number granted for the five-year period 1925 to 1929.

Divorce Rates. — The number of divorces granted per 100,000 population was 84.0, as compared with 74.3 in 1933, 82.5 in 1932, 84.8 in 1931, and 88.1 in 1930.

Divorce rates based on the married population, i.e., the number of divorces per 100,000 married population, are more significant than rates based upon the total population, because of the elimination of possible variations in the proportion married, and because of the fact that divorce can arise only among the married. Rates calculated in this manner are shown in Table 58, page 185, for the census

years 1900 to 1925. In this table the number of divorces shown for the census years 1900 to 1925 is not the actual number in that year, but the annual average for the five-year period of which the census year is the median. This method eliminates any peculiarities in the census year which may have affected divorce and makes the figures more typical of the period as a whole.

Party to Which Granted. — Over two-thirds (72.9 per cent) of the total number of divorces in the period 1910 to 1934 were granted to the wife. In other words, divorces obtained by the wife are more than twice as numerous as those obtained by the husband. It may be that husbands more often than wives give occasion for divorce but the difference may be partially explained by the fact that without any reference to the question of which party is the more frequently responsible for the marital unhappiness, the wife has more legal grounds for divorce than the husband, because certain well known and comparatively common grounds are more readily applicable against the husband than against the wife. For example, neglect to provide, a common legal cause for divorce on the part of the wife and cruelty, in so far as it is physical cruelty, are not ordinarily available grounds for a husband, although men are sometimes granted divorces on the ground of cruelty.

Moreover, where each party desires divorce, it is more likely that the wife, more often than the husband will make the application, since a cause for which the wife would be granted a divorce might reflect less favorably upon the parties than would a cause for which the husband might be granted a divorce.

The proportion of divorces granted to the wife fluctuated between 69.3 per cent in 1913, and 75.3 in 1931, as compared with 72.9 per cent for the entire period of 1910 to 1934.

Divorces Classified by Causes. — The statistics concerning the cause of divorce deal with the legal cause as ascertained from the court records. It should be borne in mind, however, that the cause for which a divorce is granted by the courts is not necessarily the underlying reason for the marital unhappiness, and that the value of statistics of divorce as an index to the actual causes is as a consequence impaired.

Divorces granted on the ground of desertion have nearly doubled in the twenty-five-year period 1910 to 1934, while the number of divorces granted for adultery has decreased slightly.

The most common ground on which divorce was granted by the courts was desertion, which accounted for 46.1 per cent of all the divorces granted in the period 1910 to 1934, for 38.7 per cent of all those granted to the husband in this period, and for 61.3 per cent of those granted to the wife.

The number and per cent of divorces granted for all causes, to the husband and to the wife, for the twenty-five-year period 1910 to 1934, are shown in Table 60, page 186.

Annulled Cases. — Among the less important classes of cases appears the term "Annulments." In 804 cases, or 1.1 per cent of the total number of divorces granted during the period 1910 to 1934, there was some cause shown which may have existed at the time of marriage. These cases form but a small proportion of all cases considered, and do not affect the results to any material degree.

Duration of Marriages. — The average number of years libellants were married at the time of application for divorce has fluctuated between 10.6 years in 1934 and 11.2 years in 1909. The average number of years the libellants were married in 1934 was 10.6.

Of the total libellants in Massachusetts for whom the number of years married was reported in 1934, 55.9 per cent made application for divorce before they had been married ten years, as compared with 57.2 in 1933, 55.5 in 1932, 56.4 in 1931, 57.1 in 1930, and 55.1 for the twenty-five-year period 1910 to 1934.

Table 54

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1934.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
The State.	4,238[1]	1,500	2,339	140	114	120	3	22	70
Husband	1,143	630	396	90	25	–	2	–	30
Wife	3,095	870	1,943	50	89	120	1	22	40
Granted	3,645	1,367	1,952	105	93	105	1	22	58
Husband	858	539	240	62	17	–	–	–	22
Wife	2,787	828	1,712	43	76	105	1	22	36
Refused	1	–	1	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	592	133	386	35	21	15	2	–	12
Husband	284	91	155	28	8	–	2	–	8
Wife	308	42	231	7	13	15	–	–	4
Contested	1,237	285	849	57	29	14	1	2	15
Husband	380	152	181	39	7	–	1	–	10
Wife	857	133	668	18	22	14	–	2	5
Not contested	3,001	1,215	1,490	83	85	106	2	20	55
Husband	763	478	215	51	18	–	1	–	20
Wife	2,238	737	1,275	32	67	106	1	20	35
DURATION OF MARRIAGE.									
Less than 6 months	32	1	28	–	2	1	–	–	22
Husband	8	1	6	–	1	–	–	–	10
Wife	24	–	22	–	1	1	–	–	12
6 to 11 months	74	2	61	2	2	6	–	1	9
Husband	10	–	9	1	–	–	–	–	5
Wife	64	2	52	1	2	6	–	1	4
1 to 4 years	960	172	682	34	27	36	1	8	22
Husband	203	73	99	24	7	–	–	–	5
Wife	757	99	583	10	20	36	1	8	17
5 to 9 years	1,280	458	713	39	28	35	1	6	9
Husband	364	203	129	25	6	–	1	–	5
Wife	916	255	584	14	22	35	–	6	4
10 to 19 years	1,336	584	623	45	44	34	1	5	7
Husband	372	222	111	28	10	–	1	–	4
Wife	964	362	512	17	34	34	–	5	3
20 to 29 years	456	212	205	19	11	7	–	2	1
Husband	148	98	38	11	1	–	–	–	1
Wife	308	114	167	8	10	7	–	2	–
30 years and over	100	71	27	1	–	1	–	–	–
Husband	38	33	4	1	–	–	–	–	–
Wife	62	38	23	–	–	1	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.6	13.2	9.3	10.6	10.3	8.5	9.6	8.6	3.4

Number of libels for divorce pending January 1, 1934 (including all cases, whether decrees *nisi* had been entered or not)	11,500
Number of libels for divorce pending January 1, 1934, in which decrees *nisi* had been entered at that date	1,651
Number of libels for divorce filed during the year 1934	5,227
Number of libels for divorce in which decrees *nisi* were entered during the year 1934	3,955
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1934	3,602
Number of cases finally determined in 1934	4,253
Number of petitions for annulment in 1934	70

[1] One hundred and thirty-three libels were received from the Superior Court; four thousand, one hundred and five from the Probate Court. One decree revoked. Two decrees vacated. Two libels transferred. Two libels vacated. Seven libels discontinued. One petition for affirmation of marriage.

Table 54a

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1934.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Barnstable County.	55[1]	19	33	3	–	–	–	–	–
Husband	16	8	5	3	–	–	–	–	–
Wife	39	11	28	–	–	–	–	–	–
Granted	46	17	26	3	–	–	–	–	–
Husband	11	7	1	3	–	–	–	–	–
Wife	35	10	25	–	–	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	9	2	7	–	–	–	–	–	–
Husband	5	1	4	–	–	–	–	–	–
Wife	4	1	3	–	–	–	–	–	–
Contested	17	6	10	1	–	–	–	–	–
Husband	5	2	2	1	–	–	–	–	–
Wife	12	4	8	–	–	–	–	–	–
Not contested	38	13	23	2	–	–	–	–	–
Husband	11	6	3	2	–	–	–	–	–
Wife	27	7	20	–	–	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	14	2	11	1	–	–	–	–	–
Husband	1	–	–	1	–	–	–	–	–
Wife	13	2	11	–	–	–	–	–	–
5 to 9 years	17	3	13	1	–	–	–	–	–
Husband	4	–	3	1	–	–	–	–	–
Wife	13	3	10	–	–	–	–	–	–
10 to 19 years	15	10	5	–	–	–	–	–	–
Husband	8	7	1	–	–	–	–	–	–
Wife	7	3	4	–	–	–	–	–	–
20 to 29 years	8	4	3	1	–	–	–	–	–
Husband	3	1	1	1	–	–	–	–	–
Wife	5	3	2	–	–	–	–	–	–
30 years and over	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.6	14.6	7.7	13.7	–	–	–	–	–

Number of libels for divorce pending January 1, 1934 (including all cases, whether decrees *nisi* had been entered or not)	138
Number of libels for divorce pending January 1, 1934, in which decrees *nisi* had been entered at that date	21
Number of libels for divorce filed during the year 1934	59
Number of libels for divorce in which decrees *nisi* were entered during the year 1934	52
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1934	48
Number of cases finally determined in 1934	55
Number of petitions for annulment in 1934	–

[1] No libels were received from the Superior Court; fifty-five from the Probate Court.

Table 54b

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1934

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Berkshire County.	**179**[1]	**46**	**103**	**3**	**4**	**23**	–	–	**5**
Husband	54	24	26	2	2	–	–	–	2
Wife	125	22	77	1	2	23	–	–	3
Granted	119	33	64	1	3	18	–	–	4
Husband	30	15	13	–	2	–	–	–	1
Wife	89	18	51	1	1	18	–	–	3
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	60	13	39	2	1	5	–	–	1
Husband	24	9	13	2	–	–	–	–	1
Wife	36	4	26	–	1	5	–	–	–
Contested	16	4	12	–	–	–	–	–	1
Husband	10	4	6	–	–	–	–	–	–
Wife	6	–	6	–	–	–	–	–	1
Not contested	163	42	91	3	4	23	–	–	4
Husband	44	20	20	2	2	–	–	–	2
Wife	119	22	71	1	2	23	–	–	2
DURATION OF MARRIAGE.									
Less than 6 months	2	–	2	–	–	–	–	–	2
Husband	–	–	–	–	–	–	–	–	1
Wife	2	–	2	–	–	–	–	–	1
6 to 11 months	5	1	3	–	–	1	–	–	2
Husband	–	–	–	–	–	–	–	–	1
Wife	5	1	3	–	–	1	–	–	1
1 to 4 years	43	2	30	–	2	9	–	–	1
Husband	11	2	8	–	1	–	–	–	–
Wife	32	–	22	–	1	9	–	–	1
5 to 9 years	48	10	31	–	1	6	–	–	–
Husband	17	7	10	–	–	–	–	–	–
Wife	31	3	21	–	1	6	–	–	–
10 to 19 years	49	18	22	2	1	6	–	–	–
Husband	13	6	5	1	1	–	–	–	–
Wife	36	12	17	1	–	6	–	–	–
20 to 29 years	24	8	14	1	–	1	–	–	–
Husband	8	5	2	1	–	–	–	–	–
Wife	16	3	12	–	–	1	–	–	–
30 years and over	8	7	1	–	–	–	–	–	–
Husband	5	4	1	–	–	–	–	–	–
Wife	3	3	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.1	16.9	9.6	16.7	8.3	8.0	–	–	.5

Number of libels for divorce pending January 1, 1934 (including all cases, whether decrees *nisi* had been entered or not)	298
Number of libels for divorce pending January 1, 1934, in which decrees *nisi* had been entered at that date	80
Number of libels for divorce filed during the year 1934	167
Number of libels for divorce in which decrees *nisi* were entered during the year 1934	141
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1934	61
Number of cases finally determined in 1934	181
Number of petitions for annulment in 1934	5

[1] No libels were received from the Superior Court; one hundred and seventy-nine from the Probate Court. Two decrees vacated.

Table 54c

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1934.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Bristol County.	335[1]	129	143	17	19	27	–	–	5
Husband	101	68	14	14	5	–	–	–	–
Wife	234	61	129	3	14	27	–	–	5
Granted	296	120	116	15	18	27	–	–	5
Husband	82	59	6	12	5	–	–	–	–
Wife	214	61	110	3	13	27	–	–	5
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	39	9	27	2	1	–	–	–	–
Husband	19	9	8	2	–	–	–	–	–
Wife	20	–	19	–	1	–	–	–	–
Contested	38	12	23	2	–	1	–	–	–
Husband	19	10	7	2	–	–	–	–	–
Wife	19	2	16	–	–	1	–	–	–
Not contested	297	117	120	15	19	26	–	–	5
Husband	82	58	7	12	5	–	–	–	–
Wife	215	59	113	3	14	26	–	–	5
DURATION OF MARRIAGE.									
Less than 6 months	2	–	1	–	–	1	–	–	2
Husband	1	–	1	–	–	–	–	–	–
Wife	1	–	–	–	–	1	–	–	2
6 to 11 months	3	–	3	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
1 to 4 years	83	21	51	4	4	3	–	–	3
Husband	23	12	6	4	1	–	–	–	–
Wife	60	9	45	–	3	3	–	–	3
5 to 9 years	102	43	39	5	6	9	–	–	–
Husband	32	22	4	4	2	–	–	–	–
Wife	70	21	35	1	4	9	–	–	–
10 to 19 years	97	42	31	5	7	12	–	–	–
Husband	27	21	1	3	2	–	–	–	–
Wife	70	21	30	2	5	12	–	–	–
20 to 29 years	40	19	15	3	2	1	–	–	–
Husband	15	11	1	3	–	–	–	–	–
Wife	25	8	14	–	2	1	–	–	–
30 years and over	8	4	3	–	–	1	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	6	2	3	–	–	1	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.8	12.3	9.5	11.7	11.4	10.8	–	–	1.4

Number of libels for divorce pending January 1, 1934 (including all cases, whether decrees *nisi* had been entered or not)	792
Number of libels for divorce pending January 1, 1934, in which decrees *nisi* had been entered at that date	146
Number of libels for divorce filed during the year 1934	392
Number of libels for divorce in which decrees *nisi* were entered during the year 1934	298
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1934	297
Number of cases finally determined in 1934	336
Number of petitions for annulment in 1934	5

[1] One libel was received from the Superior Court; three hundred and thirty-four from the Probate Court. One libel discontinued.

Table 54d

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1934.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Dukes County.	6[1]	2	3	1	–	–	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	4	1	2	1	–	–	–	–	–
Granted	6	2	3	1	–	–	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	4	1	2	1	–	–	–	–	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Contested	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Not contested	6	2	3	1	–	–	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	4	1	2	1	–	–	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	3	–	3	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
5 to 9 years	1	1	–	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
10 to 19 years	2	1	–	1	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	1	–	1	–	–	–	–	–
20 to 29 years	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
30 years and over	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	6.7	10.9	2.7	10.5	–	–	–	–	–

Number of libels for divorce pending January 1, 1934 (including all cases, whether decrees *nisi* had been entered or not)	14
Number of libels for divorce pending January 1, 1934, in which decrees *nisi* had been entered at that date	4
Number of libels for divorce filed during the year 1934	12
Number of libels for divorce in which decrees *nisi* were entered during the year 1934	12
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1934	6
Number of cases finally determined in 1934	6
Number of petitions for annulment in 1934	–

[1] No libels were received from the Superior Court; six from the Probate Court.

Table 54e

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1934.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Essex County.	431[1]	189	197	24	14	4	–	3	–
Husband	125	84	24	15	2	–	–	–	–
Wife	306	105	173	9	12	4	–	3	–
Granted	382	177	167	19	12	4	–	3	–
Husband	99	77	11	11	–	–	–	–	–
Wife	283	100	156	8	12	4	–	3	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	49	12	30	5	2	–	–	–	–
Husband	26	7	13	4	2	–	–	–	–
Wife	23	5	17	1	–	–	–	–	–
Contested	75	22	40	11	2	–	–	–	–
Husband	35	13	13	8	1	–	–	–	–
Wife	40	9	27	3	1	–	–	–	–
Not contested	356	167	157	13	12	4	–	3	–
Husband	90	71	11	7	1	–	–	–	–
Wife	266	96	146	6	11	4	–	3	–
DURATION OF MARRIAGE.									
Less than 6 months	2	–	2	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
6 to 11 months	3	–	2	–	–	–	–	1	–
Husband	–	–	–	–	–	–	–	–	–
Wife	3	–	2	–	–	–	–	1	–
1 to 4 years	77	19	46	6	4	–	–	2	–
Husband	20	7	6	6	1	–	–	–	–
Wife	57	12	40	–	3	–	–	2	–
5 to 9 years	134	59	64	8	2	1	–	–	–
Husband	41	30	6	5	–	–	–	–	–
Wife	93	29	58	3	2	1	–	–	–
10 to 19 years	156	75	62	9	7	3	–	–	–
Husband	43	30	9	3	1	–	–	–	–
Wife	113	45	53	6	6	3	–	–	–
20 to 29 years	49	26	21	1	1	–	–	–	–
Husband	16	12	3	1	–	–	–	–	–
Wife	33	14	18	–	1	–	–	–	–
30 years and over	10	10	–	–	–	–	–	–	–
Husband	5	5	–	–	–	–	–	–	–
Wife	5	5	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.1	13.2	9.7	8.1	10.1	10.2	–	2.6	–

Number of libels for divorce pending January 1, 1934 (including all cases, whether decrees *nisi* had been entered or not)	1,460
Number of libels for divorce pending January 1, 1934, in which decrees *nisi* had been entered at that date	168
Number of libels for divorce filed during the year 1934	576
Number of libels for divorce in which decrees *nisi* were entered during the year 1934	433
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1934	380
Number of cases finally determined in 1934	432
Number of petitions for annulment in 1934	–

[1] No libels were received from the Superior Court; four hundred and thirty-one from the Probate Court. One decree revoked.

Table 54f

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1934.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Franklin County.	41[1]	17	20	3	–	1	–	–	–
Husband	9	6	2	1	–	–	–	–	–
Wife	32	11	18	2	–	1	–	–	–
Granted	38	17	17	3	–	1	–	–	–
Husband	8	6	1	1	–	–	–	–	–
Wife	30	11	16	2	–	1	–	–	–
Refused	1	–	1	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	2	–	2	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
Contested	5	2	2	1	–	–	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	3	1	1	1	–	–	–	–	–
Not contested	36	15	18	2	–	1	–	–	–
Husband	7	5	1	1	–	–	–	–	–
Wife	29	10	17	1	–	1	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
1 to 4 years	9	2	5	1	–	1	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	8	2	4	1	–	1	–	–	–
5 to 9 years	11	5	5	1	–	–	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	9	3	5	1	–	–	–	–	–
10 to 19 years	7	2	5	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	6	1	5	–	–	–	–	–	–
20 to 29 years	4	2	1	1	–	–	–	–	–
Husband	2	–	1	1	–	–	–	–	–
Wife	2	2	–	–	–	–	–	–	–
30 years and over	9	6	3	–	–	–	–	–	–
Husband	3	3	–	–	–	–	–	–	–
Wife	6	3	3	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	14.7	19.0	17.2	11.2	–	3.4	–	–	–

Number of libels for divorce pending January 1, 1934 (including all cases, whether decrees *nisi* had been entered or not)	64
Number of libels for divorce pending January 1, 1934, in which decrees *nisi* had been entered at that date	14
Number of libels for divorce filed during the year 1934	40
Number of libels for divorce in which decrees *nisi* were entered during the year 1934	21
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1934	38
Number of cases finally determined in 1934	41
Number of petitions for annulment in 1934	–

[1] No libels were received from the Superior Court; forty-one from the Probate Court.

Table 54g

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1934

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Hampden County.	336[1]	119	192	11	10	–	–	4	3
Husband	94	52	34	7	1	–	–	–	1
Wife	242	67	158	4	9	–	–	4	2
Granted	257	92	149	6	6	–	–	4	2
Husband	58	32	22	3	1	–	–	–	1
Wife	199	60	127	3	5	–	–	4	1
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	79	27	43	5	4	–	–	–	1
Husband	36	20	12	4	–	–	–	–	–
Wife	43	7	31	1	4	–	–	–	1
Contested	104	21	75	3	4	–	–	1	2
Husband	29	11	15	3	–	–	–	–	1
Wife	75	10	60	–	4	–	–	1	1
Not contested	232	98	117	8	6	–	–	3	1
Husband	65	41	19	4	1	–	–	–	–
Wife	167	57	98	4	5	–	–	3	1
DURATION OF MARRIAGE.									
Less than 6 months	2	–	2	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
6 to 11 months	3	–	3	–	–	–	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
1 to 4 years	69	7	52	4	5	–	–	1	–
Husband	13	3	8	2	–	–	–	–	–
Wife	56	4	44	2	5	–	–	1	–
5 to 9 years	108	39	63	3	2	–	–	1	1
Husband	33	19	12	2	–	–	–	–	1
Wife	75	20	51	1	2	–	–	1	–
10 to 19 years	119	52	60	4	1	–	–	2	2
Husband	35	22	10	3	–	–	–	–	–
Wife	84	30	50	1	1	–	–	2	2
20 to 29 years	30	17	11	–	2	–	–	–	–
Husband	9	7	1	–	1	–	–	–	–
Wife	21	10	10	–	1	–	–	–	–
30 years and over	5	4	1	–	–	–	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	3	3	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.3	13.0	8.9	8.0	8.4	–	–	8.0	10.3

Number of libels for divorce pending January 1, 1934 (including all cases, whether decrees *nisi* had been entered or not)	518
Number of libels for divorce pending January 1, 1934, in which decrees *nisi* had been entered at that date	132
Number of libels for divorce filed during the year 1934	413
Number of libels for divorce in which decrees *nisi* were entered during the year 1934	337
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1934	262
Number of cases finally determined in 1934	336
Number of petitions for annulment in 1934	3

[1] Forty-seven libels were received from the Superior Court; two hundred and eighty-nine from the Probate Court.

Table 54h

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1934.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Hampshire County.	45[1]	21	19	2	2	1	–	–	–
Husband	15	10	3	2	–	–	–	–	–
Wife	30	11	16	–	2	1	–	–	–
Granted	38	19	15	1	2	1	–	–	–
Husband	11	9	1	1	–	–	–	–	–
Wife	27	10	14	–	2	1	–	–	–
Refused	–	–	–	–	–		–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	7	2	4	1	–	–	–	–	–
Husband	4	1	2	1	–	–	–	–	–
Wife	3	1	2	–	–	–	–	–	–
Contested	14	3	9	1	1	–	–	–	–
Husband	6	2	3	1	–	–	–	–	–
Wife	8	1	6	–	1	–	–	–	–
Not contested	31	18	10	1	1	1	–	–	–
Husband	9	8	–	1	–	–	–	–	–
Wife	22	10	10	–	1	1	–	–	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	7	2	4	–	1	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	6	1	4	–	1	–	–	–	–
5 to 9 years	20	8	9	2	1	–	–	–	–
Husband	7	2	3	2	–	–	–	–	–
Wife	13	6	6	–	1	–	–	–	–
10 to 19 years	13	7	6	–	–	–	–	–	–
Husband	4	4	–	–	–	–	–	–	–
Wife	9	3	6	–	–	–	–	–	–
20 to 29 years	3	2	–	–	–	1	–	–	–
Husband	2	2	–	–	–	–	–	–	–
Wife	1	–	–	–	–	1	–	–	–
30 years and over	2	2	–	–	–	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	1	1	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	9.6	13.4	9.0	7.4	4.8	24.8	–	–	–

Number of libels for divorce pending January 1, 1934 (including all cases, whether decrees *nisi* had been entered or not)	112
Number of libels for divorce pending January 1, 1934, in which decrees *nisi* had been entered at that date	23
Number of libels for divorce filed during the year 1934	59
Number of libels for divorce in which decrees *nisi* were entered during the year 1934	44
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1934	38
Number of cases finally determined in 1934	45
Number of petitions for annulment in 1934	–

[1] One libel was received from the Superior Court; forty-four from the Probate Court.

Table 541

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1934.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Middlesex County.	916[1]	310	545	22	14	18	1	6	14
Husband	233	110	104	13	5	–	1	–	9
Wife	683	200	441	9	9	18	–	6	5
Granted	769	277	448	16	10	12	–	6	7
Husband	157	86	60	8	3	–	–	–	4
Wife	612	191	388	8	7	12	–	6	3
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	147	33	97	6	4	6	1	–	7
Husband	76	24	44	5	2	–	1	–	5
Wife	71	9	53	1	2	6	–	–	2
Contested	321	72	233	9	2	4	–	1	3
Husband	86	33	45	6	2	–	–	–	3
Wife	235	39	188	3	–	4	–	1	–
Not contested	595	238	312	13	12	14	1	5	11
Husband	147	77	59	7	3	–	1	–	6
Wife	448	161	253	6	9	14	–	5	5
DURATION OF MARRIAGE.									
Less than 6 months	8	–	8	–	–	–	–	–	7
Husband	2	–	2	–	–	–	–	–	4
Wife	6	–	6	–	–	–	–	–	3
6 to 11 months	21	–	18	2	–	1	–	–	1
Husband	3	–	2	1	–	–	–	–	1
Wife	18	–	16	1	–	1	–	–	–
1 to 4 years	218	40	161	5	2	9	–	1	1
Husband	46	13	29	4	–	–	–	–	–
Wife	172	27	132	1	2	9	–	1	1
5 to 9 years	271	93	164	3	4	4	–	3	3
Husband	68	35	31	1	1	–	–	–	2
Wife	203	58	133	2	3	4	–	3	1
10 to 19 years	286	123	143	9	6	3	1	1	2
Husband	82	39	32	6	4	–	1	–	2
Wife	204	84	111	3	2	3	–	1	–
20 to 29 years	94	43	45	2	2	1	–	1	–
Husband	25	18	7	–	–	–	–	–	–
Wife	69	25	38	2	2	1	–	1	–
30 years and over	18	11	6	1	–	–	–	–	–
Husband	7	5	1	1	–	–	–	–	–
Wife	11	6	5	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.3	12.9	9.1	10.9	11.8	6.0	16.4	12.4	4.2

Number of libels for divorce pending January 1, 1934 (including all cases, whether decrees *nisi* had been entered or not)	2,233
Number of libels for divorce pending January 1, 1934, in which decrees *nisi* had been entered at that date	276
Number of libels for divorce filed during the year 1934	1,080
Number of libels for divorce in which decrees *nisi* were entered during the year 1934	808
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1934	769
Number of cases finally determined in 1934	917
Number of petitions for annulment in 1934	14

[1] Three libels received from the Superior Court; nine hundred and thirteen from the Probate Court. One libel transferred.

Table 54j

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1934.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Nantucket County.	6[1]	1	4	–	–	–	–	1	–
Husband	–	–	–	–	–	–	–	–	–
Wife	6	1	4	–	–	–	–	1	–
Granted	6	1	4	–	–	–	–	1	–
Husband	–	–	–	–	–	–	–	–	–
Wife	6	1	4	–	–	–	–	1	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Contested	2	–	2	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
Not contested	4	1	2	–	–	–	–	1	–
Husband	–	–	–	–	–	–	–	–	–
Wife	4	1	2	–	–	–	–	1	–
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
6 to 11 months	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
1 to 4 years	1	–	1	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	–	1	–	–	–	–	–	–
5 to 9 years	2	–	2	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	–	2	–	–	–	–	–	–
10 to 19 years	2	–	1	–	–	–	–	1	–
Husband	–	–	–	–	–	–	–	–	–
Wife	2	–	1	–	–	–	–	1	–
20 to 29 years	1	1	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	1	1	–	–	–	–	–	–	–
30 years and over	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.5	25.0	7.0	–	–	–	–	10.0	–

Number of libels for divorce pending January 1, 1934 (including all cases, whether decrees *nisi* had been entered or not)	4
Number of libels for divorce pending January 1, 1934, in which decrees *nisi* had been entered at that date	4
Number of libels for divorce filed during the year 1934	13
Number of libels for divorce in which decrees *nisi* were entered during the year 1934	8
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1934	8
Number of cases finally determined in 1934	7
Number of petitions for annulment in 1934	–

[1] No libels were received from the Superior Court; six from the Probate Court. One libel transferred.

Table 54k

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1934.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Norfolk County.	291[1]	82	183	16	4	6	–	–	7
Husband	87	36	42	8	1	–	–	–	1
Wife	204	46	141	8	3	6	–	–	6
Granted	267	80	164	14	3	6	–	–	6
Husband	73	35	30	8	–	–	–	–	1
Wife	194	45	134	6	3	6	–	–	5
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	24	2	19	2	1	–	–	–	1
Husband	14	1	12	–	1	–	–	–	–
Wife	10	1	7	2	–	–	–	–	1
Contested	137	23	99	12	2	1	–	–	3
Husband	43	10	27	5	1	–	–	–	1
Wife	94	13	72	7	1	1	–	–	2
Not contested	154	59	84	4	2	5	–	–	4
Husband	44	26	15	3	–	–	–	–	–
Wife	110	33	69	1	2	5	–	–	4
DURATION OF MARRIAGE.									
Less than 6 months	–	–	–	–	–	–	–	–	1
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	1
6 to 11 months	6	–	5	–	–	1	–	–	2
Husband	–	–	–	–	–	–	–	–	1
Wife	6	–	5	–	–	1	–	–	1
1 to 4 years	52	6	41	2	1	2	–	–	2
Husband	10	2	7	1	–	–	–	–	–
Wife	42	4	34	1	1	2	–	–	2
5 to 9 years	95	22	64	7	2	–	–	–	2
Husband	29	11	13	4	1	–	–	–	–
Wife	66	11	51	3	1	–	–	–	2
10 to 19 years	95	34	55	3	1	2	–	–	–
Husband	34	17	15	2	–	–	–	–	–
Wife	61	17	40	1	1	2	–	–	–
20 to 29 years	36	14	17	4	–	1	–	–	–
Husband	12	5	6	1	–	–	–	–	–
Wife	24	9	11	3	–	1	–	–	–
30 years and over	7	6	1	–	–	–	–	–	–
Husband	2	1	1	–	–	–	–	–	–
Wife	5	5	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.1	15.1	9.7	11.7	7.6	9.9	–	–	2.5

Number of libels for divorce pending January 1, 1934 (including all cases, whether decrees *nisi* had been entered or not)	691
Number of libels for divorce pending January 1, 1934, in which decrees *nisi* had been entered at that date	105
Number of libels for divorce filed during the year 1934	380
Number of libels for divorce in which decrees *nisi* were entered during the year 1934	266
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1934	273
Number of cases finally determined in 1934	292
Number of petitions for annulment in 1934	7

[1] One libel was received from the Superior Court; two hundred and ninety from the Probate Court. One petition for affirmation of marriage.

Table 541

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1934

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Plymouth County.	164[1]	58	87	3	10	3	1	2	2
Husband	38	26	8	3	–	–	1	–	2
Wife	126	32	79	–	10	3	–	2	–
Granted	137	54	69	1	9	2	–	2	2
Husband	29	24	4	1	–	–	–	–	2
Wife	108	30	65	–	9	2	–	2	–
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	27	4	18	2	1	1	1	–	–
Husband	9	2	4	2	–	–	1	–	–
Wife	18	2	14	–	1	1	–	–	–
Contested	46	8	30	2	4	1	1	–	–
Husband	10	4	3	2	–	–	1	–	–
Wife	36	4	27	–	4	1	–	–	–
Not contested	118	50	57	1	6	2	–	2	2
Husband	28	22	5	1	–	–	–	–	2
Wife	90	28	52	–	6	2	–	2	–
DURATION OF MARRIAGE.									
Less than 6 months	2	1	–	–	1	–	–	–	–
Husband	1	1	–	–	–	–	–	–	–
Wife	1	–	–	–	1	–	–	–	–
6 to 11 months	5	–	3	–	1	1	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	4	–	2	–	1	1	–	–	–
1 to 4 years	35	4	28	–	1	1	–	1	–
Husband	3	1	2	–	–	–	–	–	–
Wife	32	3	26	–	1	1	–	1	–
5 to 9 years	43	20	19	1	2	–	1	–	1
Husband	12	7	3	1	–	–	1	–	1
Wife	31	13	16	–	2	–	–	–	–
10 to 19 years	49	16	26	1	5	1	–	–	–
Husband	9	6	2	1	–	–	–	–	–
Wife	40	10	24	–	5	1	–	–	–
20 to 29 years	24	11	11	1	–	–	–	1	1
Husband	8	7	–	1	–	–	–	–	1
Wife	16	4	11	–	–	–	–	1	–
30 years and over	6	6	–	–	–	–	–	–	–
Husband	4	4	–	–	–	–	–	–	–
Wife	2	2	–	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	11.7	14.8	10.2	14.2	8.7	4.4	8.4	15.0	15.8

Number of libels for divorce pending January 1, 1934 (including all cases, whether decrees *nisi* had been entered or not)	357
Number of libels for divorce pending January 1, 1934, in which decrees *nisi* had been entered at that date	65
Number of libels for divorce filed during the year 1934	204
Number of libels for divorce in which decrees *nisi* were entered during the year 1934	151
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1934	137
Number of cases finally determined in 1934	164
Number of petitions for annulment in 1934	2

[1] Seventy-two libels were received from the Superior Court; ninety-two from the Probate Court.

Table 54m

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1934.

LIBELS AND LIBELLANTS.	CAUSES.								ANNULMENTS.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Suffolk County.	1,039[1]	356	607	21	19	29	1	6	27
Husband	260	135	107	14	4	–	–	–	10
Wife	779	221	500	7	15	29	1	6	17
Granted	948	337	543	17	17	27	1	6	27
Husband	211	123	75	10	3	–	–	–	10
Wife	737	214	468	7	14	27	1	6	17
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	91	19	64	4	2	2	–	–	–
Husband	49	12	32	4	1	–	–	–	–
Wife	42	7	32	–	1	2	–	–	–
Contested	278	62	201	6	4	5	–	–	3
Husband	88	37	44	6	1	–	–	–	2
Wife	190	25	157	–	3	5	–	–	1
Not contested	761	294	406	15	15	24	1	6	24
Husband	172	98	63	8	3	–	–	–	8
Wife	589	196	343	7	12	24	1	6	16
DURATION OF MARRIAGE.									
Less than 6 months	9	–	8	–	1	–	–	–	6
Husband	3	–	2	–	1	–	–	–	2
Wife	6	–	6	–	–	–	–	–	4
6 to 11 months	20	–	19	–	1	–	–	–	4
Husband	3	–	3	–	–	–	–	–	2
Wife	17	–	16	–	1	–	–	–	2
1 to 4 years	260	46	192	7	3	8	1	3	13
Husband	53	21	26	4	2	–	–	–	4
Wife	207	25	166	3	1	8	1	3	9
5 to 9 years	315	108	182	4	6	13	–	2	2
Husband	84	44	36	3	1	–	–	–	1
Wife	231	64	146	1	5	13	–	2	1
10 to 19 years	311	144	147	6	7	6	–	1	2
Husband	79	45	29	5	–	–	–	–	1
Wife	232	99	118	1	7	6	–	1	1
20 to 29 years	106	49	50	4	1	2	–	–	–
Husband	34	21	11	2	–	–	–	–	–
Wife	72	28	39	2	1	2	–	–	–
30 years and over	18	9	9	–	–	–	–	–	–
Husband	4	4	–	–	–	–	–	–	–
Wife	14	5	9	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.1	12.6	9.0	11.6	8.7	8.4	4.2	6.1	3.1

Number of libels for divorce pending January 1, 1934 (including all cases, whether decrees *nisi* had been entered or not)	3,684
Number of libels for divorce pending January 1, 1934, in which decrees *nisi* had been entered at that date	457
Number of libels for divorce filed during the year 1934	1,345
Number of libels for divorce in which decrees *nisi* were entered during the year 1934	1,029
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1934	944
Number of cases finally determined in 1934	1,039
Number of petitions for annulment in 1934	27

[1] Seven libels were received from the Superior Court; one thousand and thirty-two from the Probate Court.

Table 54n

LIBELS FOR DIVORCES GRANTED, REFUSED, DISMISSED, CONTESTED, AND NOT CONTESTED, AND NUMBER OF YEARS LIBELLANTS WERE MARRIED, BY STATUTORY CAUSES & SEX OF LIBELLANT; ALSO ANNULMENTS: 1934.

LIBELS AND LIBELLANTS.	CAUSES.								Annulments.
	All causes.	Desertion.	Cruel and abusive treatment.	Adultery.	Intoxication.	Non-support.	Impotency.	Imprisonment.	
Worcester County.	394[1]	151	203	14	18	8	–	–	7
Husband	109	70	26	8	5	–	–	–	5
Wife	285	81	177	6	13	8	–	–	2
Granted	336	141	167	8	13	7	–	–	5
Husband	87	65	15	4	3	–	–	–	3
Wife	249	76	152	4	10	7	–	–	2
Refused	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Dismissed	58	10	36	6	5	1	–	–	2
Husband	22	5	11	4	2	–	–	–	2
Wife	36	5	25	2	3	1	–	–	–
Contested	184	50	113	9	10	2	–	–	3
Husband	47	25	15	5	2	–	–	–	3
Wife	137	25	98	4	8	2	–	–	–
Not contested	210	101	90	5	8	6	–	–	4
Husband	62	45	11	3	3	–	–	–	2
Wife	148	56	79	2	5	6	–	–	2
DURATION OF MARRIAGE.									
Less than 6 months	4	–	4	–	–	–	–	–	4
Husband	–	–	–	–	–	–	–	–	3
Wife	4	–	4	–	–	–	–	–	1
6 to 11 months	7	1	4	–	–	2	–	–	–
Husband	1	–	1	–	–	–	–	–	–
Wife	6	1	3	–	–	2	–	–	–
1 to 4 years	89	21	57	4	4	3	–	–	2
Husband	20	11	5	2	2	–	–	–	1
Wife	69	10	52	2	2	3	–	–	1
5 to 9 years	113	47	58	4	2	2	–	–	–
Husband	34	23	8	2	1	–	–	–	–
Wife	79	24	50	2	1	2	–	–	–
10 to 19 years	135	60	60	5	9	1	–	–	1
Husband	37	24	7	4	2	–	–	–	1
Wife	98	36	53	1	7	1	–	–	–
20 to 29 years	37	16	17	1	3	–	–	–	–
Husband	14	9	5	–	–	–	–	–	–
Wife	23	7	12	1	3	–	–	–	–
30 years and over	9	6	3	–	–	–	–	–	–
Husband	3	3	–	–	–	–	–	–	–
Wife	6	3	3	–	–	–	–	–	–
Unknown	–	–	–	–	–	–	–	–	–
Husband	–	–	–	–	–	–	–	–	–
Wife	–	–	–	–	–	–	–	–	–
Average number of years	10.5	12.3	9.5	9.8	15.1	5.1	–	–	2.7

Number of libels for divorce pending January 1, 1934 (including all cases, whether decrees *nisi* had been entered or not)	1,135
Number of libels for divorce pending January 1, 1934, in which decrees *nisi* had been entered at that date	156
Number of libels for divorce filed during the year 1934	487
Number of libels for divorce in which decrees *nisi* were entered during the year 1934	355
Number of cases in which *nisi* decrees had been entered (whether pending January 1, or since entered), which were finally disposed of during the year 1934	341
Number of cases finally determined in 1934	402
Number of petitions for annulment in 1934	7

[1] One libel was received from the Superior Court; three hundred and ninety-three from the Probate Court. Two libels vacated. Six libels discontinued.

Table 55

Years.	Divorces Granted: 1910 to 1934.				
	Total number.	Granted to husband.		Granted to wife.	
		Number.	Per cent.	Number.	Per cent.
1910 to 1934.	75,816	20,539	27.1	55,277	72.9
1910	1,929	517	26.8	1,412	73.2
1911	2,137	597	27.9	1,540	72.1
1912	1,927	557	28.9	1,370	71.1
1913	2,126	653	30.7	1,473	69.3
1914	2,200	591	26.9	1,609	73.1
1915	2,252	632	28.1	1,620	71.9
1916	2,301	650	28.2	1,651	71.8
1917	2,635	771	29.3	1,864	70.7
1918	2,351	704	29.9	1,647	70.1
1919	2,536	754	29.7	1,782	70.3
1920	3,647	1,061	29.1	2,586	70.9
1921	3,803	1,081	28.4	2,722	71.6
1922	3,277	869	26.5	2,408	73.5
1923	3,593	972	27.1	2,621	72.9
1924	3,845	1,074	27.9	2,771	72.1
1925	3,395	910	26.8	2,485	73.2
1926	3,363	908	27.0	2,455	73.0
1927	3,493	895	25.6	2,598	74.4
1928	3,663	939	25.6	2,724	74.4
1929	3,574	925	25.9	2,649	74.1
1930	3,746	988	26.4	2,758	73.6
1931	3,625	894	24.7	2,731	75.3
1932	3,543	938	26.5	2,605	73.5
1933	3,210	801	25.0	2,409	75.0
1934	3,645	858	23.5	2,787	76.5

Table 56

Period of Years.	Divorces Granted: 1910 to 1934.			Per cent increase in total population over preceding census.
	Total number.	Increase over preceding period.		
		Number.	Per cent.	
1910 to 1914	10,319	1,576	18.0	8.2
1915 to 1919	12,075	1,756	17.0	3.9
1920 to 1924	18,165	6,090	50.4	3.9
1925 to 1929	17,488	677 [1]	3.7 [1]	.2 [1]
1930 to 1934	17,769	281	1.6	.1

[1] Decrease.

Table 57

Census Years.	Comparison of Increase in Divorce with Increase in Population: 1905 to 1930.							
	Divorces.			Population.			Population to one divorce.	Divorces per 100,000 population.
	Total number.	Increase over preceding census year.		Total.	Increase over preceding census year.			
		Number.	Per cent.		Number.	Per cent.		
1905	1,554	296	23.5	3,003,680	198,334	7.1	1,933	51.7
1910	1,929	375	24.1	3,366,416	362,736	12.1	1,745	57.3
1915	2,252	323	16.7	3,693,310	326,894	9.7	1,640	61.0
1920	3,647	1,395	61.9	3,852,356	159,046	4.3	1,056	94.7
1925	3,395	252 [1]	6.9 [1]	4,144,205	291,849	7.6	1,221	81.9
1930	3,746	351	10.3	4,249,614	105,409	2.5	1,134	88.1

[1] Decrease.

Table 58

Census Years.	Divorce Rates based on Total Population and on Married Population: Census Years, 1905 to 1930.					
	Population.		Divorce: annual average. [1]		Married population to one divorce.	Divorces per 100,000 married population.
	Total.	Married. [2]	Number.	Per 100,000 population.		
1905	3,003,680	1,134,320	1,731	58	655	153
1910	3,366,416	1,300,271	1,900	56	684	146
1915	3,693,310	1,474,590	2,303	62	640	156
1920	3,852,356	1,534,584	3,123	81	491	204
1925	4,144,205	–	3,538	83	–	–
1930	4,249,614	1,740,235	3,630	85	479	209

[1] For the five-year period of which the census year is the median year.
[2] Married population for 1925 not available.

Table 59

Counties.	Annual Average[1] Number of Divorces in the State and in Each County: Census Years 1910 to 1930.				
	Number.				
	1930.	1925.	1920.	1915.	1910.
The State.	**4,433**	**4,064**	**3,123**	**2,303**	**1,900**
Barnstable	44	36	22	22	16
Berkshire	128	141	84	65	57
Bristol	348	321	262	184	140
Dukes	7	4	5	3	2
Essex	511	496	416	304	268
Franklin	40	42	39	28	27
Hampden	360	332	247	172	130
Hampshire	44	34	29	22	22
Middlesex	909	761	491	388	311
Nantucket	3	5	2	1	1
Norfolk	260	186	118	86	75
Plymouth	167	160	150	122	108
Suffolk	1,163	1,129	974	696	544
Worcester	449	417	284	209	200

[1] For the five-year period of which the census year is the median year.

Table 60

Statutory Causes.	Divorces Granted for Specified Causes for 25 Years: 1910 to 1934.								
	Total			Granted to husband			Granted to wife.		
	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.	Number.	Per cent.	Per cent distribution.
All Causes.	**75,187[1]**	**100.0**	**100.0**	**20,290**	**27.0**	**100.0**	**54,897**	**73.0**	**100.0**
Desertion	34,683	100.0	46.1	13,439	38.7	66.3	21,244	61.3	38.7
Adultery	6,136	100.0	8.2	3,774	61.5	18.6	2,362	38.5	4.3
Cruel and abusive treatment	27,587	100.0	36.7	2,405	8.7	11.9	25,182	91.3	45.9
Intoxication	4,178	100.0	5.6	625	15.0	3.0	3,553	85.0	6.5
Non-support	2,239	100.0	3.0	–	–	–	2,239	100.0	4.1
Imprisonment	195	100.0	.2	2	–[2]	–[2]	193	100.0	.3
Impotency	169	100.0	.2	45	26.6	.2	124	73.4	.2

[1] 804 Annulments not included.

[2] Less than one-tenth of one per cent.

Table 61

Years Divorces were granted.	Statutory Causes of Divorce: 1910 to 1934.								
	All causes.	Desertion.	Adultery.	Cruel and abusive treatment.	Intoxication.	Non-support.	Imprisonment.	Impotency.	Annulments.
1910	1,929	849	282	445	255	76	4	5	13
1911	2,137	964	323	478	282	74	3	5	8
1912	1,927	946	219	474	214	44	6	4	20
1913	2,126	1,002	259	501	260	79	4	4	17
1914	2,200	1,095	224	525	244	83	5	4	20
1915	2,252	1,124	235	571	214	72	4	11	21
1916	2,301	1,157	234	644	193	43	9	5	16
1917	2,635	1,345	268	687	236	68	5	5	21
1918	2,351	1,191	249	619	195	65	2	7	23
1919	2,536	1,328	228	748	158	45	3	5	21
1920	3,647	1,887	394	1,093	156	68	5	11	33
1921	3,803	1,970	356	1,242	117	71	4	11	32
1922	3,277	1,574	280	1,229	90	64	5	7	28
1923	3,593	1,622	271	1,442	123	87	9	9	30
1924	3,845	1,776	271	1,424	171	157	6	8	32
1925	3,395	1,558	240	1,272	146	111	11	9	48
1926	3,363	1,539	232	1,220	164	154	4	6	44
1927	3,493	1,580	254	1,363	123	119	9	5	40
1928	3,663	1,625	254	1,463	146	112	17	3	43
1929	3,574	1,482	222	1,555	138	114	11	12	40
1930	3,746	1,581	235	1,647	126	100	6	10	41
1931	3,625	1,488	183	1,675	112	114	8	7	38
1932	3,543	1,421	172	1,686	131	104	19	10	56
1933	3,210	1,212	146	1,632	91	110	14	5	61
1934	3,645	1,367	105	1,952	93	105	22	1	58

Table 62

APPLICATIONS FOR DIVORCE: 1910 TO 1934.

YEARS OF APPLICATION.	Total.	GRANTED.		REFUSED.		DISMISSED.		CONTESTED.		NOT CONTESTED.	
		Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.	Number.	Per cent.
1910 to 1934.	**91,621**	**75,816**	**82.8**	**576**	**.6**	**15,229**	**16.6**	**16,466**	**18.0**	**75,155**	**82.0**
1910 . . .	2,473	1,929	78.0	13	.5	531	21.5	238	9.6	2,235	90.4
1911 . . .	2,909	2,137	73.5	–	–	772	26.5	290	10.0	2,619	90.0
1912 . . .	2,532	1,927	76.1	12	.5	593	23.4	259	10.2	2,273	90.0
1913 . . .	2,640	2,126	80.5	30	1.1	484	18.3	237	9.0	2,403	91.0
1914 . . .	2,964	2,200	74.2	25	.8	739	24.9	267	9.0	2,697	91.0
1915 . . .	2,728	2,252	82.6	–	–	476	17.4	203	7.4	2,525	92.6
1916 . . .	2,789	2,301	82.5	23	.8	465	16.7	193	6.9	2,596	93.1
1917 . . .	3,221	2,635	81.8	24	.7	562	17.5	258	8.0	2,963	92.0
1918 . . .	3,077	2,351	76.4	31	1.0	695	22.6	366	11.9	2,711	88.1
1919 . . .	3,121	2,536	81.2	33	1.1	552	17.7	388	12.4	2,733	87.6
1920 . . .	4,376	3,647	83.3	33	.8	696	15.9	392	9.0	3,984	91.0
1921 . . .	4,556	3,803	83.5	38	.8	715	15.7	402	8.8	4,154	91.2
1922 . . .	3,733	3,277	87.8	28	.7	428	11.5	328	8.8	3,405	91.2
1923 . . .	4,116	3,593	87.3	42	1.0	481	11.7	508	12.3	3,608	87.7
1924 . . .	4,294	3,845	89.5	32	.7	417	9.7	895	20.8	3,399	79.1
1925 . . .	3,887	3,395	87.4	33	.8	459	11.8	923	23.7	2,964	76.3
1926 . . .	4,044	3,363	83.2	23	.6	658	16.2	919	22.7	3,125	77.3
1927 . . .	4,026	3,493	86.7	34	.8	499	12.5	1,044	26.0	2,982	74.0
1928 . . .	4,180	3,663	87.6	55	1.3	462	11.1	1,048	25.1	3,132	74.9
1929 . . .	5,028	3,574	71.1	40	.8	1,414	28.1	1,308	26.0	3,720	74.0
1930 . . .	4,560	3,746	82.1	12	.3	802	17.6	1,209	26.5	3,351	73.5
1931 . . .	4,303	3,625	84.2	4	.1	674	15.7	1,282	29.8	3,021	70.2
1932 . . .	4,095	3,543	86.5	7	.2	545	13.3	1,179	28.8	2,916	71.2
1933 . . .	3,731	3,210	86.0	3	.1	518	13.9	1,093	29.3	2,638	70.7
1934 . . .	4,238	3,645	86.0	1	–[1]	592	14.0	1,237	29.2	3,001	70.8

[1] Less than one-tenth of one per cent.

Table 63

DIVORCES GRANTED CLASSIFIED BY STATUTORY CAUSE AND PARTY TO WHICH GRANTED: 1934.

STATUTORY CAUSE AND PARTY TO WHICH GRANTED.	Total Number.	CASES CONTESTED.		CASES NOT CONTESTED.	
		Number.	Per cent.	Number.	Per cent.
All Causes.	**3,645**	**921**	**25.3**	**2,724**	**74.7**
Husband	**858**	**190**	**22.1**	**668**	**77.9**
Wife	**2,787**	**731**	**26.2**	**2,056**	**73.8**
Desertion	1,367	213	15.6	1,154	84.4
Husband	539	95	17.6	444	82.4
Wife	828	118	14.3	710	85.7
Cruel and abusive treatment .	1,952	640	32.8	1,312	67.2
Husband	240	71	29.6	169	70.4
Wife	1,712	569	33.2	1,143	66.8
Adultery	105	33	31.4	72	68.6
Husband	62	21	33.9	41	66.1
Wife	43	12	27.9	31	72.1
Intoxication	93	22	–[1]	71	–[1]
Husband	17	3	–[1]	14	–[1]
Wife	76	19	–[1]	57	–[1]
Non-support	105	11	10.5	94	89.5
Husband	–	–	–[1]	–	–[1]
Wife	105	11	10.5	94	89.5
Impotency	1	–	–[1]	1	–[1]
Husband	–	–	–[1]	–	–[1]
Wife	1	–	–[1]	1	–[1]
Imprisonment	22	2	–[1]	20	–[1]
Husband	–	–	–[1]	–	–[1]
Wife	22	2	–[1]	20	–[1]
Annulments	58	10	–[1]	48	–[1]
Husband	22	6	–[1]	16	–[1]
Wife	36	4	–[1]	32	–[1]

[1] Per cent not shown where the base is less than 100.

Table 64

LIBELS FOR DIVORCE GRANTED AND NOT GRANTED, CONTESTED AND NOT CONTESTED, CLASSIFIED BY PARTY TO WHICH GRANTED: 1934.

PARTY TO WHICH GRANTED.	TOTAL.		GRANTED.		REFUSED.		DISMISSED.	
	Contested.	Not contested.	Contested.	Not contested.	Contested.	Not contested.	Contested.	Not contested.
Total.	**1,237**	**3,001**	**921**	**2,724**	**1**	**–**	**315**	**277**
Husband	380	763	190	668	1	–	189	95
Wife.	857	2,238	731	2,056	–	–	126	182

Table 65

Years of Application.	Number of Years Libellants were Married at Time of Application for Divorce: 1910 to 1934.								
	Total.[1]	Under 6 months.	6 to 11 months.	1 to 4 years.	5 to 9 years.	10 to 19 years.	20 to 29 years.	30 years and over.	Average.
1910	2,473	30	–	526	740	829	285	63	10.8
1911	2,909	20	29	543	880	974	406	57	11.2
1912	2,532	3	21	501	820	823	304	60	10.5
1913	2,640	23	23	479	835	891	318	71	11.2
1914	2,963	20	1	809	910	850	307	66	10.9
1915	2,728	20	23	437	946	940	280	82	10.7
1916	2,789	20	32	548	917	887	316	69	10.6
1917	3,220	13	49	585	1,026	1,079	375	93	10.9
1918	3,077	26	41	567	937	1,035	382	89	11.1
1919	3,117	35	37	551	925	1,104	374	91	10.9
1920	4,373	43	48	939	1,370	1,431	430	112	10.7
1921	4,555	39	79	968	1,392	1,425	511	141	10.9
1922	3,727	40	57	841	1,073	1,190	405	121	10.9
1923	4,116	45	80	1,027	1,166	1,276	418	102	10.4
1924	4,286	41	71	990	1,287	1,351	456	90	10.6
1925	3,883	45	72	919	1,181	1,154	391	121	10.7
1926	4,044	44	67	979	1,225	1,195	430	104	10.6
1927	4,026	41	63	900	1,305	1,213	402	99	10.7
1928	4,180	40	79	975	1,371	1,232	385	98	10.2
1929	5,028	56	86	1,139	1,531	1,549	509	153	10.7
1930	4,560	55	75	1,070	1,403	1,346	493	116	10.6
1931	4,301	51	78	1,026	1,270	1,313	444	119	10.6
1932	4,094	43	76	941	1,214	1,306	433	81	10.5
1933	3,731	25	66	881	1,162	1,135	383	79	10.4
1934	4,238	32	74	960	1,280	1,336	456	100	10.6

[1] Exclusive of those for which duration of marriage was unknown.

PART II. D.

POPULATION STATISTICS

PAGE
Introductory 189
Estimated population 189
Statistical table 190

Introductory. — All vital statistics are based upon the population. The number of births, marriages, divorces and deaths is expressed in relation to the population, usually as rates giving the number occurring during the calendar year per 1,000 inhabitants or group of inhabitants, such as age groups, sex, nativity, race, marital condition, and occupation groups.

Information regarding population is obtained by a census enumeration, and in Massachusetts these enumerations are made every five years. The statistics for 1934 in this report are based on the State census taken as of March 31, 1925, and the Federal census taken as of April 1, 1930.

The population of any community or State is continually changing, in most cases increasing, and for this reason it becomes necessary to make estimates of the population for the periods between the census enumerations upon which to base rates for the various vital events, and especially for the accurate computation and expression of birth, marriage, divorce, and death rates. Such estimates are necessary for all dates except those on which the census enumerations are made, and are in all cases preferable to a repetition of the census returns for a certain year.

For non-census years the statistical tables in this book are based upon the estimated population as determined by the arithmetical method, which assumes a constant amount of increase between the census years.

The unexpected result of the national census of 1930, in which the State of Massachusetts shows a gain in population of only 105,409 in the five-year period 1925 to 1930, has made the estimated population for the years 1926, 1927 1928 and 1929 based on the censuses of the years 1920 and 1925 appear almost absurd and made it necessary to revise the figures for that period.

Estimated Population. — The method of calculating estimates of population for the intercensal years is shown in the following example:

Massachusetts had a population of 4,249,614 at the Federal census of 1930 (April 1), and of 4,144,205 at the State census of 1925 (March 31). The increase during the intercensal period (60 months) was 105,409, and the monthly increase according to the arithmetical method of estimating population, was —

$$\frac{4{,}249{,}614 - 4{,}144{,}205}{60} = 1{,}757$$

The same annual increase is also assumed to occur until the next census shall have been taken. The population for June 30, 1934, is estimated by adding to the population as it existed at the preceding census (April 1, 1930), 1,757 for each month intervening between the date of enumeration and the date for which the estimate is desired (June 30, 1934). There being 51 months between these dates, the calculation would be

$$4{,}249{,}614 + (51 \times 1757) = 4{,}339{,}221.$$

The census population for each municipality in the Commonwealth having over 15,000 inhabitants in 1930 is shown on page 190.

Table 66

Municipalities.	Census Population of Municipalities having over 15,000 Inhabitants in 1930: 1905 to 1930.					
	April 1, 1930.	March 31, 1925.	January 1, 1920.	April 1, 1915.	April 15, 1910.	May 1, 1905.
The State.	**4,249,614**	**4,144,205**	**3,852,356**	**3,693,310**	**3,366,416**	**3,003,680**
Cities over 100,000.						
Boston[1]	781,188	779,620	748,060	745,439	670,585	595,380
Worcester	195,311	190,757	179,754	162,697	145,986	128,135
Springfield	149,900	142,065	129,614	102,971	88,926	73,540
Fall River	115,274	128,993	120,485	124,791	119,295	105,762
Cambridge	113,643	119,669	109,694	108,822	104,839	97,434
New Bedford	112,597	119,539	121,217	109,568	96,652	74,362
Somerville	103,908	99,032	93,091	86,854	77,236	69,272
Lynn	102,320	103,081	99,148	95,803	89,336	77,042
Lowell	100,234	110,296	112,759	107,978	106,294	94,889
50,000 to 100,000.						
Lawrence	85,068	93,527	94,270	90,259	85,892	70,050
Quincy	71,983	60,055	47,876	40,674	32,642	28,076
Newton	65,276	53,003	46,054	43,113	39,806	36,827
Brockton	63,797	65,343	66,254	62,288	56,878	47,794
Medford	59,714	47,627	39,038	30,509	23,150	19,686
Malden	58,036	51,789	49,103	48,907	44,404	38,037
Holyoke	56,537	60,335	60,203	60,816	57,730	49,934
25,000 to 50,000.						
Pittsfield	49,677	46,877	41,763	39,607	32,121	25,001
Haverhill	48,710	49,232	53,884	49,450	44,115	37,830
Everett	48,424	42,072	40,120	37,718	33,484	29,111
Brookline (town)	47,490	42,681	37,748	33,490	27,792	23,436
Chelsea[2]	45,816	47,247	43,184	43,426	32,452	37,289
Chicopee	43,930	41,882	36,214	30,138	25,401	20,191
Salem[3]	43,353	42,821	42,529	37,200	43,697	37,627
Fitchburg	40,692	43,609	41,029	39,656	37,826	33,021
Waltham	39,247	34,746	30,915	30,154	27,834	26,282
Taunton	37,355	39,255	37,137	36,161	34,259	30,967
Arlington (town)	36,094	24,943	18,665	14,889	11,187	9,668
Revere	35,680	33,261	28,823	25,178	18,219	12,659
Watertown (town)	34,913	25,480	21,457	16,515	12,875	11,258
Beverly	25,086	22,685	22,561	22,959	18,650	15,223
15,000 to 25,000.						
Northampton	24,381	24,145	21,951	21,654	19,431	19,957
Gloucester	24,204	23,375	22,947	24,478	24,398	26,011
Melrose	23,170	20,165	18,204	16,880	15,715	14,295
Framingham (town)	22,210	21,078	17,033	15,860	12,948	11,548
Leominster	21,810	22,120	19,744	17,646	17,580	14,297
Attleboro	21,769	20,623	19,731	18,480	16,215	12,702
Belmont (town)	21,748	15,256	10,749	8,081	5,542	4,360
North Adams	21,621	22,717	22,282	22,035	22,019	22,150
Peabody	21,345	19,870	19,552	18,625	15,721	13,098
Methuen (town)	21,069	20,606	15,189	14,007	11,448	8,676
Weymouth (town)	20,882	17,253	15,057	13,969	12,895	11,585
Westfield	19,775	19,342	18,604	18,411	16,044	13,611
Woburn	19,434	18,370	16,574	16,410	15,308	14,402
Gardner	19,399	18,730	16,971	16,376	14,699	12,012
Winthrop (town)	16,852	16,158	15,455	12,758	10,132	7,034
W. Springfield (town)	16,684	15,326	13,443	11,339	9,224	8,101
Milton (town)	16,434	12,861	9,382	8,600	7,924	7,054
Wakefield (town)	16,318	15,611	13,025	12,781	11,404	10,268
Braintree (town)	15,712	13,193	10,580	9,343	8,066	6,879
Marlborough	15,587	16,236	15,028	15,250	14,579	14,073
Greenfield (town)	15,500	15,246	15,462	12,618	10,427	9,156
Dedham (town)	15,136	13,918	10,792	11,043	9,284	7,774
Newburyport	15,084	15,656	15,618	15,311	14,949	14,675
Norwood (town)	15,049	14,151	12,627	10,977	8,014	6,731

[1]Hyde Park (in Norfolk County), annexed to Boston (in Suffolk County) in 1911, contained 15,507 inhabitants in 1910, 14,510 in 1905, and 13,244 in 1900. No other counties have had their boundaries changed since 1874.

[2]Abnormal decrease between 1905 and 1910 due to conflagration of April 12, 1908.

[3]Abnormal decrease between 1910 and 1915 due to conflagration of June 25, 1914.

APPENDIX

International Classification of Causes of Death
1. Detailed International List
2. Abridged International List

INTERNATIONAL CLASSIFICATION OF CAUSES OF DEATH.[1]

There are two separate and distinct classifications of causes of death embodied in the International List of Causes of Death: these are the detailed and abridged International Lists. The former, as indicated by its name, presents causes of death in greater detail than does the latter; that is, it shows separately certain diseases which in the abridged list are grouped together for presentation. The majority of the titles of the abridged list are therefore consolidations of certain titles of the detailed list. The shorter list is used as a basis for certain tables in this volume for which it is either unnecessary or impracticable to present data for each disease and cause of death shown in the detailed list.

The distinction between these lists should always be considered when using the tables of these reports. There are several cases in which the title headings in the two lists are identical, but the causes included are widely at variance. As an example of this, the title "Other infectious and parasitic diseases" of the detailed list (title No. 44) includes only such epidemic maladies as are not classified separately in titles 1 to 44 of that list; but "Other infectious and parasitic diseases" of the abridged list includes titles 4, 5, 12, 13, 15, 16, 17, 18, 19, 20, 21, 22, 33, 35, 36, 37, 39, 40, 41, 42, 43, and 44 of the detailed list.

An asterisk (*) denotes that, in the opinion of the committee appointed by the Section on Vital Statistics of the American Public Health Association, the titles are acceptable statements of causes of death without autopsy.

The following table shows each title of the Detailed International List:—

1. Detailed International List.

I. Infectious and Parasitic Diseases.

1. Typhoid fever.*
2. Paratyphoid fever.*
3. Typhus fever.*
4. Relapsing fever.[2]
5. Undulant fever.
6. Smallpox.*
7. Measles.*
8. Scarlet fever.*
9. Whooping cough.*
10. Diphtheria.*
11. Influenza.
    (a) With respiratory complications specified.
    (b) Without respiratory complications specified.
12. Cholera.

I. Infectious and Parasitic Diseases.—*Cont.*

13. Dysentery.[3]
    (a) Amebic.
    (b) Bacillary.
    (c) Unspecified or due to other causes.
14. Plague.*
    (a) Bubonic.
    (b) Pneumonic.
    (c) Septicemic.
    (d) Unspecified.
15. Erysipelas.*
16. Acute poliomyelitis and acute polioencephalitis.*
17. Lethargic or epidemic encephalitis.
18. Epidemic cerebrospinal meningitis.
19. Glanders.[4]

[1] The second decennial revision of the International Classification of Causes of Death was made at Paris, July 1 to 3, 1909. The next revision was also made at Paris, Oct. 11 to 14, 1920, and was used beginning with 1921. The causes of death as given in the third revision number 205, compared with 179 in the first, and 189 in the second classification. The fourth revision of the International List of Causes of Death is largely a revision of the previous edition and is based upon the translation of the official French version of the proceedings of the International Commission of 1929.

[2] This statement is a reliable one, without autopsy, only when the statement of the cause of death is accompanied or supported by a record of the finding of the etiological factor, that is, the *Spirillum* (*Spirochætal*) *obermeieri*, before death.

[3] Not a reliable statement of cause of death unless the specific cause of infection has been identified.

[4] Not a reliable statement of cause of death, without autopsy, unless there is an accompanying record of the finding of the etiological factor; *i.e.*, the *bacillus mallei*.

Detailed International List — *Continued.*

I. Infectious and Parasitic Diseases. —*Cont.*

20. Anthrax (bacillus anthracis) malignant pustule.[1]
21. Rabies.[2]
22. Tetanus.[3]
23. Tuberculosis of the respiratory system.*
24. Tuberculosis of the meninges and central nervous system.[4]
25. Tuberculosis of the intestines and peritoneum.[5]
26. Tuberculosis of the vertebral column.*
27. Tuberculosis of the bones and joints (vertebral column excepted).*[6]
    (*a*) Tuberculosis of the bones.
    (*b*) Tuberculosis of the joints.
28. Tuberculosis of the skin and subcutaneous cellular tissues.[6]
29. Tuberculosis of the lymphatic system (bronchial, mesenteric, and retroperitoneal glands excepted).[6]
30. Tuberculosis of the genitourinary system.[6]
31. Tuberculosis of the other organs.[6]
32. Disseminated tuberculosis.*
    (*a*) Acute.
    (*b*) Chronic.
    (*c*) Unspecified.
33. Leprosy.*
34. Syphilis.[7]
35. Gonococcus infection and other venereal diseases.[8]
36. Purulent infection, septicemia (nonpuerperal).
37. Yellow fever.*
38. Malaria.[9]
39. Other diseases due to protozoal parasites.
40. Ankylostomiasis.[10]
41. Hydatid cysts.
    (*a*) Of the liver.
    (*b*) Of other organs.
42. Other diseases caused by helminths.[11]
43. Mycoses.[12]
44. Other infectious and parasitic diseases.
    (*a*) Chicken-pox.
    (*b*) German measles.
    (*c*) Others under this title.

II. Cancers and other Tumors.

45. Cancer and other malignant tumors of the buccal cavity and pharynx.*
    (*a*) Cancer of the lip.
    (*b*) Cancer of the tongue.
    (*c*) Cancer of the mouth.
    (*d*) Cancer of the jaw.
    (*e*) Cancer of other and unspecified parts of the buccal cavity.
    (*f*) Cancer of the pharynx.

II. Cancers and other Tumors.—*Cont.*

46. Cancer of the digestive tract and peritoneum.[13]
    (*a*) Cancer of the esophagus.
    (*b*) Cancer of the stomach and duodenum.
    (*c*) Cancer of the intestines (except duodenum, rectum and anus).
    (*d*) Cancer of the rectum and anus.
    (*e*) Cancer of the liver and biliary passages.
    (*f*) Cancer of the pancreas.
    (*g*) Cancer of the mesentery and peritoneum.
    (*h*) Cancer of others under this title.
47. Cancer of the respiratory system.[13]
    (*a*) Cancer of the larynx.
    (*b*) Cancer of the lungs and pleura.
    (*c*) Cancer of other respiratory organs.
48. Cancer of the uterus.[13]
49. Cancer of other female genital organs.[13]
    (*a*) Cancer of the ovary and Fallopian tube.
    (*b*) Cancer of the vagina and vulva.
    (*c*) Cancer of other female genital organs.
50. Cancer of the breast.*
51. Cancer of the male genitourinary organs.[13]
    (*a*) Cancer of the kidneys and supra-renals (male).
    (*b*) Cancer of the bladder (male).
    (*c*) Cancer of the prostate.
    (*d*) Cancer of the testes.
    (*e*) Cancer of the scrotum.
    (*f*) Cancer of other male genitourinary organs.
52. Cancer of the skin.*
53. Cancer of other or unspecified organs.[13]
    (*a*) Cancer of the kidneys and supra-renals (female).
    (*b*) Cancer of the bladder (female).
    (*c*) Cancer of the brain.
    (*d*) Cancer of the bones (except jaw).
    (*e*) Cancer of other or unspecified organs.
54. Nonmalignant tumors.*[13]
    (*a*) Tumors of the ovary.
    (*b*) Tumors of the uterus.
    (*c*) Tumors of other female genital organs.
    (*d*) Tumors of the brain.
    (*e*) Tumors of other organs.
55. Tumors of which the nature is not specified.*[13]
    (*a*) Tumors of the ovary (nature unspecified).
    (*b*) Tumors of the uterus (nature unspecified).
    (*c*) Tumors of other female genital organs (nature unspecified).
    (*d*) Tumors of the brain (nature unspecified).
    (*e*) Tumors of other organs (nature unspecified).

---

[1] Not a reliable statement of cause of death, without autopsy, or without determination of the etiological factor; *i.e.*, the *bacillus anthracis*.

[2] Not a reliable statement of cause of death unless verified by autopsy, or proof that the infecting bite was by a proved rabid animal.

[3] A reliable statement of cause of death, without autopsy, when it is accompanied by information as to date, site, nature, and means of injury.

[4] A reliable statement of cause of death, without autopsy, for children under 10 years of age, but not for decedents of older groups, unless there is confirmatory bacteriological proof of the presence of the tubercle bacillus in the spinal fluid.

[5] An unreliable statement of cause of death, without autopsy, unless proof of an abdominal operation or recovery of tubercle bacillus from the abdominal fluid is presented.

[6] Statements of cause of death which relate to organs or parts of the body which are accessible to direct vision are reliable without autopsy.

[7] Not reliable as a statement of cause of death, without autopsy, unless diagnosis was based on lesions superficially situated or visible through body orifices, or confirmed by unquestioned specific test. A statement of the site, extent, and character of the lesion should be given.

[8] An unreliable statement of cause of death, without autopsy, unless a gonococcic lesion has been demonstrated by the recovery of the gonococcus from the site of the lesion, or by a specific serum reaction, and unless the lesion was an adequate cause of death.

[9] Not a reliable statement of cause of death without the supporting statement that the etiological factor, the *Plasmodium malariæ*, was found in the blood before death or at autopsy.

[10] A reliable statement of cause of death, without autopsy, *provided* the infectious parasite *ankylostoma duodenale* or its ova have been demonstrated.

[11] A reliable statement of cause of death, without autopsy, *only* with the demonstration of the parasite or its ova in the tissues or discharges.

[12] A reliable statement of cause of death, without autopsy, *only* when lesion is accessible to direct examination, or the etiological factor has been identified in the discharges before death.

[13] An unreliable statement of cause of death, without autopsy, unless an operation was performed or the neoplasm was otherwise visible or accessible for direct observation.

Detailed International List — *Continued.*

III. Rheumatic Diseases, Nutritional Diseases, Diseases of the Endocrine Glands and other General Diseases.

56. Acute rheumatic fever.*
57. Chronic rheumatism, osteoarthritis.
58. Gout.
59. Diabetes mellitus.*
60. Scurvy.*
61. Beriberi.*
62. Pellagra.*
63. Rickets.*
64. Osteomalacia.
65. Diseases of the pituitary body.
66. Diseases of the thyroid and parathyroid glands.
    (*a*) Simple goiter.
    (*b*) Exophthalmic goiter.
    (*c*) Myxedema and cretinism.
    (*d*) Tetany.
    (*e*) Other diseases of the thyroid and parathyroid glands.
67. Diseases of the thymus gland.
68. Diseases of the adrenals (Addison's disease not specified as tuberculous).*
69. Other general diseases.

IV. Diseases of the Blood and Blood-making Organs.

70. Hemorrhagic conditions.
    (*a*) Primary purpuras.
    (*b*) Hemophilia.
71. Anemias.[1]
    (*a*) Pernicious anemia.
    (*b*) Other anemias.
72. Leukemias and pseudoleukemias.[2]
    (*a*) True leukemias.
    (*b*) Pseudoleukemias (Hodgkin's disease).
73. Diseases of the spleen.
74. Other diseases of the blood and blood-making organs.

V. Chronic Poisonings and Intoxications.

75. Alcoholism (acute or chronic).*
76. Chronic poisoning by other organic substances.[3]
    (*a*) Occupational.
    (*b*) Other chronic poisoning by organic substances
77. Chronic poisoning by mineral substances.
    (*a*) Lead.[4]
    (*b*) Occupational (except lead).[5]
    (*c*) Other chronic poisoning by mineral substances.[5]

VI. Diseases of the Nervous System and of The Organs of Special Sense.

78. Encephalitis (nonepidemic).
79. Meningitis.
    (*a*) Simple meningitis.
    (*b*) Nonepidemic cerebrospinal meningitis.
80. Progressive locomotor ataxia (tabes dorsalis).*
81. Other diseases of the spinal cord.

VI. Diseases of the Nervous System and of the Organs of Special Sense.—*Cont.*

82. Cerebral hemorrhage, cerebral embolism and thrombosis.
    (*a*) Cerebral hemorrhage.
    (*b*) Cerebral embolism and thrombosis.
    (*c*) Softening of the brain.
    (*d*) Hemiplegia and other paralysis, cause unspecified.
83. General paralysis of the insane.*
84. Dementia praecox and other psychoses.
85. Epilepsy.[6]
86. Convulsions (under 5 years of age).
87. Other diseases of the nervous sytem.*
    (*a*) Neuralgia and neuritis.
    (*b*) Other diseases of the nervous system.
88. Diseases of the organs of vision.*
89. Diseases of the ear and mastoid process.*
    (*a*) Diseases of the ear.
    (*b*) Diseases of the mastoid process.

VII. Diseases of the Circulatory System.

90. Pericarditis.[7]
91. Acute endocarditis.*
    (*a*) Specified as acute.
    (*b*) Unspecified (under 45 years of age).
92. Chronic endocarditis, valvular diseases.*
    (*a*) Endocarditis, specified as chronic, and other valvular diseases.
    (*b*) Endocarditis, unspecified (45 years and over).
93. Diseases of the myocardium.*
    (*a*) Acute myocarditis.
    (*b*) Myocarditis, unspecified (under 45 years).
    (*c*) Chronic myocarditis and myocardial degeneration.
    (*d*) Unspecified.
94. Diseases of the coronary arteries and angina pectoris.*
    (*a*) Angina pectoris.
    (*b*) Diseases of the coronary arteries.
95. Other diseases of the heart.*
    (*a*) Functional diseases of the heart.
    (*b*) Other and unspecified.
96. Aneurysm (except of the heart).
97. Arteriosclerosis (diseases of the coronary arteries excepted).
98. Gangrene.
99. Other diseases of the arteries.*
100. Diseases of the veins (varices, hemorrhoids, phlebitis, etc.).[8]
101. Diseases of the lymphatic system (lymphangitis, etc.).*
102. Idiopathic anomalies of the blood-pressure.
103. Other diseases of the circulatory system.*

VIII. Diseases of the Respiratory System.

104. Diseases of the nasal fossæ and annexæ.*
105. Diseases of the larynx.*
106. Bronchitis.
    (*a*) Acute.
    (*b*) Chronic.*
    (*c*) Unspecified (under 5 years of age).
    (*d*) Unspecified (5 years and over).

---

[1] An unreliable statement of cause of death, without autopsy, unless an operation was performed.

[2] Not a reliable statement of cause of death unless verified by confirmatory blood examination.

[3] A reliable statement of cause of death, without autopsy, *only* when the source of the poison is specified, or when there is chemical or microscopic proof of the presence of the poison within the body.

[4] A reliable statement of cause of death, without autopsy, *if* there appears a statement of an occupation in which decedent would be subject to lead poisoning, or if the source of the poisoning is specified and complications accompanying, sufficient to cause death, are described.

[5] A reliable statement of cause of death, without autopsy, *only* in cases where the occupation or source of poison is specified and it is indicated that the poison was absorbed as a result of occupation; or the characteristic lesions are superficially located or accessible to direct inspection; or there is chemical or microscopic proof of the presence of poison within the body.

[6] An unreliable statement of cause of death, without autopsy, unless death occurred in an epileptic attack and was witnessed, and there was a previous history of epilepsy.

[7] An unreliable statement of cause of death, without autopsy, unless accompanied by a statement of primary cause or of the character of exudate obtained by paracentesis.

[8] A reliable statement of cause of death, without autopsy, if there is an accompanying statement of the site of the lesion or name of the vessel or vessels involved.

Detailed International List — *Continued.*

VIII. Diseases of the Respiratory System — *Cont.*

107. Bronchopneumonia (including capillary bronchitis).*
    (*a*) Bronchopneumonia.
    (*b*) Capillary bronchitis.
108. Lobar Pneumonia.
109. Pneumonia, unspecified.
110. Pleurisy.*
111. Congestion, edema, embolism, hemorrhagic infarct, and thrombosis of the lung.[1]
    (*a*) Pulmonary embolism and thrombosis.
    (*b*) Others under this title.
112. Asthma.
113. Pulmonary emphysema.*
114. Other diseases of the respiratory system (tuberculosis excepted).*
    (*a*) Chronic interstitial pneumonia, including occupational diseases of the respiratory system.
    (*b*) Others, including gangrene of the lung.

IX. Diseases of the Digestive System.

115. Diseases of the buccal cavity and annexa and of the pharynx and tonsils (including adenoid vegetations).*
    (*a*) Diseases of the pharynx and tonsils.
    (*b*) Others under this title.
116. Diseases of the esophagus.*
117. Ulcer of the stomach and duodenum.
    (*a*) Ulcer of the stomach.
    (*b*) Ulcer of the duodenum.
118. Other diseases of the stomach (cancer excepted).
119. Diarrhea and enteritis (under 2 years of age.)*
120. Diarrhea and enteritis (2 years and over).
121. Appendicitis.
122. Hernia, intestinal obstruction.
    (*a*) Hernia.[2]
    (*b*) Intestinal obstruction.[3]
123. Other diseases of the intestines.
124. Cirrhosis of the liver.*
    (*a*) Specified as alcoholic.
    (*b*) Not specified as alcoholic.
125. Other diseases of the liver (including yellow atrophy of liver).*
    (*a*) Yellow atrophy of liver.
    (*b*) Others under this title.
126. Biliary calculi.*
127. Other diseases of the gall-bladder and biliary passages.
128. Diseases of the pancreas.
129. Peritonitis, cause not specified.

X. Diseases of the Genitourinary System.

130. Acute nephritis (including unspecified under 10 years of age).
131. Chronic nephritis.*
132. Nephritis, unspecified (10 years and over).*
133. Other diseases of the kidneys and ureters (puerperal diseases excepted).
134. Calculi of the urinary passages.*
135. Diseases of the bladder (tumors excepted).*
136. Diseases of the urethra, urinary abscess, etc.*
    (*a*) Stricture of the urethra.
    (*b*) Others under this title.
137. Diseases of the prostate.*
138. Diseases of the male genital organs, not specified as venereal.*

X. Diseases of the Genitourinary System— *Cont.*

139. Diseases of the female genital organs, not specified as venereal.*
    (*a*) Cysts of the ovary.
    (*b*) Other diseases of the ovaries and diseases of the tubes and parametrium.
    (*c*) Diseases of the uterus.
    (*d*) Nonpuerperal diseases of the breast (cancer excepted).
    (*e*) Other diseases of the female genital organs.

XI. Diseases of Pregnancy, Childbirth and the Puerperal State.

140. Abortion with septic conditions.*
141. Abortion without mention of septic conditions (to include hemorrhages).*
142. Ectopic gestation.*
    (*a*) Septic conditions specified.
    (*b*) Septic conditions not mentioned.
143. Other accidents of pregnancy (not to include hemorrhages).*
144. Puerperal hemorrhage.*
    (*a*) Placenta praevia.
    (*b*) Other puerperal hemorrhages.
145. Puerperal septicemia (not specified as due to abortion).*
    (*a*) Puerperal septicemia and pyemia.
    (*b*) Puerperal tetanus.
146. Puerperal albuminuria and eclampsia.*
147. Other toxemias of pregnancy.*
148. Puerperal phlegmasia alba dolens, embolus sudden death (not specified as septic).*
149. Other accidents of childbirth.*
    (*a*) Cesarean operation.
    (*b*) Others under this title.
150. Other and unspecified conditions of the puerperal state.*

XII. Diseases of the Skin and Cellular Tissue.

151. Furuncle, carbuncle.[4]
152. Phlegmon, acute abscess.[4]
153. Other diseases of the skin and annexa, and of the cellular tissue.*

XIII. Diseases of the Bones and Organs of Locomotion.

154. Osteomyelitis.*
155. Other diseases of the bones (tuberculosis excepted).*
156. Diseases of the joints and other organs of locomotion.*
    (*a*) Diseases of the joints (tuberculosis and rheumatism excepted).
    (*b*) Diseases of other organs of locomotion.

XIV. Congenital Malformations.

157. Congenital malformations.*
    (*a*) Congenital hydrocephalus.
    (*b*) Spina bifida and meningocele.
    (*c*) Congenital malformations of the heart.
    (*d*) Other congenital malformations.

---

[1] Pulmonary congestion is considered a reliable statement of cause of death, without autopsy, only when the cause is specified; as, for example, *accidental inhalation of irritating fumes*, or accompanying lesions which are known to lead to congestion of the lungs.

[2] A reliable statement of cause of death if the hernia is external, or is exposed on operation or autopsy, when internal; also, when conditions adequate to cause of death, together with type and location of hernia, are specified.

[3] An unreliable statement of cause of death unless the obstruction is demonstrated on autopsy or operation, or is accessible by examination through the body orifices.

[4] A reliable statement of cause of death, without autopsy, *if* there is an accompanying statement of the site and nature of the original infection.

Detailed International List — *Continued.*

XV. Diseases of Early Infancy.

158. Congenital debility.
159. Premature birth.*
160. Injury at birth.*
    (*a*) Cesarean operation.
    (*b*) Without Cesarean operation.
161. Other diseases peculiar to early infancy.
    (*a*) Atelectasis.
    (*b*) Icterus of the new-born.
    (*c*) Sclerema.
    (*d*) Others under this title.

XVI. Senility.

162. Senility.

XVII. Violent and Accidental Deaths.

163. Suicide by solid or liquid poisons or by absorption of corrosive substances.[1]
    (*a*) Suicide by arsenic.
    (*b*) Suicide by hydrocyanic acid.
    (*c*) Suicide by opium, morphine, laudanum.
    (*d*) Suicide by strychnine.
    (*e*) Suicide by corrosive sublimate.*
    (*f*) Suicide by carbolic acid.*
    (*g*) Suicide by lysol.
    (*h*) Suicide by other poisons or kind not stated.
164. Suicide by poisonous gas.[2]
165. Suicide by hanging or strangulation.*
166. Suicide by drowning.*
167. Suicide by firearms.*
168. Suicide by cutting or piercing instruments.*
169. Suicide by jumping from high places.*
170. Suicide by crushing.*
171. Suicide by other means.*
172. Homicide (Infanticide, murder of infants less than one year of age).*
173. Homicide by firearms.*
174. Homicide by cutting or piercing instruments.*
175. Homicide by other means.*
176. Attack by venomous animals.*
177. Poisoning by food.[3]
178. Accidental absorption of poisonous gas.
179. Other acute accidental poisonings (gas excepted).
    (*a*) Wood alcohol.
    (*b*) Denatured alcohol.
    (*c*) Carbolic acid.*
    (*d*) Opium, morphine, laudanum.
    (*e*) Strychnine.
    (*f*) Other poisons or kind not stated.
180. Conflagration.*
181. Accidental burns (conflagration excepted).*
182. Accidental mechanical suffocation.*
183. Accidental drowning.*
184. Accidental traumatism by firearms (wounds of war excepted).
185. Accidental traumatism by cutting or piercing instruments (wounds of war excepted).[4]
186. Accidental traumatism by fall, crushing, landslide.*
    (*a*) Fall.
    (*b*) Crushing, landslide.
187. Cataclysm.
188. Injuries by animals.*
189. Hunger and thirst.*
190. Excessive cold.*
191. Excessive heat.*
192. Lightning.*
193. Accidents due to electric currents.
194. Other accidents.
    (*a*) Foreign bodies.
    (*b*) Others under this title.
195. Violent deaths of unknown nature.
196. Wounds of war.
197. Execution of civilians by belligerent armies.
198. Legal executions.*

XVIII. Ill-defined Causes of Death.

199. Sudden death.
200. Cause of death not specified or ill-defined.
    (*a*) Ill-defined.
    (*b*) Not specified or unknown.
201. Accidents in mines and quarries.*
    (*a*) Accidental absorption of poisonous gas.
    (*b*) Accidental burns (conflagration excepted).
    (*c*) Accidental mechanical suffocation.
    (*d*) Accidental drowning.
    (*e*) Accidental traumatism by cutting or piercing instruments.
    (*f*) Accidental traumatism by fall.
    (*g*) Accidental traumatism by crushing, landslide.
    (*h*) Accidents due to electric currents.
    (*k*) Foreign bodies.
    (*m*) Other accidents.
202. Accidents from agricultural machinery.*
    (*a*) Accidental absorption of poisonous gas.
    (*b*) Accidental burns (conflagration excepted).
    (*c*) Accidental mechanical suffocation.
    (*d*) Accidental drowning.
    (*e*) Accidental traumatism by cutting or piercing instruments.
    (*f*) Accidental traumatism by fall.
    (*g*) Accidental traumatism by crushing, landslide.
    (*h*) Accidents due to electric currents.
    (*k*) Foreign bodies.
    (*m*) Other accidents.
203. Elevator accidents.*
    (*a*) Accidental absorption of poisonous gas.
    (*b*) Accidental burns (conflagration excepted).
    (*c*) Accidental mechanical suffocation.
    (*d*) Accidental drowning.
    (*e*) Accidental traumatism by cutting or piercing instruments.
    (*f*) Accidental traumatism by fall.
    (*g*) Accidental traumatism by crushing, landslide.
    (*h*) Accidents due to electric currents.
    (*k*) Foreign bodies.
    (*m*) Other accidents.
204. Accidents from machinery used for recreation.*
    (*a*) Accidental absorption of poisonous gas.
    (*b*) Accidental burns (conflagration excepted).
    (*c*) Accidental mechanical suffocation.
    (*d*) Accidental drowning.
    (*e*) Accidental traumatism by cutting or piercing instruments.
    (*f*) Accidental traumatism by fall.
    (*g*) Accidental traumatism by crushing, landslide.
    (*h*) Accidents due to electric currents.
    (*k*) Foreign bodies.
    (*m*) Other accidents.
205. Other machinery accidents.*
    (*a*) Accidental absorption of poisonous gas.
    (*b*) Accidental burns (conflagration excepted).
    (*c*) Accidental mechanical suffocation.
    (*d*) Accidental drowning.
    (*e*) Accidental traumatism by cutting or piercing instruments.
    (*f*) Accidental traumatism by fall.
    (*g*) Accidental traumatism by crushing, landslide.
    (*h*) Accidents due to electric currents.
    (*k*) Foreign bodies.
    (*m*) Other accidents.

---

[1] A reliable statement of cause of death, without autopsy, if the character of the solid or liquid is specified.
[2] A reliable statement of cause of death, without autopsy, if the character of the gas is specified.
[3] An unreliable statement of cause of death without supporting data as to a group of accompanying cases or the ingestion of the particular poisonous substances.
[4] An unreliable statement of cause of death without supporting data, such as site and extent of injury.

Detailed International List — *Continued.*

XVIII. Ill-Defined Causes of Death— *Cont.*

206. Railroad and automobile collisions.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
207. Other railroad accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
208. Street car and automobile collisions.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
209. Other street car accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
210. Automobile accidents (primary).*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.

XVIII. Ill-Defined Causes of Death—*Cont.*

211. Motorcycle accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
212. Other land transportation accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
213. Water transportation accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.
214. Air transportation accidents.*
   (*a*) Accidental absorption of poisonous gas.
   (*b*) Accidental burns (conflagration excepted).
   (*c*) Accidental mechanical suffocation.
   (*d*) Accidental drowning.
   (*e*) Accidental traumatism by cutting or piercing instruments.
   (*f*) Accidental traumatism by fall.
   (*g*) Accidental traumatism by crushing, landslide.
   (*h*) Accidents due to electric currents.
   (*k*) Foreign bodies.
   (*m*) Other accidents.

2. Abridged International List.

The following table shows each title of the Abridged International List. The numbers of the titles of the Detailed International List included in each title of the abridged list appear in parentheses.

Abridged
Int. List
Number.

Cause of Death.

1. Typhoid and paratyphoid fever (1, 2).*
2. Typhus fever (3).*
3. Smallpox (6).*
4. Measles (7).*
5. Scarlet fever (8).*
6. Whooping cough (9).*
7. Diphtheria (10).*
8. Influenza (11).
9. Plague (14).*
10. Tuberculosis of the respiratory system (23).*
11. Other forms of tuberculosis (24, 25, 26, 27, 28, 29, 30, 31, 32).
12. Syphilis (34).
13. Malaria (38).
14. Other infectious and parasitic diseases (4, 5, 12, 13, 15, 16, 17, 18, 19, 20, 21, 22, 33, 35, 36, 37, 39, 40, 41, 42, 43, 44).
15. Cancer and other malignant tumors (45, 46, 47, 48, 49, 50, 51, 52, 53).
16. Tumors, nonmalignant, or of which the nature is not specified (54, 55).*
17. Chronic rheumatism and gout (57, 58).
18. Diabetes mellitus (59).
19. Alcoholism (acute or chronic) (75).
20. Other general diseases and chronic poisonings (56, 60, 61, 62, 63, 64, 65, 66, 67, 68, 69, 70, 71, 72, 73 74, 76, 77).
21. Progressive locomotor ataxia and general paralysis of the insane (80, 83).
22. Cerebral hemorrhage, cerebral embolism and thrombosis (82).
23. Other diseases of the nervous system and of the organs of special sense (78, 79, 81, 84, 85, 86, 87, 88, 89).
24. Diseases of the heart (90, 91, 92, 93, 94, 95).*
25. Other diseases of the circulatory system (96, 97, 98, 99, 100, 101, 102, 103).
26. Bronchitis (106).
27. Pneumonias (107, 108, 109).
28. Other diseases of the respiratory system (tuberculosis excepted) (104, 105, 110, 111, 112, 113, 114).
29. Diarrhea and enteritis (119, 120).
30. Appendicitis (121).
31. Diseases of the liver and biliary passages (124, 125, 126, 127).
32. Other diseases of the digestive system (115, 116, 117, 118, 122, 123, 128, 129).
33. Nephritis (130, 131, 132).
34. Other diseases of the genitourinary system (133, 134, 135, 136, 137, 138, 139).
35. Puerperal septicemia (140, 145).*
36. Other diseases of pregnancy, childbirth and the puerperal state (141, 142, 143, 144, 146, 147, 148 149, 150).*
37. Diseases of the skin and cellular tissue, and of the bones and organs of locomotion (151, 152, 153, 154, 155, 156).
38. Congenital debility and malformations, premature birth and other diseases of early infancy (157, 158, 159, 160, 161).
39. Senility (162).
40. Suicide (163, 164, 165, 166, 167, 168, 169, 170, 171).*
41. Homicide (172, 173, 174, 175).
42. Violent and accidental deaths (suicide and homicide excepted) (176, 177, 178, 179, 180, 181, 182, 183 184, 185, 186, 187, 188, 189, 190, 191, 192, 193, 194, 195, 196, 197, 198).
43. Cause of death not specified or ill-defined (199, 200).

BOSTON PUBLIC LIBRARY
3 9999 06351 652 8

FEB 1 0 1936

THE PUBLIC LIBRARY

OF THE

CITY OF BOSTON

FORM NO. 522 4.6.36 5M